PROPERTY CONDITION ASSESSMENT

Ironwood Marketplace | Boston, MA

Property	Ironwood Marketplace
Address	8662 Grand Way, Boston, MA 97874
Site Visit Date	July 29, 2019
Client	Granite Lane Realty
Immediate Repairs	$318,000

Construction Details

Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 29 stories. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. Average rent is $27 per square foot with parking at a ratio of 39 spaces per 1,000 square feet. The roof is a 36-year membrane system with an estimated remaining useful life of 4 years. Common area interiors have been refreshed within the last 7 years and are in average to good condition.

Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%. Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 15 stories. The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis. Mechanical systems include rooftop package units and central plant equipment of varying age.

Deferred Maintenance

Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 41 months. Domestic water piping is copper and PVC with no evidence of widespread leakage. Elevators were last modernized 3 years ago and are operating without deficiency. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $283,000.

Elevators were last modernized 8 years ago and are operating without deficiency. Domestic water piping is copper and PVC with no evidence of widespread leakage. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 34 months.

Building Systems

Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 16 stories. The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting.

Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis. Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting. Common area interiors have been refreshed within the last 5 years and are in average to good condition. Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 35 stories.

Deferred Maintenance

Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 17 months. Domestic water piping is copper and PVC with no evidence of widespread leakage. Elevators were last modernized 9 years ago and are operating without deficiency.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Improvements Description

The roof is a 5-year membrane system with an estimated remaining useful life of 8 years. Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 41 stories. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis.

Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 31 stories. Average rent is $27 per square foot with parking at a ratio of 18 spaces per 1,000 square feet. The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%.

Observed Conditions

Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 3 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 36 months. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $128,000.

Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 9 months. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $135,000. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Domestic water piping is copper and PVC with no evidence of widespread leakage.

Improvements Description

The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. Common area interiors have been refreshed within the last 4 years and are in average to good condition. Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis.

Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis. The roof is a 43-year membrane system with an estimated remaining useful life of 7 years. Average rent is $27 per square foot with parking at a ratio of 35 spaces per 1,000 square feet.

Deferred Maintenance

Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 21 months. Elevators were last modernized 7 years ago and are operating without deficiency. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $423,000. Domestic water piping is copper and PVC with no evidence of widespread leakage.

ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $190,000. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 45 months. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Domestic water piping is copper and PVC with no evidence of widespread leakage.

Improvements Description

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Immediate Repairs and Replacement Reserve Schedule

System	Age (yrs)	EUL	RUL	Condition	Immediate	Reserve (10-yr)
Roof	1	26	25	Good	$11,000	$156,000
Paving	29	39	10	Poor	$15,000	$271,000
HVAC	5	19	14	Fair	$10,000	$134,000
Plumbing	5	11	6	Fair	$9,000	$222,000
Electrical	13	26	13	Fair	$4,000	$276,000
Elevators	20	20	0	Good	$14,000	$239,000
Fire/Life Safety	17	26	9	Fair	$25,000	$150,000
Windows	26	33	7	Good	$3,000	$186,000
Siding/Facade	7	10	3	Poor	$28,000	$29,000
Flooring	17	31	14	Fair	$24,000	$36,000
Appliances	15	29	14	Good	$38,000	$235,000
Landscaping	21	38	17	Fair	$36,000	$147,000
Pool/Amenity	13	18	5	Good	$19,000	$190,000
Signage	7	40	33	Fair	$36,000	$230,000
Fencing	14	15	1	Fair	$20,000	$248,000
Roof (2)	10	12	2	Fair	$30,000	$241,000
Paving (2)	9	32	23	Good	$16,000	$127,000
HVAC (2)	26	31	5	Poor	$20,000	$167,000
Plumbing (2)	10	11	1	Poor	$19,000	$183,000
Electrical (2)	13	35	22	Fair	$37,000	$259,000
Elevators (2)	3	14	11	Poor	$29,000	$256,000
Fire/Life Safety (2)	8	39	31	Fair	$0	$267,000
Windows (2)	8	16	8	Fair	$9,000	$106,000
Siding/Facade (2)	34	34	0	Poor	$9,000	$66,000
Flooring (2)	7	38	31	Poor	$34,000	$266,000
Appliances (2)	30	39	9	Fair	$38,000	$9,000
Landscaping (2)	11	15	4	Fair	$26,000	$118,000
Pool/Amenity (2)	23	33	10	Fair	$16,000	$186,000
Signage (2)	13	14	1	Poor	$21,000	$242,000
Fencing (2)	25	37	12	Good	$3,000	$230,000

Report generated 07/29/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Findings and Opinions of Cost

Item	Location	Observed Condition	Recommended Action	Priority	Est. Cost
Roof membrane	Mechanical	Ponding / seams	Re-seal and repair	Immediate	$27,500
Fire extinguishers	Common	Expired tags	Service	Immediate	$14,000
Fire extinguishers	Site	Expired tags	Service	Year 2-5	$59,500
Roof membrane	Bldg A	Ponding / seams	Re-seal and repair	Year 1	$58,500
Fire extinguishers	Mechanical	Expired tags	Service	Reserve	$39,000
Roof membrane	Mechanical	Ponding / seams	Re-seal and repair	Year 1	$37,500
Roof membrane	Site	Ponding / seams	Re-seal and repair	Immediate	$87,000
Fire extinguishers	Site	Expired tags	Service	Reserve	$47,000
Sprinkler heads	Roof	Painted heads	Replace	Year 1	$500
Asphalt paving	Bldg B	Alligator cracking	Mill and overlay	Year 1	$79,500
Handrail	Mechanical	Loose	Secure	Year 2-5	$24,000
Fire extinguishers	Roof	Expired tags	Service	Year 1	$83,500
Window sealant	Site	Failed	Re-caulk	Reserve	$10,000
Fire extinguishers	Bldg B	Expired tags	Service	Year 1	$26,000
Sprinkler heads	Roof	Painted heads	Replace	Immediate	$70,000
Handrail	Site	Loose	Secure	Year 2-5	$12,500
Asphalt paving	Bldg A	Alligator cracking	Mill and overlay	Year 1	$43,500
Window sealant	Bldg B	Failed	Re-caulk	Immediate	$31,000
Handrail	Roof	Loose	Secure	Immediate	$86,000
Stair treads	Bldg A	Worn / loose	Replace treads	Immediate	$12,500
Dumpster enclosure	Bldg B	Damaged gate	Repair	Year 2-5	$16,500
Roof membrane	Bldg A	Ponding / seams	Re-seal and repair	Reserve	$25,000
Handrail	Site	Loose	Secure	Immediate	$38,500
Sprinkler heads	Common	Painted heads	Replace	Immediate	$32,500
Dumpster enclosure	Bldg B	Damaged gate	Repair	Year 2-5	$47,000
Sprinkler heads	Site	Painted heads	Replace	Immediate	$6,000
HVAC unit	Bldg A	Beyond useful life	Replace RTU	Immediate	$71,000
Sprinkler heads	Site	Painted heads	Replace	Immediate	$56,500
Stair treads	Roof	Worn / loose	Replace treads	Year 1	$45,000
Sidewalk	Site	Trip hazards	Grind / replace	Reserve	$52,000
Dumpster enclosure	Roof	Damaged gate	Repair	Year 2-5	$30,500
Stair treads	Roof	Worn / loose	Replace treads	Year 2-5	$67,500
Sprinkler heads	Site	Painted heads	Replace	Immediate	$75,000
Window sealant	Roof	Failed	Re-caulk	Year 2-5	$49,000
HVAC unit	Mechanical	Beyond useful life	Replace RTU	Immediate	$5,000
Water heater	Site	Corrosion	Replace	Year 2-5	$50,000
Asphalt paving	Mechanical	Alligator cracking	Mill and overlay	Immediate	$84,000
Dumpster enclosure	Common	Damaged gate	Repair	Year 2-5	$44,000
Fire extinguishers	Mechanical	Expired tags	Service	Immediate	$47,500
Window sealant	Bldg B	Failed	Re-caulk	Year 2-5	$32,000
Roof membrane	Mechanical	Ponding / seams	Re-seal and repair	Immediate	$28,500

Report generated 07/29/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Observed Conditions

Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Domestic water piping is copper and PVC with no evidence of widespread leakage. Elevators were last modernized 11 years ago and are operating without deficiency. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations.

Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 11 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 35 months.

Deferred Maintenance

ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $51,000. Elevators were last modernized 7 years ago and are operating without deficiency. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 46 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations.

Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 16 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Electrical service is adequate for current demand; select panels are nearing the end of their useful life.

Observed Conditions

The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $199,000. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 10 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 29 months.

ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $444,000. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Domestic water piping is copper and PVC with no evidence of widespread leakage. Elevators were last modernized 9 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 42 months. Electrical service is adequate for current demand; select panels are nearing the end of their useful life.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Improvements Description

Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 45 stories. Average rent is $27 per square foot with parking at a ratio of 29 spaces per 1,000 square feet. The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%.

Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 40 stories. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. Mechanical systems include rooftop package units and central plant equipment of varying age. Common area interiors have been refreshed within the last 9 years and are in average to good condition. Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis.

Recommendations

The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Elevators were last modernized 11 years ago and are operating without deficiency. Domestic water piping is copper and PVC with no evidence of widespread leakage.

Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Elevators were last modernized 8 years ago and are operating without deficiency. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $168,000. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Domestic water piping is copper and PVC with no evidence of widespread leakage. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months.

Construction Details

Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting. The roof is a 2-year membrane system with an estimated remaining useful life of 5 years. Average rent is $27 per square foot with parking at a ratio of 34 spaces per 1,000 square feet. Mechanical systems include rooftop package units and central plant equipment of varying age. Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 24 stories. Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis.

Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 2 stories. Mechanical systems include rooftop package units and central plant equipment of varying age. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. The roof is a 34-year membrane system with an estimated remaining useful life of 11 years.

Recommendations

The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Elevators were last modernized 11 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 19 months. Electrical service is adequate for current demand; select panels are nearing the end of their useful life.

Domestic water piping is copper and PVC with no evidence of widespread leakage. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Elevators were last modernized 7 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 9 months. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $372,000. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months.

Building Systems

The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Average rent is $27 per square foot with parking at a ratio of 32 spaces per 1,000 square feet. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Immediate Repairs and Replacement Reserve Schedule

System	Age (yrs)	EUL	RUL	Condition	Immediate	Reserve (10-yr)
Roof	22	28	6	Fair	$17,000	$190,000
Paving	18	35	17	Fair	$9,000	$198,000
HVAC	18	34	16	Fair	$13,000	$107,000
Plumbing	15	28	13	Good	$25,000	$102,000
Electrical	30	40	10	Poor	$38,000	$256,000
Elevators	3	23	20	Fair	$13,000	$252,000
Fire/Life Safety	18	23	5	Poor	$22,000	$23,000
Windows	8	11	3	Good	$36,000	$79,000
Siding/Facade	13	24	11	Fair	$10,000	$119,000
Flooring	10	10	0	Poor	$22,000	$263,000
Appliances	14	31	17	Fair	$30,000	$30,000
Landscaping	1	26	25	Good	$37,000	$36,000
Pool/Amenity	18	27	9	Good	$15,000	$5,000
Signage	19	33	14	Good	$18,000	$211,000
Fencing	32	38	6	Fair	$0	$100,000
Roof (2)	2	14	12	Fair	$29,000	$16,000
Paving (2)	29	30	1	Good	$29,000	$9,000
HVAC (2)	3	21	18	Good	$39,000	$247,000
Plumbing (2)	18	19	1	Poor	$3,000	$253,000
Electrical (2)	15	27	12	Poor	$9,000	$30,000
Elevators (2)	23	24	1	Good	$8,000	$205,000
Fire/Life Safety (2)	3	23	20	Good	$31,000	$139,000
Windows (2)	11	27	16	Good	$9,000	$97,000
Siding/Facade (2)	19	20	1	Fair	$13,000	$69,000
Flooring (2)	6	14	8	Good	$13,000	$120,000
Appliances (2)	29	31	2	Fair	$8,000	$261,000
Landscaping (2)	31	32	1	Good	$11,000	$17,000
Pool/Amenity (2)	2	15	13	Good	$3,000	$224,000
Signage (2)	8	24	16	Good	$12,000	$232,000
Fencing (2)	24	30	6	Fair	$21,000	$35,000

Report generated 07/29/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Findings and Opinions of Cost

Item	Location	Observed Condition	Recommended Action	Priority	Est. Cost
Asphalt paving	Roof	Alligator cracking	Mill and overlay	Immediate	$88,500
Stair treads	Bldg A	Worn / loose	Replace treads	Year 2-5	$73,000
Dumpster enclosure	Bldg B	Damaged gate	Repair	Year 1	$61,000
Dumpster enclosure	Site	Damaged gate	Repair	Year 2-5	$87,000
Sidewalk	Roof	Trip hazards	Grind / replace	Year 1	$70,000
Dumpster enclosure	Bldg A	Damaged gate	Repair	Reserve	$39,500
Roof membrane	Bldg B	Ponding / seams	Re-seal and repair	Immediate	$33,000
Asphalt paving	Mechanical	Alligator cracking	Mill and overlay	Year 2-5	$29,500
Asphalt paving	Site	Alligator cracking	Mill and overlay	Year 1	$72,500
Roof membrane	Mechanical	Ponding / seams	Re-seal and repair	Immediate	$33,500
Stair treads	Common	Worn / loose	Replace treads	Immediate	$45,000
Sidewalk	Mechanical	Trip hazards	Grind / replace	Immediate	$27,500
Dumpster enclosure	Bldg B	Damaged gate	Repair	Reserve	$47,000
HVAC unit	Mechanical	Beyond useful life	Replace RTU	Reserve	$87,000
Dumpster enclosure	Site	Damaged gate	Repair	Immediate	$12,000
Water heater	Mechanical	Corrosion	Replace	Immediate	$52,500
HVAC unit	Common	Beyond useful life	Replace RTU	Reserve	$34,000
Dumpster enclosure	Site	Damaged gate	Repair	Immediate	$27,500
Stair treads	Bldg A	Worn / loose	Replace treads	Immediate	$11,500
Dumpster enclosure	Common	Damaged gate	Repair	Reserve	$33,500
HVAC unit	Site	Beyond useful life	Replace RTU	Immediate	$53,000
Sprinkler heads	Bldg A	Painted heads	Replace	Year 2-5	$44,500
Fire extinguishers	Common	Expired tags	Service	Immediate	$7,500
Sprinkler heads	Common	Painted heads	Replace	Year 1	$78,500
Roof membrane	Site	Ponding / seams	Re-seal and repair	Immediate	$88,000
Water heater	Bldg A	Corrosion	Replace	Immediate	$16,500
Dumpster enclosure	Bldg A	Damaged gate	Repair	Immediate	$37,500
Handrail	Common	Loose	Secure	Reserve	$55,000
Sprinkler heads	Common	Painted heads	Replace	Reserve	$61,500
Water heater	Site	Corrosion	Replace	Year 1	$33,000
Dumpster enclosure	Bldg B	Damaged gate	Repair	Reserve	$48,500
Window sealant	Mechanical	Failed	Re-caulk	Year 2-5	$72,500
Stair treads	Mechanical	Worn / loose	Replace treads	Year 2-5	$46,500
Sidewalk	Bldg B	Trip hazards	Grind / replace	Immediate	$48,500
Window sealant	Bldg A	Failed	Re-caulk	Year 1	$61,000
Window sealant	Bldg B	Failed	Re-caulk	Immediate	$67,500
Dumpster enclosure	Bldg B	Damaged gate	Repair	Year 1	$21,500
Asphalt paving	Bldg A	Alligator cracking	Mill and overlay	Reserve	$10,500
Window sealant	Bldg B	Failed	Re-caulk	Year 2-5	$83,500
Window sealant	Bldg A	Failed	Re-caulk	Immediate	$49,000
Water heater	Mechanical	Corrosion	Replace	Year 1	$5,500
Roof membrane	Bldg B	Ponding / seams	Re-seal and repair	Year 1	$12,000
Sprinkler heads	Bldg B	Painted heads	Replace	Reserve	$42,500

Report generated 07/29/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Deferred Maintenance

Domestic water piping is copper and PVC with no evidence of widespread leakage. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 4 months. Elevators were last modernized 5 years ago and are operating without deficiency. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $129,000.

Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 16 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Domestic water piping is copper and PVC with no evidence of widespread leakage. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $101,000.

Deferred Maintenance

The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Elevators were last modernized 10 years ago and are operating without deficiency. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 37 months. Domestic water piping is copper and PVC with no evidence of widespread leakage. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $24,000.

Domestic water piping is copper and PVC with no evidence of widespread leakage. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 4 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 9 months.

Deferred Maintenance

Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 12 years ago and are operating without deficiency. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $171,000. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months.

Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 17 months. Elevators were last modernized 4 years ago and are operating without deficiency.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Building Systems

Average rent is $27 per square foot with parking at a ratio of 6 spaces per 1,000 square feet. Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%. Mechanical systems include rooftop package units and central plant equipment of varying age. Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation.

Average rent is $27 per square foot with parking at a ratio of 25 spaces per 1,000 square feet. Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting. Common area interiors have been refreshed within the last 11 years and are in average to good condition. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation.

Deferred Maintenance

The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Domestic water piping is copper and PVC with no evidence of widespread leakage. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 3 months. Elevators were last modernized 3 years ago and are operating without deficiency. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations.

Domestic water piping is copper and PVC with no evidence of widespread leakage. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 5 years ago and are operating without deficiency. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 7 months.

Building Systems

Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. Average rent is $27 per square foot with parking at a ratio of 17 spaces per 1,000 square feet. Mechanical systems include rooftop package units and central plant equipment of varying age. Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 9 stories. The roof is a 37-year membrane system with an estimated remaining useful life of 6 years. Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%.

The center is anchored by a grocery tenant and supported by in-line shop space, pads and an outparcel ground lease. Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting. Average rent is $27 per square foot with parking at a ratio of 24 spaces per 1,000 square feet. Exterior finishes comprise brick veneer, fiber-cement siding and aluminum storefront glazing in good condition. Mechanical systems include rooftop package units and central plant equipment of varying age.

Recommendations

Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 19 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Elevators were last modernized 4 years ago and are operating without deficiency. Domestic water piping is copper and PVC with no evidence of widespread leakage.

Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 18 months. Domestic water piping is copper and PVC with no evidence of widespread leakage. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Electrical service is adequate for current demand; select panels are nearing the end of their useful life.

Building Systems

The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. Average rent is $27 per square foot with parking at a ratio of 48 spaces per 1,000 square feet. Tenants pay percentage rent in addition to base rent and reimburse CAM, taxes and insurance on a triple net basis. The roof is a 42-year membrane system with an estimated remaining useful life of 11 years.

Common area interiors have been refreshed within the last 7 years and are in average to good condition. Co-tenancy provisions in the anchor lease are triggered if occupancy falls below 70%. The structure is of wood-frame, masonry and steel-frame construction on a slab-on-grade foundation. Ironwood Marketplace was originally constructed in 1999 and consists of 336,000 SF in a building of 11 stories. Life-safety systems include a fully sprinklered building, addressable fire alarm panel and emergency lighting.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Immediate Repairs and Replacement Reserve Schedule

System	Age (yrs)	EUL	RUL	Condition	Immediate	Reserve (10-yr)
Roof	4	14	10	Poor	$10,000	$2,000
Paving	10	18	8	Fair	$40,000	$146,000
HVAC	12	18	6	Poor	$32,000	$188,000
Plumbing	32	34	2	Good	$11,000	$265,000
Electrical	13	13	0	Fair	$5,000	$172,000
Elevators	23	32	9	Fair	$28,000	$165,000
Fire/Life Safety	24	29	5	Good	$10,000	$11,000
Windows	7	22	15	Fair	$18,000	$77,000
Siding/Facade	8	24	16	Fair	$32,000	$268,000
Flooring	6	13	7	Poor	$28,000	$236,000
Appliances	30	30	0	Fair	$35,000	$179,000
Landscaping	17	27	10	Good	$29,000	$69,000
Pool/Amenity	11	31	20	Fair	$29,000	$259,000
Signage	11	16	5	Fair	$16,000	$101,000
Fencing	9	24	15	Good	$3,000	$87,000
Roof (2)	5	11	6	Good	$5,000	$114,000
Paving (2)	16	31	15	Fair	$29,000	$176,000
HVAC (2)	21	23	2	Good	$4,000	$167,000
Plumbing (2)	14	15	1	Fair	$19,000	$128,000
Electrical (2)	9	19	10	Good	$28,000	$37,000
Elevators (2)	2	30	28	Fair	$40,000	$189,000
Fire/Life Safety (2)	8	17	9	Good	$27,000	$232,000
Windows (2)	38	39	1	Poor	$25,000	$186,000
Siding/Facade (2)	39	39	0	Fair	$30,000	$171,000
Flooring (2)	1	11	10	Fair	$39,000	$119,000
Appliances (2)	7	27	20	Poor	$13,000	$64,000
Landscaping (2)	4	12	8	Poor	$40,000	$140,000
Pool/Amenity (2)	9	14	5	Good	$23,000	$160,000
Signage (2)	9	15	6	Fair	$36,000	$221,000
Fencing (2)	5	28	23	Good	$18,000	$223,000

Report generated 07/29/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Findings and Opinions of Cost

Item	Location	Observed Condition	Recommended Action	Priority	Est. Cost
Fire extinguishers	Common	Expired tags	Service	Reserve	$35,500
Roof membrane	Bldg B	Ponding / seams	Re-seal and repair	Year 1	$2,000
Roof membrane	Mechanical	Ponding / seams	Re-seal and repair	Reserve	$44,500
Fire extinguishers	Mechanical	Expired tags	Service	Year 2-5	$13,500
Roof membrane	Bldg A	Ponding / seams	Re-seal and repair	Reserve	$7,500
Handrail	Bldg B	Loose	Secure	Year 1	$13,500
HVAC unit	Bldg B	Beyond useful life	Replace RTU	Immediate	$18,500
Roof membrane	Common	Ponding / seams	Re-seal and repair	Reserve	$71,000
Sidewalk	Roof	Trip hazards	Grind / replace	Year 1	$14,500
Asphalt paving	Site	Alligator cracking	Mill and overlay	Immediate	$47,000
Dumpster enclosure	Mechanical	Damaged gate	Repair	Year 1	$30,500
Window sealant	Mechanical	Failed	Re-caulk	Immediate	$85,500
Roof membrane	Site	Ponding / seams	Re-seal and repair	Reserve	$74,500
Sprinkler heads	Roof	Painted heads	Replace	Reserve	$17,000
Dumpster enclosure	Site	Damaged gate	Repair	Reserve	$53,000
Sprinkler heads	Common	Painted heads	Replace	Year 1	$4,500
Dumpster enclosure	Bldg B	Damaged gate	Repair	Reserve	$35,500
Roof membrane	Site	Ponding / seams	Re-seal and repair	Year 2-5	$23,000
Sprinkler heads	Mechanical	Painted heads	Replace	Year 2-5	$13,000
Roof membrane	Roof	Ponding / seams	Re-seal and repair	Immediate	$12,500
Stair treads	Site	Worn / loose	Replace treads	Immediate	$83,000
Sprinkler heads	Mechanical	Painted heads	Replace	Reserve	$23,000
Sprinkler heads	Common	Painted heads	Replace	Reserve	$69,500
Asphalt paving	Site	Alligator cracking	Mill and overlay	Immediate	$59,500
HVAC unit	Mechanical	Beyond useful life	Replace RTU	Immediate	$11,000
Sprinkler heads	Bldg A	Painted heads	Replace	Immediate	$77,500
Sidewalk	Site	Trip hazards	Grind / replace	Reserve	$28,000
HVAC unit	Roof	Beyond useful life	Replace RTU	Year 1	$2,500
Water heater	Site	Corrosion	Replace	Reserve	$89,500
HVAC unit	Site	Beyond useful life	Replace RTU	Year 1	$78,500
Window sealant	Site	Failed	Re-caulk	Immediate	$88,500
Asphalt paving	Mechanical	Alligator cracking	Mill and overlay	Year 2-5	$22,000
HVAC unit	Mechanical	Beyond useful life	Replace RTU	Year 2-5	$4,500
Roof membrane	Mechanical	Ponding / seams	Re-seal and repair	Immediate	$62,000
Sprinkler heads	Site	Painted heads	Replace	Year 2-5	$81,500
Sprinkler heads	Mechanical	Painted heads	Replace	Reserve	$30,000
Sidewalk	Bldg B	Trip hazards	Grind / replace	Immediate	$39,000
Stair treads	Common	Worn / loose	Replace treads	Year 2-5	$23,500
Sprinkler heads	Roof	Painted heads	Replace	Reserve	$33,000
Sidewalk	Common	Trip hazards	Grind / replace	Year 2-5	$25,000
Roof membrane	Common	Ponding / seams	Re-seal and repair	Year 2-5	$32,500
Stair treads	Bldg A	Worn / loose	Replace treads	Reserve	$55,000
Stair treads	Site	Worn / loose	Replace treads	Reserve	$52,500

Report generated 07/29/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Recommendations

Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 47 months. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Domestic water piping is copper and PVC with no evidence of widespread leakage. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $409,000. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations.

The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 7 months. Domestic water piping is copper and PVC with no evidence of widespread leakage. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $39,000. Elevators were last modernized 3 years ago and are operating without deficiency. Electrical service is adequate for current demand; select panels are nearing the end of their useful life.

Deferred Maintenance

Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 11 months. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Domestic water piping is copper and PVC with no evidence of widespread leakage. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months.

ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $478,000. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Domestic water piping is copper and PVC with no evidence of widespread leakage. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 6 years ago and are operating without deficiency. The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months.

Recommendations

The roofing system exhibits localized ponding and sealant deterioration; spot repairs are recommended within 12 months. ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $115,000. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Asphalt paving shows alligator cracking and should be sealcoated and restriped during the next 35 months.

ADA observations include non-compliant slopes at two accessible routes and signage at parking; cost to cure is estimated at $422,000. Electrical service is adequate for current demand; select panels are nearing the end of their useful life. Windows and exterior doors are in fair condition; sealant replacement is recommended at selected locations. Elevators were last modernized 4 years ago and are operating without deficiency.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Certification

I certify that, to the best of my knowledge and belief, the statements of fact contained in this report are true and correct and that I have no present or prospective interest in Ironwood Marketplace and no personal interest with respect to the parties involved.

The analyses, opinions and conclusions are limited only by the reported assumptions and limiting conditions. The inspection of the property was performed on July 3, 2019.

_____

Linda Evans, CPG

Structura Property Assessments

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only