ZONING COMPLIANCE LETTER

Stonebridge Suites | Hartford, CT

Subject	Zoning verification for Stonebridge Suites
Address	182 Lakeview Road, Hartford, CT 54459
Date	February 21, 2020
Zoning District	37-37

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 18 spaces provided versus 18 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 44 spaces provided versus 44 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Code Compliance

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 18 spaces provided versus 18 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 27 spaces provided versus 27 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Code Compliance

Parking is conforming with 4 spaces provided versus 4 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

Parking is conforming with 11 spaces provided versus 11 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 24 spaces provided versus 24 spaces required by code.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 44 spaces provided versus 44 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 10 spaces provided versus 10 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Permitted Uses and Parking

Parking is conforming with 39 spaces provided versus 39 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 31 spaces provided versus 31 spaces required by code. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Access to the site is provided by 38 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Access to the site is provided by 33 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 2.2 acres and is generally level with frontage along Lakeview Road. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 19 spaces provided versus 19 spaces required by code. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

Topography and Flood Zone

The site contains approximately 37.37 acres and is generally level with frontage along Lakeview Road. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 39.39 acres and is generally level with frontage along Lakeview Road. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Code Compliance

Parking is conforming with 41 spaces provided versus 41 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 32 spaces provided versus 32 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Topography and Flood Zone

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 42 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 44.44 acres and is generally level with frontage along Lakeview Road.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 14 spaces provided versus 14 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 14 spaces provided versus 14 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 4 spaces provided versus 4 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 12.12 acres and is generally level with frontage along Lakeview Road. Access to the site is provided by 47 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 7 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 8 spaces provided versus 8 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 40 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 40.40 acres and is generally level with frontage along Lakeview Road. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Access to the site is provided by 2 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 21.21 acres and is generally level with frontage along Lakeview Road. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 16 spaces provided versus 16 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

Parking is conforming with 28 spaces provided versus 28 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

Access and Utilities

The site contains approximately 16.16 acres and is generally level with frontage along Lakeview Road. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 30 spaces provided versus 30 spaces required by code.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 4 spaces provided versus 4 spaces required by code. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Code Compliance

Parking is conforming with 39 spaces provided versus 39 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 32 spaces provided versus 32 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 47.47 acres and is generally level with frontage along Lakeview Road. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 9 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 28 spaces provided versus 28 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 14 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 17.17 acres and is generally level with frontage along Lakeview Road. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 18 curb cuts and the property is served by municipal water and sanitary sewer.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 37 spaces provided versus 37 spaces required by code. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 11 spaces provided versus 11 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 8 curb cuts and the property is served by municipal water and sanitary sewer.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

Parking is conforming with 6 spaces provided versus 6 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 4 spaces provided versus 4 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 33 spaces provided versus 33 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 8 spaces provided versus 8 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Permitted Uses and Parking

Parking is conforming with 9 spaces provided versus 9 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The property is zoned in accordance with the Hartford Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only