PHASE I ENVIRONMENTAL SITE ASSESSMENT

Lockwood Eastlake Mixed-Use Center | Albuquerque, NM

Site	Lockwood Eastlake Mixed-Use Center
Address	6010 Centennial Drive, Albuquerque, NM 11357
Prepared For	Juniper Peak Real Estate Fund
Report Date	February 2, 2021
Standard	ASTM E1527-21

Topography and Flood Zone

The site contains approximately 7.7 acres and is generally level with frontage along Centennial Drive. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 27 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 19.19 acres and is generally level with frontage along Centennial Drive.

Records Review

A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site.

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 33 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 20.20 acres and is generally level with frontage along Centennial Drive. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 36.36 acres and is generally level with frontage along Centennial Drive. Access to the site is provided by 38 curb cuts and the property is served by municipal water and sanitary sewer.

Findings and Opinions

Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 44.44 acres and is generally level with frontage along Centennial Drive. Access to the site is provided by 35 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 17.17 acres and is generally level with frontage along Centennial Drive. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 13 curb cuts and the property is served by municipal water and sanitary sewer.

Records Review

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Access and Utilities

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 47.47 acres and is generally level with frontage along Centennial Drive. Access to the site is provided by 17 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 45 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 36.36 acres and is generally level with frontage along Centennial Drive.

Historical Use

A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation.

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Topography and Flood Zone

Access to the site is provided by 9 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 36.36 acres and is generally level with frontage along Centennial Drive. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 39.39 acres and is generally level with frontage along Centennial Drive.

Findings and Opinions

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.25	1	No	None
CERCLIS / SEMS	0.25	2	No	None
RCRA - Generators	0.5	0	No	None
RCRA - TSD	0.25	4	No	None
LUST	0.25	2	No	Reviewed - no action
UST	1.0	0	No	None
State Hazardous Waste Sites	1.0	0	No	Reviewed - no action
Brownfields	0.25	0	No	None
Engineering Controls	0.25	0	No	None
Institutional Controls	0.25	4	No	Reviewed - no action
ERNS	1.0	0	No	None
Drycleaner Facilities	0.25	7	No	Reviewed - no action
Solid Waste Landfills	0.25	4	No	None
Voluntary Cleanup	1.0	7	No	None
Historical Auto Stations	0.5	0	No	None
NPL (Superfund)	0.25	0	No	None
CERCLIS / SEMS	0.5	4	No	None
RCRA - Generators	1.0	0	No	None
RCRA - TSD	0.25	7	No	None
LUST	1.0	4	No	Reviewed - no action
UST	0.5	4	No	None
State Hazardous Waste Sites	0.5	0	No	None
Brownfields	0.5	2	No	None
Engineering Controls	0.25	1	No	None
Institutional Controls	0.25	2	No	None
ERNS	0.25	7	No	None
Drycleaner Facilities	0.5	1	No	None
Solid Waste Landfills	0.5	7	No	None
Voluntary Cleanup	1.0	7	No	None
Historical Auto Stations	0.5	4	No	Reviewed - no action

Report generated 02/02/2021. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Records Review

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Historical Use

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Site Reconnaissance

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site contains approximately 45.45 acres and is generally level with frontage along Centennial Drive. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 25.25 acres and is generally level with frontage along Centennial Drive. Access to the site is provided by 42 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Findings and Opinions

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 18.18 acres and is generally level with frontage along Centennial Drive. Access to the site is provided by 29 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 22.22 acres and is generally level with frontage along Centennial Drive. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Historical Use

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 30 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 32.32 acres and is generally level with frontage along Centennial Drive. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 6.6 acres and is generally level with frontage along Centennial Drive. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 30 curb cuts and the property is served by municipal water and sanitary sewer.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only