ZONING COMPLIANCE LETTER

Sterling Whitaker Marketplace | Cincinnati, OH

Subject	Zoning verification for Sterling Whitaker Marketplace
Address	8292 Bridge Way, Cincinnati, OH 58001
Date	July 27, 2022
Zoning District	16-16

Zoning Classification

Parking is conforming with 10 spaces provided versus 10 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 19 spaces provided versus 19 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 44 spaces provided versus 44 spaces required by code.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 20 spaces provided versus 20 spaces required by code.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 44 spaces provided versus 44 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 32 spaces provided versus 32 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Code Compliance

Parking is conforming with 44 spaces provided versus 44 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 15 spaces provided versus 15 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 37 spaces provided versus 37 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 32 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 37.37 acres and is generally level with frontage along Bridge Way.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 46.46 acres and is generally level with frontage along Bridge Way. Access to the site is provided by 16 curb cuts and the property is served by municipal water and sanitary sewer.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 17 spaces provided versus 17 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 12 spaces provided versus 12 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Site Description

Access to the site is provided by 15 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 35.35 acres and is generally level with frontage along Bridge Way. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 36.36 acres and is generally level with frontage along Bridge Way. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Zoning Classification

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 15 spaces provided versus 15 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 12 spaces provided versus 12 spaces required by code.

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 5.5 acres and is generally level with frontage along Bridge Way. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 4 curb cuts and the property is served by municipal water and sanitary sewer.

The site contains approximately 22.22 acres and is generally level with frontage along Bridge Way. Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Code Compliance

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use.

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 38 spaces provided versus 38 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 47 spaces provided versus 47 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 17 spaces provided versus 17 spaces required by code.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 25 spaces provided versus 25 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 16.16 acres and is generally level with frontage along Bridge Way. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 16 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 37 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 14.14 acres and is generally level with frontage along Bridge Way. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Code Compliance

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 20 spaces provided versus 20 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 42 spaces provided versus 42 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

Topography and Flood Zone

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 24 curb cuts and the property is served by municipal water and sanitary sewer.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 27.27 acres and is generally level with frontage along Bridge Way. Access to the site is provided by 11 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 9 spaces provided versus 9 spaces required by code.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 40 spaces provided versus 40 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 18.18 acres and is generally level with frontage along Bridge Way. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 20.20 acres and is generally level with frontage along Bridge Way. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 47 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Permitted Uses and Parking

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

Parking is conforming with 30 spaces provided versus 30 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 7 spaces provided versus 7 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 41 spaces provided versus 41 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 35 spaces provided versus 35 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

Parking is conforming with 37 spaces provided versus 37 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 9 spaces provided versus 9 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site contains approximately 47.47 acres and is generally level with frontage along Bridge Way. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 12 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Permitted Uses and Parking

Parking is conforming with 47 spaces provided versus 47 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 32 spaces provided versus 32 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Topography and Flood Zone

Access to the site is provided by 2 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 13.13 acres and is generally level with frontage along Bridge Way. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 5 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 40.40 acres and is generally level with frontage along Bridge Way.

Permitted Uses and Parking

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 35 spaces provided versus 35 spaces required by code.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 5 spaces provided versus 5 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use.

Topography and Flood Zone

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 23.23 acres and is generally level with frontage along Bridge Way. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 19 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 30.30 acres and is generally level with frontage along Bridge Way.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

Parking is conforming with 6 spaces provided versus 6 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 45 spaces provided versus 45 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 20 spaces provided versus 20 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 6 spaces provided versus 6 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 46 spaces provided versus 46 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 19 spaces provided versus 19 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 43.43 acres and is generally level with frontage along Bridge Way. Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 45.45 acres and is generally level with frontage along Bridge Way. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Zoning Classification

Parking is conforming with 7 spaces provided versus 7 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 43 spaces provided versus 43 spaces required by code. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Topography and Flood Zone

The site contains approximately 43.43 acres and is generally level with frontage along Bridge Way. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 7 curb cuts and the property is served by municipal water and sanitary sewer.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 47 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 40.40 acres and is generally level with frontage along Bridge Way.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 2 spaces provided versus 2 spaces required by code.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cincinnati Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 35 spaces provided versus 35 spaces required by code.

Access and Utilities

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 15.15 acres and is generally level with frontage along Bridge Way. Access to the site is provided by 23 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Permitted Uses and Parking

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Sterling Whitaker Marketplace Owner LLC

By: Brian Dixon Title: Authorized Signatory Date: 07/27/2022

_____

Blue Fitness

By: Grace Thompson Title: Managing Member Date: 07/27/2022

Exhibit A - Property

Sterling Whitaker Marketplace, 8292 Bridge Way, Cincinnati, OH 58001. Parcel containing approximately 6.51 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only