ZONING COMPLIANCE LETTER

Falcon Gardens | Memphis, TN

Subject	Zoning verification for Falcon Gardens
Address	5955 Station Parkway, Memphis, TN 92868
Date	August 4, 2022
Zoning District	29-29

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 40 spaces provided versus 40 spaces required by code. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 41 spaces provided versus 41 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 11 spaces provided versus 11 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

Code Compliance

Parking is conforming with 27 spaces provided versus 27 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

Parking is conforming with 45 spaces provided versus 45 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use.

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 42 spaces provided versus 42 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 24 spaces provided versus 24 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 32 spaces provided versus 32 spaces required by code. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Access to the site is provided by 36 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 45.45 acres and is generally level with frontage along Station Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 3 spaces provided versus 3 spaces required by code.

Parking is conforming with 48 spaces provided versus 48 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

Access and Utilities

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 11 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 35.35 acres and is generally level with frontage along Station Parkway.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 16 curb cuts and the property is served by municipal water and sanitary sewer.

Code Compliance

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 32 spaces provided versus 32 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 9 spaces provided versus 9 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Permitted Uses and Parking

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 44 spaces provided versus 44 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 10 spaces provided versus 10 spaces required by code.

Parking is conforming with 24 spaces provided versus 24 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 29 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 42.42 acres and is generally level with frontage along Station Parkway.

The site contains approximately 23.23 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 41 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 35 spaces provided versus 35 spaces required by code.

Parking is conforming with 23 spaces provided versus 23 spaces required by code. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Topography and Flood Zone

Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 37.37 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Access to the site is provided by 17 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 37.37 acres and is generally level with frontage along Station Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 11 spaces provided versus 11 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

Parking is conforming with 31 spaces provided versus 31 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 4 spaces provided versus 4 spaces required by code. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 40 spaces provided versus 40 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

Parking is conforming with 43 spaces provided versus 43 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Parking is conforming with 10 spaces provided versus 10 spaces required by code. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Access to the site is provided by 6 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 48.48 acres and is generally level with frontage along Station Parkway. Access to the site is provided by 42 curb cuts and the property is served by municipal water and sanitary sewer.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 38 spaces provided versus 38 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Memphis Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 24 spaces provided versus 24 spaces required by code.

Access and Utilities

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 7 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 41.41 acres and is generally level with frontage along Station Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 10.10 acres and is generally level with frontage along Station Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Permitted Uses and Parking

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Falcon Gardens Owner LLC

By: Tyrone Alvarez Title: Authorized Signatory Date: 08/04/2022

_____

Fatima Quinn

By: Carlos Okafor Title: Manager Date: 08/04/2022

Exhibit A - Property

Falcon Gardens, 5955 Station Parkway, Memphis, TN 92868. Parcel containing approximately 13.86 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only