ZONING COMPLIANCE LETTER

Verde Parkview Residences | Naperville, IL

Subject	Zoning verification for Verde Parkview Residences
Address	2747 Quarry Parkway, Naperville, IL 94981
Date	May 20, 2021
Zoning District	45-45

Permitted Uses and Parking

The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 23 spaces provided versus 23 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

Parking is conforming with 5 spaces provided versus 5 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 40 spaces provided versus 40 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 42 spaces provided versus 42 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 9 spaces provided versus 9 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 20 spaces provided versus 20 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 17 spaces provided versus 17 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

Parking is conforming with 15 spaces provided versus 15 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 25 spaces provided versus 25 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Code Compliance

The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 36 spaces provided versus 36 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 23 spaces provided versus 23 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 26.26 acres and is generally level with frontage along Quarry Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Code Compliance

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 44 spaces provided versus 44 spaces required by code.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 4 spaces provided versus 4 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 16 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 44.44 acres and is generally level with frontage along Quarry Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Access to the site is provided by 4 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 39.39 acres and is generally level with frontage along Quarry Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 20 spaces provided versus 20 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Topography and Flood Zone

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 34 spaces provided versus 34 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 13 spaces provided versus 13 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 3 spaces provided versus 3 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 31 spaces provided versus 31 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 22 spaces provided versus 22 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 25 spaces provided versus 25 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 4.4 acres and is generally level with frontage along Quarry Parkway. Access to the site is provided by 19 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 3.3 acres and is generally level with frontage along Quarry Parkway. Access to the site is provided by 9 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 21 spaces provided versus 21 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 30 spaces provided versus 30 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use.

Site Description

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 46.46 acres and is generally level with frontage along Quarry Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 33 curb cuts and the property is served by municipal water and sanitary sewer.

The site contains approximately 20.20 acres and is generally level with frontage along Quarry Parkway. Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 14 spaces provided versus 14 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 20 spaces provided versus 20 spaces required by code.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 25 spaces provided versus 25 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use.

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 11 spaces provided versus 11 spaces required by code.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 46 spaces provided versus 46 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 10 spaces provided versus 10 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 44 spaces provided versus 44 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 18.18 acres and is generally level with frontage along Quarry Parkway. Access to the site is provided by 23 curb cuts and the property is served by municipal water and sanitary sewer.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 33.33 acres and is generally level with frontage along Quarry Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 23 curb cuts and the property is served by municipal water and sanitary sewer.

Permitted Uses and Parking

Parking is conforming with 7 spaces provided versus 7 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 25 spaces provided versus 25 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Topography and Flood Zone

Access to the site is provided by 36 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 4.4 acres and is generally level with frontage along Quarry Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 2 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 41.41 acres and is generally level with frontage along Quarry Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

Parking is conforming with 24 spaces provided versus 24 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 43 spaces provided versus 43 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 16 spaces provided versus 16 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 39 spaces provided versus 39 spaces required by code. The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use.

The property is zoned in accordance with the Naperville Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 38 spaces provided versus 38 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Verde Parkview Residences Owner LLC

By: Patrick Larsen Title: Manager Date: 05/20/2021

_____

Daniel Moreno

By: Grace Ramirez Title: President Date: 05/20/2021

Exhibit A - Property

Verde Parkview Residences, 2747 Quarry Parkway, Naperville, IL 94981. Parcel containing approximately 25.48 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only