ZONING COMPLIANCE LETTER

Wexford Health Center | Cleveland, OH

Subject	Zoning verification for Wexford Health Center
Address	3537 Highland Parkway, Cleveland, OH 79327
Date	July 19, 2019
Zoning District	26-26

Permitted Uses and Parking

Parking is conforming with 45 spaces provided versus 45 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 33 spaces provided versus 33 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 22 spaces provided versus 22 spaces required by code.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Parking is conforming with 42 spaces provided versus 42 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

Parking is conforming with 21 spaces provided versus 21 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 26 spaces provided versus 26 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 37 spaces provided versus 37 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 16 spaces provided versus 16 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 7 spaces provided versus 7 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Access to the site is provided by 2 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 7.7 acres and is generally level with frontage along Highland Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 38 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 4 spaces provided versus 4 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Parking is conforming with 33 spaces provided versus 33 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Site Description

Access to the site is provided by 41 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 10.10 acres and is generally level with frontage along Highland Parkway.

The site contains approximately 31.31 acres and is generally level with frontage along Highland Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 41 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 44 spaces provided versus 44 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

The site contains approximately 30.30 acres and is generally level with frontage along Highland Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 43 spaces provided versus 43 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 21 spaces provided versus 21 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 42 spaces provided versus 42 spaces required by code.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 22 spaces provided versus 22 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 26 spaces provided versus 26 spaces required by code.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 19 spaces provided versus 19 spaces required by code.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 13 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 4.4 acres and is generally level with frontage along Highland Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 31 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 14 spaces provided versus 14 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 18 spaces provided versus 18 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 24.24 acres and is generally level with frontage along Highland Parkway. Access to the site is provided by 18 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 46.46 acres and is generally level with frontage along Highland Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 17 curb cuts and the property is served by municipal water and sanitary sewer.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 34 spaces provided versus 34 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 40 spaces provided versus 40 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Access and Utilities

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 5 spaces provided versus 5 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 44 spaces provided versus 44 spaces required by code.

Zoning Classification

Parking is conforming with 47 spaces provided versus 47 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 35 spaces provided versus 35 spaces required by code.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 17 spaces provided versus 17 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 29 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

The site contains approximately 41.41 acres and is generally level with frontage along Highland Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Permitted Uses and Parking

Parking is conforming with 43 spaces provided versus 43 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 38 spaces provided versus 38 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Topography and Flood Zone

Access to the site is provided by 25 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 45.45 acres and is generally level with frontage along Highland Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 6.6 acres and is generally level with frontage along Highland Parkway. Access to the site is provided by 10 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Zoning Classification

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 19 spaces provided versus 19 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Access and Utilities

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

Parking is conforming with 28 spaces provided versus 28 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Parking is conforming with 41 spaces provided versus 41 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Parking is conforming with 20 spaces provided versus 20 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 34 spaces provided versus 34 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 9 spaces provided versus 9 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 23 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 21.21 acres and is generally level with frontage along Highland Parkway.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 23.23 acres and is generally level with frontage along Highland Parkway. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer.

Zoning Classification

Parking is conforming with 46 spaces provided versus 46 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 13 spaces provided versus 13 spaces required by code.

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 41.41 acres and is generally level with frontage along Highland Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 10 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Code Compliance

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 21 spaces provided versus 21 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 5 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 29.29 acres and is generally level with frontage along Highland Parkway.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Wexford Health Center Owner LLC

By: Daniel Hughes Title: Managing Member Date: 07/19/2019

_____

Ironclad Physical Therapy

By: Anthony Quinn Title: Managing Member Date: 07/19/2019

Exhibit A - Property

Wexford Health Center, 3537 Highland Parkway, Cleveland, OH 79327. Parcel containing approximately 21.51 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only