ZONING COMPLIANCE LETTER

Kingsley Suites | Oklahoma City, OK

Subject	Zoning verification for Kingsley Suites
Address	7132 Market Court, Oklahoma City, OK 41403
Date	May 17, 2021
Zoning District	45-45

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 26 spaces provided versus 26 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 40 spaces provided versus 40 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 6 spaces provided versus 6 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

Parking is conforming with 26 spaces provided versus 26 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 42 spaces provided versus 42 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 3 spaces provided versus 3 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 15 spaces provided versus 15 spaces required by code. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 20 spaces provided versus 20 spaces required by code.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 10 spaces provided versus 10 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 22 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 29.29 acres and is generally level with frontage along Market Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

The site contains approximately 29.29 acres and is generally level with frontage along Market Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 5 spaces provided versus 5 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 27 spaces provided versus 27 spaces required by code.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 22 curb cuts and the property is served by municipal water and sanitary sewer.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 30.30 acres and is generally level with frontage along Market Court. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 14 spaces provided versus 14 spaces required by code.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Access and Utilities

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 15 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 30.30 acres and is generally level with frontage along Market Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 21 spaces provided versus 21 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 14 spaces provided versus 14 spaces required by code.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 26 spaces provided versus 26 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 10 spaces provided versus 10 spaces required by code.

The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 47 spaces provided versus 47 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 43.43 acres and is generally level with frontage along Market Court. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 38 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site contains approximately 42.42 acres and is generally level with frontage along Market Court. Access to the site is provided by 6 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 3 spaces provided versus 3 spaces required by code. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 44 spaces provided versus 44 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Access and Utilities

Access to the site is provided by 25 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 34.34 acres and is generally level with frontage along Market Court.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 26 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 34 spaces provided versus 34 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Topography and Flood Zone

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 29 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 44.44 acres and is generally level with frontage along Market Court. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 45.45 acres and is generally level with frontage along Market Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Permitted Uses and Parking

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 44 spaces provided versus 44 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 33 spaces provided versus 33 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Code Compliance

Parking is conforming with 11 spaces provided versus 11 spaces required by code. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Parking is conforming with 40 spaces provided versus 40 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 36 spaces provided versus 36 spaces required by code.

The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 48 spaces provided versus 48 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 43.43 acres and is generally level with frontage along Market Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Zoning Classification

Parking is conforming with 16 spaces provided versus 16 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 13 spaces provided versus 13 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 22 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 21.21 acres and is generally level with frontage along Market Court. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 19.19 acres and is generally level with frontage along Market Court. Access to the site is provided by 11 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 15 spaces provided versus 15 spaces required by code. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 9 spaces provided versus 9 spaces required by code.

Access and Utilities

The site contains approximately 12.12 acres and is generally level with frontage along Market Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer.

Access to the site is provided by 10 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 45.45 acres and is generally level with frontage along Market Court. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 41 spaces provided versus 41 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Parking is conforming with 22 spaces provided versus 22 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 22 spaces provided versus 22 spaces required by code. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 11 spaces provided versus 11 spaces required by code. A certificate of occupancy was issued on file for the existing improvements.

Code Compliance

Parking is conforming with 11 spaces provided versus 11 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 3 spaces provided versus 3 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 48.48 acres and is generally level with frontage along Market Court. Access to the site is provided by 13 curb cuts and the property is served by municipal water and sanitary sewer.

The site contains approximately 2.2 acres and is generally level with frontage along Market Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 38 spaces provided versus 38 spaces required by code.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 33 spaces provided versus 33 spaces required by code.

Access and Utilities

The site contains approximately 32.32 acres and is generally level with frontage along Market Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 33 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 8.8 acres and is generally level with frontage along Market Court. Access to the site is provided by 15 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 20 spaces provided versus 20 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 42 spaces provided versus 42 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Oklahoma City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 8 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 17.17 acres and is generally level with frontage along Market Court. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Code Compliance

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Kingsley Suites Owner LLC

By: James Evans Title: President Date: 05/17/2021

_____

Samuel Kowalski

By: Julia Quinn Title: President Date: 05/17/2021

Exhibit A - Property

Kingsley Suites, 7132 Market Court, Oklahoma City, OK 41403. Parcel containing approximately 18.51 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only