ZONING COMPLIANCE LETTER

Pelican Prairie Market Lofts | Cleveland, OH

Subject	Zoning verification for Pelican Prairie Market Lofts
Address	3066 Technology Road, Cleveland, OH 61715
Date	July 25, 2022
Zoning District	47-47

Permitted Uses and Parking

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 44 spaces provided versus 44 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 3 spaces provided versus 3 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 46 spaces provided versus 46 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

Parking is conforming with 42 spaces provided versus 42 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Permitted Uses and Parking

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 18 spaces provided versus 18 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 4 spaces provided versus 4 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 41 spaces provided versus 41 spaces required by code.

Parking is conforming with 44 spaces provided versus 44 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 9 spaces provided versus 9 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 27 spaces provided versus 27 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 21 spaces provided versus 21 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Parking is conforming with 44 spaces provided versus 44 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 18 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 15.15 acres and is generally level with frontage along Technology Road. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site contains approximately 41.41 acres and is generally level with frontage along Technology Road. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 18 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Zoning Classification

Parking is conforming with 43 spaces provided versus 43 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 38 spaces provided versus 38 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

Topography and Flood Zone

The site contains approximately 13.13 acres and is generally level with frontage along Technology Road. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 3 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 6.6 acres and is generally level with frontage along Technology Road. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 27 curb cuts and the property is served by municipal water and sanitary sewer.

Permitted Uses and Parking

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 24 spaces provided versus 24 spaces required by code. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 47.47 acres and is generally level with frontage along Technology Road. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 33 curb cuts and the property is served by municipal water and sanitary sewer.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 34 spaces provided versus 34 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements.

A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 18 spaces provided versus 18 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Permitted Uses and Parking

Parking is conforming with 47 spaces provided versus 47 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 13 spaces provided versus 13 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Permitted Uses and Parking

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 5 spaces provided versus 5 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 4 spaces provided versus 4 spaces required by code.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 36.36 acres and is generally level with frontage along Technology Road.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 11 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Zoning Classification

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. Parking is conforming with 41 spaces provided versus 41 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Topography and Flood Zone

Access to the site is provided by 3 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Access to the site is provided by 17 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Code Compliance

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 18 spaces provided versus 18 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use.

The property is zoned in accordance with the Cleveland Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 44 spaces provided versus 44 spaces required by code.

Topography and Flood Zone

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 13 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 28.28 acres and is generally level with frontage along Technology Road.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Pelican Prairie Market Lofts Owner LLC

By: Emily Harper Title: Authorized Signatory Date: 07/25/2022

_____

Lumen Realty

By: Grace Dixon Title: Managing Member Date: 07/25/2022

Exhibit A - Property

Pelican Prairie Market Lofts, 3066 Technology Road, Cleveland, OH 61715. Parcel containing approximately 13.62 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only