ZONING COMPLIANCE LETTER

Upland Plaza | Salt Lake City, UT

Subject	Zoning verification for Upland Plaza
Address	1514 Lakeview Avenue, Salt Lake City, UT 78986
Date	February 17, 2023
Zoning District	15-15

Zoning Classification

The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 41 spaces provided versus 41 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 43 spaces provided versus 43 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements.

Permitted Uses and Parking

The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 9 spaces provided versus 9 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 32 spaces provided versus 32 spaces required by code. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use.

Permitted Uses and Parking

Parking is conforming with 25 spaces provided versus 25 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use.

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 45 spaces provided versus 45 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 39 spaces provided versus 39 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 45 spaces provided versus 45 spaces required by code. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use.

Zoning Classification

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Parking is conforming with 27 spaces provided versus 27 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Zoning Classification

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Parking is conforming with 7 spaces provided versus 7 spaces required by code.

Parking is conforming with 17 spaces provided versus 17 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Access to the site is provided by 38 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 34.34 acres and is generally level with frontage along Lakeview Avenue. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site contains approximately 15.15 acres and is generally level with frontage along Lakeview Avenue. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 33 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Permitted Uses and Parking

Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Parking is conforming with 44 spaces provided versus 44 spaces required by code. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Access and Utilities

The site contains approximately 25.25 acres and is generally level with frontage along Lakeview Avenue. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 47 curb cuts and the property is served by municipal water and sanitary sewer.

Access to the site is provided by 19 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Zoning Classification

A certificate of occupancy was issued on file for the existing improvements. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

A certificate of occupancy was issued on file for the existing improvements. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 32 spaces provided versus 32 spaces required by code.

Access and Utilities

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 42 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 30.30 acres and is generally level with frontage along Lakeview Avenue. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Permitted Uses and Parking

Parking is conforming with 21 spaces provided versus 21 spaces required by code. A certificate of occupancy was issued on file for the existing improvements. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use.

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. A certificate of occupancy was issued on file for the existing improvements. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use.

Zoning Classification

The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. Parking is conforming with 40 spaces provided versus 40 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Parking is conforming with 39 spaces provided versus 39 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

Code Compliance

There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. A certificate of occupancy was issued on file for the existing improvements. Parking is conforming with 44 spaces provided versus 44 spaces required by code. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality.

Parking is conforming with 17 spaces provided versus 17 spaces required by code. Setback, height, parking and lot coverage requirements are satisfied based on the information provided by the municipality. The property is zoned in accordance with the Salt Lake City Unified Development Ordinance and the current use is a legally permitted use. The zoning ordinance permits rebuilding to current density if the improvements are destroyed by casualty. There are no open building code violations or pending special assessments on file with the municipality as of the date of this letter.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Signatures

IN WITNESS WHEREOF, the parties have executed this instrument as of the date first written above.

_____

Upland Plaza Owner LLC

By: Linda Moreno Title: Manager Date: 02/17/2023

_____

Ironclad Consulting LLC

By: Raymond Bennett Title: President Date: 02/17/2023

Exhibit A - Property

Upland Plaza, 1514 Lakeview Avenue, Salt Lake City, UT 78986. Parcel containing approximately 29.13 acres, together with all improvements thereon.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only