PHASE I ENVIRONMENTAL SITE ASSESSMENT

Eastlake Health Center | Buffalo, NY

Site	Eastlake Health Center
Address	3408 Peachtree Boulevard, Buffalo, NY 44465
Prepared For	Granite Lane Realty
Report Date	October 17, 2019
Standard	ASTM E1527-21

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 35.35 acres and is generally level with frontage along Peachtree Boulevard. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

The site contains approximately 10.10 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Historical Use

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Topography and Flood Zone

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 23 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 26.26 acres and is generally level with frontage along Peachtree Boulevard. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 16 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Findings and Opinions

No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Access to the site is provided by 9 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

The site contains approximately 13.13 acres and is generally level with frontage along Peachtree Boulevard. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer.

Findings and Opinions

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation.

Access and Utilities

Access to the site is provided by 12 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 23.23 acres and is generally level with frontage along Peachtree Boulevard. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site contains approximately 23.23 acres and is generally level with frontage along Peachtree Boulevard. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 4 curb cuts and the property is served by municipal water and sanitary sewer.

Findings and Opinions

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site.

No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site.

Site Description

Access to the site is provided by 37 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 12.12 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.5	2	No	None
CERCLIS / SEMS	0.25	7	No	None
RCRA - Generators	0.25	1	No	None
RCRA - TSD	0.25	2	No	None
LUST	1.0	0	No	Reviewed - no action
UST	1.0	1	No	None
State Hazardous Waste Sites	0.5	2	No	None
Brownfields	0.5	7	No	Reviewed - no action
Engineering Controls	1.0	2	No	None
Institutional Controls	0.25	1	No	Reviewed - no action
ERNS	1.0	0	No	Reviewed - no action
Drycleaner Facilities	0.5	7	No	Reviewed - no action
Solid Waste Landfills	1.0	7	No	None
Voluntary Cleanup	0.25	1	No	Reviewed - no action
Historical Auto Stations	1.0	1	No	None
NPL (Superfund)	0.5	1	No	None
CERCLIS / SEMS	0.5	0	No	None
RCRA - Generators	1.0	4	No	None
RCRA - TSD	0.5	4	No	None
LUST	0.5	0	No	None
UST	0.5	0	No	None
State Hazardous Waste Sites	0.5	1	No	None
Brownfields	1.0	1	No	None
Engineering Controls	0.25	1	No	None
Institutional Controls	0.25	0	No	None
ERNS	1.0	2	No	Reviewed - no action
Drycleaner Facilities	0.25	4	No	None
Solid Waste Landfills	0.5	0	No	None
Voluntary Cleanup	0.25	0	No	None
Historical Auto Stations	0.5	7	No	None

Report generated 10/17/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Findings and Opinions

A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Historical Use

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Site Reconnaissance

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 48.48 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 12 curb cuts and the property is served by municipal water and sanitary sewer.

Access to the site is provided by 38 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 8.8 acres and is generally level with frontage along Peachtree Boulevard. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Historical Use

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation.

No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Site Description

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 44.44 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Access to the site is provided by 5 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 34.34 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Findings and Opinions

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 33.33 acres and is generally level with frontage along Peachtree Boulevard. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 23 curb cuts and the property is served by municipal water and sanitary sewer.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.5	0	No	None
CERCLIS / SEMS	1.0	1	No	None
RCRA - Generators	1.0	7	No	None
RCRA - TSD	0.5	7	No	None
LUST	1.0	0	No	None
UST	0.25	0	No	None
State Hazardous Waste Sites	1.0	0	No	None
Brownfields	0.25	0	No	Reviewed - no action
Engineering Controls	1.0	7	No	None
Institutional Controls	1.0	7	No	None
ERNS	0.25	4	No	None
Drycleaner Facilities	0.5	0	No	None
Solid Waste Landfills	0.5	1	No	None
Voluntary Cleanup	0.5	2	No	None
Historical Auto Stations	0.5	4	No	None
NPL (Superfund)	0.5	7	No	Reviewed - no action
CERCLIS / SEMS	0.5	2	No	None
RCRA - Generators	1.0	2	No	Reviewed - no action
RCRA - TSD	0.25	1	No	None
LUST	0.25	7	No	Reviewed - no action
UST	0.5	1	No	None
State Hazardous Waste Sites	1.0	7	No	Reviewed - no action
Brownfields	0.5	4	No	None
Engineering Controls	1.0	4	No	Reviewed - no action
Institutional Controls	0.25	0	No	Reviewed - no action
ERNS	1.0	0	No	None
Drycleaner Facilities	1.0	0	No	None
Solid Waste Landfills	0.5	2	No	None
Voluntary Cleanup	0.25	1	No	None
Historical Auto Stations	0.25	4	No	Reviewed - no action

Report generated 10/17/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Records Review

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Findings and Opinions

No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Records Review

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 10.10 acres and is generally level with frontage along Peachtree Boulevard. Access to the site is provided by 10 curb cuts and the property is served by municipal water and sanitary sewer.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 19 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 37.37 acres and is generally level with frontage along Peachtree Boulevard.

Records Review

No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Site Description

Access to the site is provided by 47 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 5.5 acres and is generally level with frontage along Peachtree Boulevard. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 8 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 31.31 acres and is generally level with frontage along Peachtree Boulevard. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Findings and Opinions

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Access and Utilities

The site contains approximately 17.17 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 17 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.25	4	No	Reviewed - no action
CERCLIS / SEMS	0.25	7	No	None
RCRA - Generators	0.25	0	No	None
RCRA - TSD	1.0	0	No	None
LUST	1.0	0	No	Reviewed - no action
UST	1.0	1	No	None
State Hazardous Waste Sites	0.5	0	No	None
Brownfields	1.0	7	No	None
Engineering Controls	0.25	4	No	None
Institutional Controls	1.0	1	No	None
ERNS	0.25	4	No	None
Drycleaner Facilities	0.25	0	No	Reviewed - no action
Solid Waste Landfills	0.25	0	No	None
Voluntary Cleanup	0.25	0	No	None
Historical Auto Stations	0.5	1	No	Reviewed - no action
NPL (Superfund)	1.0	2	No	None
CERCLIS / SEMS	0.5	7	No	None
RCRA - Generators	0.25	7	No	None
RCRA - TSD	0.25	0	No	None
LUST	0.25	4	No	Reviewed - no action
UST	0.5	0	No	None
State Hazardous Waste Sites	0.5	4	No	None
Brownfields	0.25	0	No	None
Engineering Controls	0.5	0	No	Reviewed - no action
Institutional Controls	0.25	7	No	None
ERNS	0.25	4	No	None
Drycleaner Facilities	0.5	0	No	None
Solid Waste Landfills	0.25	7	No	Reviewed - no action
Voluntary Cleanup	0.5	7	No	None
Historical Auto Stations	0.5	0	No	None

Report generated 10/17/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Reconnaissance

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Records Review

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Site Reconnaissance

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 3.3 acres and is generally level with frontage along Peachtree Boulevard.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 21 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 28.28 acres and is generally level with frontage along Peachtree Boulevard. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Historical Use

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Access and Utilities

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 21.21 acres and is generally level with frontage along Peachtree Boulevard. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer.

The site contains approximately 40.40 acres and is generally level with frontage along Peachtree Boulevard. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Records Review

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 43.43 acres and is generally level with frontage along Peachtree Boulevard.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.5	7	No	None
CERCLIS / SEMS	1.0	1	No	None
RCRA - Generators	0.25	4	No	None
RCRA - TSD	1.0	7	No	None
LUST	1.0	7	No	None
UST	1.0	0	No	None
State Hazardous Waste Sites	0.5	2	No	None
Brownfields	0.25	4	No	None
Engineering Controls	1.0	0	No	Reviewed - no action
Institutional Controls	0.5	0	No	Reviewed - no action
ERNS	0.25	0	No	Reviewed - no action
Drycleaner Facilities	1.0	7	No	Reviewed - no action
Solid Waste Landfills	1.0	0	No	None
Voluntary Cleanup	0.5	1	No	Reviewed - no action
Historical Auto Stations	1.0	0	No	None
NPL (Superfund)	0.5	1	No	Reviewed - no action
CERCLIS / SEMS	1.0	7	No	None
RCRA - Generators	1.0	4	No	None
RCRA - TSD	1.0	0	No	None
LUST	1.0	0	No	Reviewed - no action
UST	1.0	1	No	Reviewed - no action
State Hazardous Waste Sites	0.25	1	No	None
Brownfields	0.25	0	No	None
Engineering Controls	1.0	0	No	None
Institutional Controls	0.25	0	No	None
ERNS	1.0	2	No	Reviewed - no action
Drycleaner Facilities	0.25	4	No	None
Solid Waste Landfills	0.5	1	No	None
Voluntary Cleanup	0.5	2	No	None
Historical Auto Stations	0.25	4	No	None

Report generated 10/17/2019. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Historical Use

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Site Reconnaissance

A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation.

Records Review

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

Access to the site is provided by 39 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 11.11 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

The site contains approximately 17.17 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 15 curb cuts and the property is served by municipal water and sanitary sewer.

Historical Use

Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation.

Access and Utilities

Access to the site is provided by 45 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 45.45 acres and is generally level with frontage along Peachtree Boulevard. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 12 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 31.31 acres and is generally level with frontage along Peachtree Boulevard.

Historical Use

No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site.

Access and Utilities

Access to the site is provided by 29 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 41.41 acres and is generally level with frontage along Peachtree Boulevard. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Certification

I certify that, to the best of my knowledge and belief, the statements of fact contained in this report are true and correct and that I have no present or prospective interest in Eastlake Health Center and no personal interest with respect to the parties involved.

The analyses, opinions and conclusions are limited only by the reported assumptions and limiting conditions. The inspection of the property was performed on September 22, 2019.

_____

Fatima Thompson, Senior Associate

Greenfield Environmental Consultants

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only