PHASE I ENVIRONMENTAL SITE ASSESSMENT

Elmhurst Senior Living | Naperville, IL

Site	Elmhurst Senior Living
Address	6306 Quarry Parkway, Naperville, IL 13180
Prepared For	Keel & Compass Properties
Report Date	January 24, 2022
Standard	ASTM E1527-21

Site Description

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 21.21 acres and is generally level with frontage along Quarry Parkway.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 27 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 28.28 acres and is generally level with frontage along Quarry Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Site Reconnaissance

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation.

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Access and Utilities

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 34 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 22.22 acres and is generally level with frontage along Quarry Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 48 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 30.30 acres and is generally level with frontage along Quarry Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Site Reconnaissance

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site contains approximately 15.15 acres and is generally level with frontage along Quarry Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 20 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 17 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 21.21 acres and is generally level with frontage along Quarry Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Site Reconnaissance

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 4 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 26.26 acres and is generally level with frontage along Quarry Parkway.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 4.4 acres and is generally level with frontage along Quarry Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 36 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Historical Use

Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Access and Utilities

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	0.5	0	No	None
CERCLIS / SEMS	0.5	4	No	None
RCRA - Generators	0.25	7	No	None
RCRA - TSD	0.5	1	No	None
LUST	0.25	2	No	Reviewed - no action
UST	0.5	4	No	None
State Hazardous Waste Sites	0.25	7	No	None
Brownfields	1.0	1	No	None
Engineering Controls	1.0	4	No	None
Institutional Controls	0.25	4	No	None
ERNS	1.0	0	No	None
Drycleaner Facilities	0.25	4	No	None
Solid Waste Landfills	0.25	2	No	None
Voluntary Cleanup	1.0	1	No	Reviewed - no action
Historical Auto Stations	0.25	0	No	None
NPL (Superfund)	1.0	0	No	None
CERCLIS / SEMS	0.25	7	No	None
RCRA - Generators	0.25	0	No	None
RCRA - TSD	1.0	0	No	Reviewed - no action
LUST	1.0	2	No	None
UST	1.0	2	No	None
State Hazardous Waste Sites	1.0	2	No	None
Brownfields	0.5	4	No	None
Engineering Controls	0.25	0	No	Reviewed - no action
Institutional Controls	0.5	7	No	None
ERNS	1.0	2	No	None
Drycleaner Facilities	0.25	0	No	None
Solid Waste Landfills	0.25	7	No	Reviewed - no action
Voluntary Cleanup	1.0	4	No	None
Historical Auto Stations	1.0	0	No	None

Report generated 01/24/2022. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Reconnaissance

No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Historical Use

Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Records Review

A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

Access to the site is provided by 22 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 41.41 acres and is generally level with frontage along Quarry Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 5.5 acres and is generally level with frontage along Quarry Parkway. Access to the site is provided by 9 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Records Review

A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Access and Utilities

The site contains approximately 42.42 acres and is generally level with frontage along Quarry Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 29 curb cuts and the property is served by municipal water and sanitary sewer.

The site contains approximately 42.42 acres and is generally level with frontage along Quarry Parkway. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 27 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Site Reconnaissance

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Site Description

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 33.33 acres and is generally level with frontage along Quarry Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	1.0	2	No	None
CERCLIS / SEMS	0.5	0	No	None
RCRA - Generators	0.25	0	No	None
RCRA - TSD	1.0	0	No	None
LUST	0.25	7	No	Reviewed - no action
UST	1.0	2	No	None
State Hazardous Waste Sites	1.0	1	No	None
Brownfields	1.0	7	No	Reviewed - no action
Engineering Controls	1.0	7	No	None
Institutional Controls	0.25	0	No	None
ERNS	0.5	0	No	None
Drycleaner Facilities	0.25	4	No	None
Solid Waste Landfills	0.25	7	No	None
Voluntary Cleanup	0.25	1	No	None
Historical Auto Stations	0.25	0	No	Reviewed - no action
NPL (Superfund)	0.5	1	No	None
CERCLIS / SEMS	0.25	7	No	None
RCRA - Generators	1.0	1	No	None
RCRA - TSD	1.0	7	No	None
LUST	0.5	0	No	None
UST	0.25	1	No	None
State Hazardous Waste Sites	0.5	0	No	Reviewed - no action
Brownfields	1.0	7	No	Reviewed - no action
Engineering Controls	1.0	0	No	Reviewed - no action
Institutional Controls	0.5	7	No	None
ERNS	0.25	2	No	Reviewed - no action
Drycleaner Facilities	0.25	0	No	None
Solid Waste Landfills	0.25	2	No	Reviewed - no action
Voluntary Cleanup	0.5	0	No	None
Historical Auto Stations	0.25	0	No	Reviewed - no action

Report generated 01/24/2022. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Certification

I certify that, to the best of my knowledge and belief, the statements of fact contained in this report are true and correct and that I have no present or prospective interest in Elmhurst Senior Living and no personal interest with respect to the parties involved.

The analyses, opinions and conclusions are limited only by the reported assumptions and limiting conditions. The inspection of the property was performed on January 5, 2022.

_____

Marcus Xu, RPLS

Ridgeway Geo-Environmental

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only