PHASE I ENVIRONMENTAL SITE ASSESSMENT

Lakeshore Corporate Center | Madison, WI

Site	Lakeshore Corporate Center
Address	5679 Railroad Parkway, Madison, WI 53264
Prepared For	Sunbelt Ridge Acquisitions
Report Date	December 30, 2021
Standard	ASTM E1527-21

Site Description

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 28.28 acres and is generally level with frontage along Railroad Parkway. Access to the site is provided by 24 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 23.23 acres and is generally level with frontage along Railroad Parkway. Access to the site is provided by 23 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Site Reconnaissance

No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Access and Utilities

Access to the site is provided by 45 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site contains approximately 39.39 acres and is generally level with frontage along Railroad Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 34 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Findings and Opinions

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site.

Vapor encroachment screening did not identify a condition requiring further evaluation. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Topography and Flood Zone

Access to the site is provided by 2 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 12.12 acres and is generally level with frontage along Railroad Parkway.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 40.40 acres and is generally level with frontage along Railroad Parkway.

Site Reconnaissance

Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Topography and Flood Zone

The site contains approximately 34.34 acres and is generally level with frontage along Railroad Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 42 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 43 curb cuts and the property is served by municipal water and sanitary sewer.

Findings and Opinions

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. A former dry cleaner located 9 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation.

No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Site Description

Access to the site is provided by 3 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 21.21 acres and is generally level with frontage along Railroad Parkway.

Access to the site is provided by 26 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 12.12 acres and is generally level with frontage along Railroad Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Site Reconnaissance

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	1.0	0	No	None
CERCLIS / SEMS	0.5	1	No	Reviewed - no action
RCRA - Generators	1.0	0	No	None
RCRA - TSD	1.0	2	No	None
LUST	1.0	0	No	None
UST	0.5	4	No	None
State Hazardous Waste Sites	0.5	4	No	None
Brownfields	1.0	7	No	None
Engineering Controls	1.0	0	No	None
Institutional Controls	0.25	1	No	None
ERNS	0.25	7	No	None
Drycleaner Facilities	0.25	0	No	None
Solid Waste Landfills	0.25	1	No	None
Voluntary Cleanup	0.5	4	No	None
Historical Auto Stations	1.0	0	No	None
NPL (Superfund)	1.0	1	No	None
CERCLIS / SEMS	1.0	4	No	None
RCRA - Generators	0.25	4	No	None
RCRA - TSD	0.25	1	No	Reviewed - no action
LUST	1.0	4	No	None
UST	0.25	2	No	Reviewed - no action
State Hazardous Waste Sites	0.25	0	No	Reviewed - no action
Brownfields	0.25	7	No	None
Engineering Controls	1.0	0	No	None
Institutional Controls	0.5	4	No	None
ERNS	1.0	0	No	None
Drycleaner Facilities	0.5	2	No	Reviewed - no action
Solid Waste Landfills	0.25	0	No	None
Voluntary Cleanup	1.0	0	No	Reviewed - no action
Historical Auto Stations	0.5	0	No	None

Report generated 12/30/2021. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Findings and Opinions

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Records Review

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property.

No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Findings and Opinions

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site contains approximately 29.29 acres and is generally level with frontage along Railroad Parkway. Access to the site is provided by 5 curb cuts and the property is served by municipal water and sanitary sewer. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage.

Access to the site is provided by 17 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 25.25 acres and is generally level with frontage along Railroad Parkway.

Historical Use

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation.

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Topography and Flood Zone

Access to the site is provided by 30 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 5.5 acres and is generally level with frontage along Railroad Parkway. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Findings and Opinions

No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site.

Site Description

The site contains approximately 8.8 acres and is generally level with frontage along Railroad Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 12 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 30.30 acres and is generally level with frontage along Railroad Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	1.0	0	No	None
CERCLIS / SEMS	0.25	0	No	None
RCRA - Generators	0.5	4	No	None
RCRA - TSD	0.25	4	No	Reviewed - no action
LUST	0.25	7	No	None
UST	0.5	7	No	None
State Hazardous Waste Sites	1.0	0	No	Reviewed - no action
Brownfields	1.0	4	No	None
Engineering Controls	1.0	0	No	Reviewed - no action
Institutional Controls	0.25	7	No	None
ERNS	0.25	0	No	None
Drycleaner Facilities	0.5	2	No	Reviewed - no action
Solid Waste Landfills	0.25	2	No	None
Voluntary Cleanup	1.0	7	No	None
Historical Auto Stations	0.25	4	No	None
NPL (Superfund)	1.0	0	No	None
CERCLIS / SEMS	0.5	1	No	None
RCRA - Generators	1.0	0	No	None
RCRA - TSD	0.5	0	No	None
LUST	1.0	2	No	None
UST	0.25	0	No	None
State Hazardous Waste Sites	1.0	0	No	None
Brownfields	0.5	0	No	None
Engineering Controls	0.25	0	No	None
Institutional Controls	0.5	0	No	None
ERNS	0.25	7	No	Reviewed - no action
Drycleaner Facilities	1.0	0	No	None
Solid Waste Landfills	0.5	0	No	None
Voluntary Cleanup	0.25	1	No	None
Historical Auto Stations	0.25	4	No	None

Report generated 12/30/2021. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Historical Use

Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property.

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Vapor encroachment screening did not identify a condition requiring further evaluation.

Findings and Opinions

A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No recognized environmental conditions (RECs) were identified in connection with the subject property.

A former dry cleaner located 8 blocks to the north is listed as a closed case and is not expected to impact the site. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Historical sources indicate the site was previously used for agricultural and light commercial purposes. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Site Reconnaissance

No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 2 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Description

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 22 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Access to the site is provided by 8 curb cuts and the property is served by municipal water and sanitary sewer.

Historical Use

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No recognized environmental conditions (RECs) were identified in connection with the subject property.

Topography and Flood Zone

Access to the site is provided by 37 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 47.47 acres and is generally level with frontage along Railroad Parkway. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 24.24 acres and is generally level with frontage along Railroad Parkway. Access to the site is provided by 45 curb cuts and the property is served by municipal water and sanitary sewer.

Historical Use

No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 7 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Topography and Flood Zone

Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 45.45 acres and is generally level with frontage along Railroad Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. The site contains approximately 2.2 acres and is generally level with frontage along Railroad Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 3 curb cuts and the property is served by municipal water and sanitary sewer. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection.

Findings and Opinions

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Regulatory Database Search Results

Database	Search Radius (mi)	Sites Within Radius	Subject Property?	Further Evaluation
NPL (Superfund)	1.0	4	No	Reviewed - no action
CERCLIS / SEMS	0.25	0	No	None
RCRA - Generators	0.25	0	No	None
RCRA - TSD	0.5	1	No	None
LUST	0.25	0	No	None
UST	0.25	0	No	None
State Hazardous Waste Sites	0.5	0	No	None
Brownfields	1.0	7	No	None
Engineering Controls	0.5	0	No	None
Institutional Controls	1.0	2	No	None
ERNS	0.25	0	No	None
Drycleaner Facilities	1.0	0	No	Reviewed - no action
Solid Waste Landfills	0.25	7	No	Reviewed - no action
Voluntary Cleanup	1.0	4	No	Reviewed - no action
Historical Auto Stations	1.0	7	No	None
NPL (Superfund)	0.5	0	No	None
CERCLIS / SEMS	0.25	0	No	None
RCRA - Generators	0.25	7	No	Reviewed - no action
RCRA - TSD	0.25	0	No	None
LUST	0.5	1	No	None
UST	0.25	1	No	None
State Hazardous Waste Sites	1.0	7	No	None
Brownfields	1.0	7	No	Reviewed - no action
Engineering Controls	0.25	1	No	None
Institutional Controls	1.0	0	No	None
ERNS	0.25	0	No	Reviewed - no action
Drycleaner Facilities	1.0	0	No	Reviewed - no action
Solid Waste Landfills	1.0	0	No	None
Voluntary Cleanup	1.0	0	No	None
Historical Auto Stations	1.0	2	No	None

Report generated 12/30/2021. Figures are unaudited and subject to change.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Site Reconnaissance

No recognized environmental conditions (RECs) were identified in connection with the subject property. Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 5 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes.

Records Review

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Records Review

A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 1 blocks to the north is listed as a closed case and is not expected to impact the site.

Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. No recognized environmental conditions (RECs) were identified in connection with the subject property.

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Access and Utilities

The site contains approximately 6.6 acres and is generally level with frontage along Railroad Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 22 curb cuts and the property is served by municipal water and sanitary sewer.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Access to the site is provided by 46 curb cuts and the property is served by municipal water and sanitary sewer. The site contains approximately 4.4 acres and is generally level with frontage along Railroad Parkway.

Findings and Opinions

A former dry cleaner located 6 blocks to the north is listed as a closed case and is not expected to impact the site. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

No recognized environmental conditions (RECs) were identified in connection with the subject property. A former dry cleaner located 4 blocks to the north is listed as a closed case and is not expected to impact the site. Historical sources indicate the site was previously used for agricultural and light commercial purposes. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. Vapor encroachment screening did not identify a condition requiring further evaluation. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances.

Topography and Flood Zone

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 11 curb cuts and the property is served by municipal water and sanitary sewer. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. The site contains approximately 8.8 acres and is generally level with frontage along Railroad Parkway.

Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. Access to the site is provided by 7 curb cuts and the property is served by municipal water and sanitary sewer.

Site Reconnaissance

Historical sources indicate the site was previously used for agricultural and light commercial purposes. A former dry cleaner located 3 blocks to the north is listed as a closed case and is not expected to impact the site. Vapor encroachment screening did not identify a condition requiring further evaluation. No recognized environmental conditions (RECs) were identified in connection with the subject property. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance.

Vapor encroachment screening did not identify a condition requiring further evaluation. No evidence of underground storage tanks, stained soils or stressed vegetation was observed during the site reconnaissance. A review of regulatory databases identified no listings for the subject property within the ASTM-specified search distances. Based on the age of construction, an asbestos operations and maintenance program is recommended for suspect materials.

Site Description

Access to the site is provided by 24 curb cuts and the property is served by municipal water and sanitary sewer. Soils are typical of the region and no evidence of unsuitable conditions was observed at the time of inspection. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect.

The site is not located within a designated 100-year floodplain according to the FEMA flood map in effect. Utilities, including electric, natural gas and telecommunications, are available to the site from the street. The site contains approximately 31.31 acres and is generally level with frontage along Railroad Parkway. Surrounding land uses include residential, commercial and light industrial properties of similar vintage. Access to the site is provided by 5 curb cuts and the property is served by municipal water and sanitary sewer.

Site Reconnaissance

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only

Certification

I certify that, to the best of my knowledge and belief, the statements of fact contained in this report are true and correct and that I have no present or prospective interest in Lakeshore Corporate Center and no personal interest with respect to the parties involved.

The analyses, opinions and conclusions are limited only by the reported assumptions and limiting conditions. The inspection of the property was performed on December 24, 2021.

_____

Marcus Okafor, MAI

Greenfield Environmental Consultants

FICTITIOUS SAMPLE DOCUMENT — all names, figures and entities are invented for classroom training use only