

LINE OF FIRE BARRIER (SHOWN DASHED).

SINIAT WEATHER DEFENCE BOARD FIXED TO VERTICAL TOPHAT AS PER MANUFACTURERS RECOMMENDATIONS. JOINTS SEALED USING SINIAT G-TEC WEATHER DEFENCE TAPE

PRESSED 3mm GALV STEEL TOP HAT FIXED TO HORIZONTAL SFS AS PER BGP DESIGN AND CALCULATIONS FOR BACKUP WALL


50mm DUO SLAB FIXED USING METAL FIXINGS ONLY, IN ACCORDANCE WITH IFS REQUIREMENTS

GENIUS PRIME PANEL, 3MM ALUMINIUM FIXED TO 50mm HELPING HAND SYSTEM. PPC RAL 9006 METALLIC

PRESSED 3mm GALV STEEL TOP HATS AT 600mm CRS AS PER BGP CALCS FIXED TO HORIZONTAL SFS AS PER BGP DESIGN AND CALCULATIONS FOR BACKUP WALL. VERTICAL TOPHATS TO SIDES OF OPENINGS TO ACT AS FIRE BARRIER WITHIN VOID.

PROCHECK FR200 VCL (BY OTHERS).

AS BUILT 19/11/21

C01	CONSTRUCTION ISSUE	RM	28/10/21
P02	EDPM AND INSUL'N FIXING NOTES ADDED	RM	03/09/21
P01	FIRST ISSUE	RM	02/09/21
Rev	Description	By	Date
<div><div><div><div>AJ Cladding LTD</div><div>Architectural Cladding Specialists</div></div><div><div>19A Wilson Street, Hamilton, ML3 0NH</div><div>+44 (0) 1698 339 104 ajcladding.co.uk info@ajcladding.co.uk</div></div></div></div>			
Drawn By	RM	Date Created	02/09/21
Contract No.	2020	Scale	1:5
Contract Title	20: 20 HOUSE	ot	A3
Drawing Title	FIRE STRATEGY DETAIL AT RECESS INTERNAL CORNER		
Drawing No.	2020-PH02-DET-015	Rev	C01