

SIDERISE RV-90/60 WITH OSCI INSERT TO PANEL DEPTH, FIXED AS PER MANUFACTURERS RECOMMENDATIONS AS PER PROJECT SPEC CLAUSE 440X. INSTALL LOCATIONS AS SPECIFIED BY IFC (INTERNATIONAL FIRE CONSULTANTS) DATED 26TH MARCH 2021

SINIAT WEATHER DEFENCE BOARD FIXED TO VERTICAL TOPHAT AS PER MANUFACTURERS RECOMMENDATIONS. JOINTS SEALED USING SINIAT G-TEC WEATHER DEFENCE TAPE

50mm DUO SLAB FIXED USING METAL FIXINGS ONLY, IN ACCORDANCE WITH IFS REQUIREMENTS


GENIUS PRIME PANEL 3mm ALUMINIUM, FIXED TO 50mm HELPING HAND SYSTEM. PPC RAL 9006 METALLIC

PANEL SIZE INDICATIVE ONLY AND DEPENDANT ON LOCATION.

PRESSED 3mm GALV STEEL TOP HAT FIXED TO HORIZONTAL SFS AS PER BGP DESIGN AND CALCULATIONS FOR BACKUP WALL

PROCHECK FR200 VCL (BY OTHERS).

AS BUILT 19/11/21

C01	CONSTRUCTION ISSUE	RM	28/10/21
P04	UPDATED AS PER WINTech COMMENTS 30/09/21	RM	01/10/21
P03	UPDATED AS PER WINTech COMMENTS 16/09/21	RM	23/09/21
P02	EDPM AND INSUL'N FIXING NOTES ADDED	RM	03/09/21
P01	FIRST ISSUE	RM	02/09/21
Rev	Description	By	Date
<div><div><div><div><b>AJ Cladding LTD</b></div><div>Architectural Cladding Specialists</div></div><div><div>19A Wilson Street, Hamilton, ML3 0NH</div><div>+44 (0) 1698 339 104 ajcladding.co.uk info@ajcladding.co.uk</div></div></div></div>			
Drawn By	RM	Date Created	02/09/21
Contract No.	2020	Scale	1:5
Contract Title	20:20 HOUSE	ot	A3
Drawing Title	FIRE STRATEGY AT INTERNAL CORNER		
Drawing No.	2020-PH02-DET-002	Rev	C01