

SIDERISE RV-90/60 WITH OSCI INSERT TO PANEL DEPTH, FIXED AS PER MANUFACTURERS RECOMMENDATIONS AS PER PROJECT SPEC CLAUSE 440X. INSTALL LOCATIONS AS SPECIFIED BY IFC (INTERNATIONAL FIRE CONSULTANTS) DATED 26TH MARCH 2021

SINIAT WEATHER DEFENCE BOARD FIXED TO VERTICAL TOPHAT AS PER MANUFACTURERS RECOMMENDATIONS. JOINTS SEALED USING SINIAT G-TEC WEATHER DEFENCE TAPE

50mm DUO SLAB FIXED AS PER MANUFACTURERS RECOMMENDATIONS

GENIUS PRIME PANEL 3mm ALUMINIUM, FIXED TO 50mm HELPING HAND SYSTEM. PPC RAL 9006 METALLIC


PANEL SIZE INDICATIVE ONLY AND DEPENDANT ON LOCATION.

PRESSED 3mm GALV STEEL TOP HAT FIXED TO HORIZONTAL SFS AS PER BGP DESIGN AND CALCULATIONS FOR BACKUP WALL

EXISTING COMPARTMENT WALL (INDICATIVE ONLY). 2 LAYERS OF PLASTERBOARD ON METAL STUDS.

PROCHECK FR200 VCL (BY OTHERS).

AS BUILT 19/11/21

| | | | |
|--|--|--------------|----------|
| C01 | CONSTRUCTION ISSUE | RM | 29/10/21 |
| P05 | UPDATED AS PER WINTech COMMENTS 02/07/21 | RM | 07/07/21 |
| P04 | UPDATED AS PER WINTech COMMENTS 17/06/21 | RM | 28/06/21 |
| P03 | UPDATED AS PER WINTech COMMENTS 18/05/21 | RM | 28/05/21 |
| P02 | UPDATED AS PER WINTech COMMENTS 22/04/21 | RM | 03/05/21 |
| P01 | FIRST ISSUE | RM | 21/04/21 |
| Rev | Description | By | Date |
| <div><div><div><div>AJ Cladding LTD</div><div>Architectural Cladding Specialists</div></div><div><div>19A Wilson Street, Hamilton, ML3 0NH</div><div>+44 (0) 1698 339 104 ajcladding.co.uk info@ajcladding.co.uk</div></div></div></div> | | | |
| Drawn By | RM | Date Created | 21/04/21 |
| Contract No. | 2020 | Scale | 1:5 |
| Contract Title | 20:20 HOUSE | ot | A3 |
| Drawing Title | FIRE STRATEGY AT INTERNAL CORNER | | |
| Drawing No. | 2020-PH01-FS-008 | Rev | C01 |