```
解决跨域iframe问题
<script>
        document.domain=domainConfig.documentDomain;
</script>
var domainConfig = {
         documentDomain: ahau.edu.cn',// 同域
ids密码加密
        public static void main(String[] args) throws Exception {
               String loginName = "0211180535";
               String password = "abc383868";
               String md5Pwd = SUDY.idsPasswordEncrypt(loginName, password);
               System.out.println(md5Pwd);
               String field29 = SUDY.idsField29Encrypt(loginName, password);
               System.out.println(field29);
               // String aes = com. sudytech. security.ids.util.AES.decrypt(field29, "ids#s12" + loginName);
               // System.out.println(aes);
               String dbField29=
"205BDD62D83ACED1B9027DE9117C1591374D25824E6E176919E573F61B4597FB406E230C1FEED966027DD213ABD7669F";
               System.out.println(SUDY.verifyIdsField29(dbField29, loginName, password));
               //String ldapMd5 = "{MD5}" + SUDY. idsPasswordEncrypt("", password);
               // System.out.println(ldapMd5);
               }
C:\Windows\System32\drivers\etc
192.168.120.80 www.cas.com
192.168.120.80 www.imp.com
Eclipse Class Decompiler Project Update
http://raw.githubusercontent.com/cnfree/eclipse/master/decompiler/update/
E:\Program Files (x86)\jad158g.win\jad.exe
E:\Program Files (x86)\jad158g.tmp
url中文转换 encodeURI(encodeURI(name))
                                           decodeURI (name)
sudy加密
String md5Pwd = IdsServerAux.encryptByMd5(new
StringBuilder().append(user2.getLoginName()).append(oldpassword).toString());
```

sql中文排序 SELECT id, name FROM `T\_USER` ORDER BY convert(name using gbk) ASC limit 10,100;

```
$('#passwordAnwser').textbox('textbox').validatebox('options').required = false;
$('#name').validatebox({required:false});
//$('#passwordAnwser').textbox('setValue','1');
//$('#password').passwordbox('hidePassword');
        <filter>
       <filter-name>CookieCheckFilter</filter-name>
       \label{lem:class} $$ \com. sudytech. auth. basic. check. CookieCheckFilter </filter-class> $$
   \langle filter \rangle
   <filter-mapping>
       <filter-name>CookieCheckFilter</filter-name>
       <url-pattern>/*</url-pattern>
   </filter-mapping>
NetBeans快捷键
 Alt+Insert get/set
 代码格式化: 快捷键 Alt+Shift+F
 修复导入: 快捷键 Ctrl+Shift+I
setTimeout(function() {
                          SUI.init();
                          init();
                          layer.close(loading);
                 },500);
        var obj = document.getElementById(field);
        var demo = SUI. build(obj, 'select'); // 创建一个组件实例,并执行初始化渲染
        $(obj).addClass('col-xs-8');
        var confi = $(obj).sui().getConfig();
        var src = $("#messagePrimaryKey").sui().getConfig();
        confi.properties.name = field;
        confi.properties.title = field;
        //confi.properties.dataSource = src.properties.dataSource;
        confi.properties.selectStyle = src.properties.selectStyle;
        confi.mode = src.mode;
        confi.validate = $("#name").sui().getConfig().validate;
        $(obj).sui().setConfig(confi);
```

```
----- web -----
      超出部分感叹号表示
      h3.app-name {
             display: inline-block;
             max-width: 160px;
             overflow: hidden; /*超出部分隐藏*/
             text-overflow: ellipsis; /*超出部分感叹号显示*/
             white-space: nowrap; /*一行显示*/
      }
      图片圆角
      .user-info.user-avatar img {
             overflow: hidden;
             border-radius: 20px;
             width: 20px;
      }
      //获取浏览器宽度
      function getBrowserWidth(){
             alert($(window).width());
      //获取屏幕宽度
      function getScreenWidth() {
             alert (window. screen. width);
      //css 悬浮事件
      li:hover,.sl:hover{
                    opacity:0.6; //透明度
                    filter:alpha(opacity=60); /* IE8 及更早版本 */
                    box-shadow: Opx 8px 16px Opx rgba(0, 0, 0, 0, 2);
                    border-radius:20px;//边框圆角
                    border:1px solid #aaa;
             }
      ul{
             list-style-type:none;
             margin:0;
             padding:0;
      1i{
             display:inline-block;
      }
SimpleDateFormat sdf = new SimpleDateFormat("yyyy-MM-dd HH:mm:ss");
      sdf.format(new Date(System.currentTimeMillis()));
```

```
boolean isRunning = ThreadConsole.getInstance().isRunningThead(OrgImportThread.class);
$. fn. validatebox. defaults. rules. email. message = '请输入有效的 \br/> 电子邮件地址';
1. HTTP端口,默认8080,如下改为8081
       [html] view plain copy
              <Connector port="8081" protocol="HTTP/1.1"</pre>
                                      connectionTimeout="60000"
                                      redirectPort="8443" disableUploadTimeout="false"
executor="tomcatThreadPool" URIEncoding="UTF-8"/>
       2. 远程停服务端口,默认8005,如下改为8006
       [html] view plain copy
              <Server port="8006" shutdown="SHUTDOWN">.....
       3. AJP端口,默认8009,如下改,8010
       [html] view plain copy
              <Connector port="8010" protocol="AJP/1.3" redirectPort="8443" />
alert回调
$.messager.alert("提示:", msg, "info", function(){
               $('#userDeptEmailFrom').focus();
       });
一秒刷新
setTimeout(function() {
       window.location.reload();
}, 1000);
滚动条设置在顶端
$('body').scrollTop($('body').height());
```

String useDeptEmail = WebplusEnv.getConfigFactory().getConfig("config").getString("ucp.useDeptEmail");

```
====== js radio选中事件============
       $("input[name='radioName']").on('ifChecked', function(event){
        test();
       });
$().ready(function() {
               $("input[name='statisticsTimeRadio']").on('click', function() {
                      var type = $("input[name='statisticsTimeRadio']:checked").attr("value");
                      if(type==0){
                              $('#statisticsTime').hide();
                      }else{
                              $('#statisticsTime').show();
              });
       });
       $("#rdo1").prop("checked", "checked");
       $(".selector").find("option[text='pxx']").attr("selected", true);
 function initCheckBox() {
                      $('input[type="radio"], input[type="checkbox"]')
                      .iCheck({
                              checkboxClass : 'icheckbox_minimal-blue',
                              radioClass : 'iradio_minimal-blue'
                              }):
                      $('input[name="checkall"]').on('ifChecked', function(event){
                              $('input[type="checkbox"]').iCheck('check');
                      });
                       $('input[name="checkall"]').on('ifUnchecked', function(event){
                              $('input[type="checkbox"]').iCheck('uncheck');
                      });
               }
======== js 正则表达式=============
               /*是否带有小数*/
           isDecimal(strValue ) {
function
  var objRegExp= /^d+\.\d+\.\d+\;
  return objRegExp.test(strValue);
/*校验是否中文名称组成 */
function ischina(str) {
   var reg=/^[\u4E00-\u9FA5]{2,4}$/; /*定义验证表达式*/
   return reg. test(str); /*进行验证*/
}
```

```
function isStudentNo(str) {
   var reg=/^[0-9]{8}$/; /*定义验证表达式*/
   return reg. test(str); /*进行验证*/
/*校验电话码格式 */
function isTelCode(str) {
   var reg= /^((0\d{2,3}-\d{7,8}))|(1[3584]\d{9}))$/;
   return reg. test(str);
var reg = /^(-) \{1\} d+|d+\$/;
/*校验邮件地址是否合法 */
function IsEmail(str) {
    \text{var reg=/^([a-zA-Z0-9_-])+@([a-zA-Z0-9_-])+(\. [a-zA-Z0-9_-])+/;} \\
   return reg. test(str);
String path = this.getRequest().getSession().getServletContext().getRealPath("/");
                               String demoPath = "_web/ids/importUserToOrg/importDemo.xls";
                               realPath = path+demoPath;
                               settFileName("importUserDemo.xls");
```

```
$('#radio24').iCheck('uncheck');
   });
    $('#radio23').on('ifChecked', function(event){
           $('#radio22').iCheck('uncheck');
           $('#radio24').iCheck('check');
   });
   //时间选择框
timebox('#datebox');
//demo必填文本框:添加清空文本框信息
$('#tt').textbox().textbox('addClearBtn', 'icon-clear');
    //demo文本域:添加事件
    $('#textarea').textbox('textbox').on('click', function() {
           console.log(1);
   });
    //复选框事件
$(".checkbox input").each(function(i, el) {
    $(this).on('ifChecked', function(event) {
                   switch(i)
                          case 0:
                             console. log('第一个按钮已选中');
                             break:
                          case 1:
                             console. log('第二个按钮已选中');
                             break;
                          default:
                             //console.log(event.type);
                  }
           });
           $(this).on('ifUnchecked', function(event){
                   switch(i)
                   {
                          case 0:
                             console.log('第一个按钮已移除');
                             break;
                          case 1:
                             console.log('第二个按钮已移除');
                             break;
                          default:
                             //console.log(event.type);
                   }
           });
});
//复选框,单选框:添加皮肤
    $('input[type="checkbox"], input[type="radio"]').iCheck({
           checkboxClass: 'icheckbox_minimal-blue',
           radioClass: 'iradio_minimal-blue',
           increaseArea: '20%'
```

```
});
```

```
$("#mailbox").html('');
var confi = $("#mailbox").sui().getConfig();
confi.source = source + node.id;
$("#mailbox").sui().setConfig(confi);
addRemoveButton("mailbox","添加<%= type%>","false",'<%=sureUrl%>');
        $("#mailbox").html(html);
        SUI.init();
        var confi = $("#mailbox").sui().getConfig();
        confi. source = source + node.id;
        $("#mailbox").sui().setConfig(confi);
        extendParam();
        function extendParam() {
                var url = '<%=bindMessageBoxUser%>';
                var params = '';
                addSureButton("mailbox", "绑定账号", "请先选择将要绑定的人员!", url, params, function() {
                       callback_Url("/_web/appMessageBox/bindUserManage.jsp","refresh");
                       //parent.closeLayer();
               });
                $("#search").on('click', function(event) {
                event.preventDefault();
                $("#mailbox").sui().tableApi().ajax.reload(function() {
                                               }, false):
       });
        $("#reset").on('click', function(event) {
                event.preventDefault();
                $("#artState").sui().setValue("0");
                $("#keyword").sui().setValue('');
                $("#mailbox").sui().tableApi().ajax.reload(function() {
                                               }, false);
       });
```

```
var str = $("#textLimit").sui().getValue();
 private void checkDomainManagerPerm() throws Exception {
                SSOUser ssoUser = CoreRequestContextUtil.getCoreRequestContext().getCurrentUser();
                int\ domainId = Integer.\ parseInt(CoreRequestContextUtil.\ getCoreRequestContext().\ getDomainId()); \\
                PermissionManager permManager = new PermissionManager(ssoUser, domainId);
                if (!permManager.hasDomainManagePerm()) {
                    throw new Exception("无权限操作");
            }
角色管理-角色人员-导入
SUI. settings().uploadify
     //单选框、复选框样式
            function checkboxAndRadioStyle() {
                $('input[type="checkbox"], input[type="radio"]').iCheck({
                    checkboxClass: 'icheckbox_minimal-blue',
                    radioClass: 'iradio_minimal-blue',
                    increaseArea: '20%'
               });
           }
--- radio
 $("input[name='display']").on('ifChecked', function(event) {
         if($('#display2').prop('checked')){
                 $("#perEdit1").iCheck('unCheck');
                 $("#perEdit2").iCheck('check');
});
--- checkbox
('\#field6Box').on('ifChecked', function(event){}
        $('#field1Box').iCheck('check');
});
/* $('#field6Box').on('ifUnchecked', function(event) {
        if(!$('#field7Box').prop('checked')){
               $('#field1Box').iCheck('unCheck');
}); */
        /* function hoverRowSrc(obj) {
                var img = '<img class="add" data-tool="left"</pre>
style="float:right;position:relative;top:8px;cursor:pointer;" src="img/add.png">';
```

```
if(!$(obj).is(':has(img)') ){
                $(obj).append($(img));
function outRowSrc(obj) {
        if($(obj).is(':has(img)') ){
                setTimeout(function() {
                        $(obj).find('img').remove();
                },50)
        }
}
function initCheckAll() {
        $('input[name="input1"]').on('ifChecked', function(event){
                $('div[name="divSrc"]').each(function() {
                        $(this).addClass('checked');
                });
                if($('div[name="divSrc"]').length>0){
                        $('button[data-tool="right"]').removeAttr("disabled");
                }
        });
         $('input[name="input1"]').on('ifUnchecked', function(event){
                 $('div[name="divSrc"]').each(function(){
                                $(this).removeClass('checked');
                        });
                 $('button[data-tool="right"]').attr("disabled","");
         });
}
function selectSrc(obj) {
        var st = $(obj).attr('class');
        setTimeout(function() {if(st.index0f('checked')>-1) {
                        $(obj).removeClass('checked');
                        var flag = true;
                        $('div[name="divSrc"]').each(function() {
                                if($(this).hasClass("checked")){
                                        flag = false;
                                }
                        })
                        if(flag){
                                $('button[data-tool="right"]').attr("disabled","");
                }else{
                        $(obj).addClass('checked');
                        $('button[data-tool="right"]').removeAttr("disabled");
                }},20);
} */
```

```
字符串转函数
      var bb = 'function play() {alert("getplay");}';
      var ss = bb;
      var ex = {getplay:eval("("+ss+")")};
      ex.getplay();
   JSON.parse(string):接受一个 JSON 字符串并将其转换成一个 JavaScript 对象。
   JSON. stringify(obj):接受一个 JavaScript 对象并将其转换为一个 JSON 字符串。
      layer.close(index);
      layer.closeAll(); //疯狂模式, 关闭所有层
layer.closeAll('dialog'); //关闭信息框
layer.closeAll('page'); //关闭所有页面层
layer.closeAll('iframe'); //关闭所有的iframe层
layer.closeAll('loading'); //美闭加载层
layer.closeAll('tips'); //关闭所有的tips层
特殊字符正则
return !pattern. exec(value); //不包含
http://blog.csdn.net/al assad/article/details/76383107
tomcat配置JAVA_HOME
编辑 Tomcat根目录/bin/setclasspath.sh , 在文件的开头添加以下
export JAVA_HOME=/usr/lib/jvm/java-openjdk
export JRE_HOME=/usr/lib/jvm/java-openjdk/jre
其中JAVA HOME, JRE HOME的值添加为实际的路径;
之后再重新启动Tomcat,返回信息正确:
   Using CATALINA_BASE: /apache-tomcat-8.5.16
   Using CATALINA_HOME:
                     /apache-tomcat-8.5.16
   Using CATALINA_TMPDIR: /apache-tomcat-8.5.16/temp
```

Using JRE\_HOME:

Using CLASSPATH:

/usr/lib/java-1.8.0-opendjk/jre

/apache-tomcat-8.5.16/bin/bootstrap.jar:/apache-tomcat-8.5.16/bin/tomcat-juli.jar

```
https://www.cnblogs.com/kyosusan/p/5198934.html
修改root密码
一、知道原来的myql数据库的root密码;
①: 在终端命令行输入 mysqladmin -u root -p password "新密码" 回车 , Enter password: 【输入原来的旧密码】
②: 登录mysql系统修改, mysql -uroot -p 回车 Enter password: 【输入原来的密码】
mysql>use mysql;
mysql> update user set password=password("新密码") where user='root';
                                                                【密码注意大小写】
mysql> flush privileges;
mysql> exit;
layer. close
APP. preload(['_docs/js/docs.min.js', '_docs/css/docs.css',
selection/ztree.css','_libs/plugins/personnel-selection/ztree.css','_libs/plugins/personnel-selection/app.css']); //
启动预加载,参数为预览加载的插件, string | array
             var adjustHeightSwitch = false;
                    t_sns_friend
oracle查询:分组查询,取出每组中的第一条记录
https://blog.csdn.net/yatou5211/article/details/53764676
SELECT * FROM(
SELECT z.type , z.code ,ROW_NUMBER()
OVER(PARTITION BY z.type ORDER BY z.code) AS code_id
FROM group_info z
WHERE code_id =1;
 $("#tt").tabs({
                onSelect : function( title ) {
                    <%-- if(title == '短信'){</pre>
                       if(!$("#smsDetail").attr("src")){
                          $("#smsDetail").attr("src", "<%=smsDetailPage%>");
```

```
} else if(title == '邮件'){
                            if(!$("#emailDetail").attr("src")){
                               $("#emailDetail").attr("src","<%=emailDetailPage%>");
                       } else if(title == '即时消息'){
                           if(!$("#imDetail").attr("src")){
                               $("#imDetail").attr("src", "<%=imDetailPage%>");
                       } else if(title == '微信'){
                            if(!$("#wxDetail").attr("src")){
                               $("#wxDetail").attr("src", "<%=wxSendDetail%>");
                           }
                       } --%>
                       <%-- if(!$("#smsDetail").attr("src")){</pre>
                            ("\#smsDetail").attr("src","<\%=smsDetailPage%>");
                       var pp = $('#tt').tabs('getSelected');
                       var ifr = $($("iframe", pp)[0]);
                       if(!ifr.attr("src")) {
                               var url = ifr.attr("tarsrc");
                               ifr.attr("src", url);
                       }
java日期
获取前几天、后几天的日期
public String getSpecifiedDay(String specifiedDay, int num) {
                       Calendar c = Calendar.getInstance();
                       Date date=null;
                       try {
                        date = new SimpleDateFormat("yy-MM-dd").parse(specifiedDay);
                       } catch (ParseException e) {
                       e.printStackTrace();
                       c. setTime(date);
                        int day=c.get(Calendar.DATE);
                       c. set (Calendar. DATE, day+num);
                       String dayAfter=new SimpleDateFormat("yyyy-MM-dd").format(c.getTime());
                       return dayAfter;
               }
日期相隔多少天
private static SimpleDateFormat sdf1 = new SimpleDateFormat("yyyy-MM-dd hh:mm:ss");
private static SimpleDateFormat sdf2 = new SimpleDateFormat("yyyy-MM-dd");
```

```
Date begin = sdf2.parse(beginTime);
Date end = sdf2.parse(endTime);
long day = (end.getTime()-begin.getTime())/(24*60*60*1000);
日期相隔多少分钟
 protected String decodeOnlineTime(Date loginDateTime) {
               // TODO Auto-generated method stub
      if(loginDateTime==null) {
          return "";
     }
          Date end = new Date(System.currentTimeMillis());
          long between=(end.getTime()-loginDateTime.getTime())/1000;//除以1000是为了转换成秒
          long min=between/60;
      return String.valueOf(min);
        }
如何删除ssh secure shell中的profile
C:\Users\sudytech\AppData\Roaming\SSH
String md5Pwd = IdsServerAux.encryptByMd5(new StringBuilder().append(loginName).append(password).toString());
<div><input id="email" name="email" value="" style="padding:4px;float:left;width: 250px;height:18px;border-</pre>
radius:4px;border:1px solid #ccc;"
 validType="validEmail" class="easyui-validatebox validatebox-text" panelHeight="auto"></div>
validBirthDate
  $. extend($. fn. validatebox. defaults. rules, {
               validEmail: {
                        validator: function(value, param) {
                                var regEx = /^[a-zA-Z0-9_] \{1, \}@(([a-zA-z0-9]) \{1, \} \.) \{1, 3\} (com|cn|net) $/;
                                var a = regEx.test(value);
                                return a:
                       },
                       message: '请输入正确邮箱格式'
       });
$('#loginNameInput').textbox('textbox').keyup(function(event) {
               $('#userName').textbox("setValue", '');
                $('#userId').val('0');
                var text = $('#loginNameInput').combobox("getText");
                val = text || val ;
```

```
text = val;
        if (event.keyCode == "13") {
                $.ajax({
                        url : 'getUsersByLoginName.do?domainId=1&loginName='+text,
                        type: 'get',
                        dataType:'json',
                        success:function(result) {
                                 var data = [];
                                 data = result;
                                 $('#loginNameInput').combobox("loadData", data);
                                 $('#loginNameInput').combobox("showPanel");
                                 $('#loginNameInput').combobox("setText", text);
                        }
                });
});
身份证验证
var idCard = function (value) {
       //if (value.length == 15) return true;
        var number = value.toLowerCase();
        var d, sum = 0, v = '10x98765432', w = [7, 9, 10, 5, 8, 4, 2, 1, 6, 3, 7, 9, 10, 5, 8, 4, 2], a =
11, 12, 13, 14, 15, 21, 22, 23, 31, 32, 33, 34, 35, 36, 37, 41, 42, 43, 44, 45, 46, 50, 51, 52, 53, 54, 61, 62, 63, 64, 65, 71, 81, 82, 91;
         var \ re = number. \\ match(/^(\d\{2\})\d\{4\}(((\d\{2\})\(\d\{2\})\(\d\{3\}))) | ((\d\{4\})\(\d\{2\})\(\d\{3\}))) $$
        if (re == null | | a.index0f(re[1]) < 0) return false;
        if (re[2].length == 9) {
            number = number.substr(0, 6) + '19' + number.substr(6);
            d = ['19' + re[4], re[5], re[6]]. join('-');
        } else d = [re[9], re[10], re[11]].join('-');
        if (!isDateTime.call(d, 'yyyy-MM-dd')) return false;
        for (var i = 0; i < 17; i++) sum += number.charAt(i) * w[i];
        return (re[2].length == 9 || number.charAt(17) == v.charAt(sum % 11));
 $(document).ready(function() {
          $("#fm").form({
                        onSubmit: function() {
                                 return $(this).form("validate");
                        },
                        success: function(result) {
                                 if (result == 'success') {
                                         $.messager.alert('提示', '保存成功!', 'info');
                                 } else {
                                         alertMsg(result);
                        }
                });
       });
```

```
function check()
  {
                                             $('#fm').submit();
$. extend($. fn. validatebox. defaults. rules, {
      phoneValidType: {
                                                         validator: function(value, param) {
                                                                                                      return /1[3|4|5|6|7|8|9][0-9]{9}$/.test(value);
                                                        },
                                                         message: '请输入正确的手机号码'
          }
});
$. extend($. fn. validatebox. defaults. rules, {
      emailValidType: {
                                                         validator: function(value, param) {
                                                                                                  if(value.index0f('*')>0) {
                                                                                                                                              return false;
                                                                                                  //{\rm var \ reg} = /^{\w+((-\w+) | (\. \w+)) *\@[A-Za-z0-9]+((\. |-) [A-Za-z0-9]+ *\. [A-Za-z0-9]+ */;]
                                                                                                  //return !reg. test(value);
                                                                                                  ([a-z] \mid d \mid [!\#\%\%' \times + -/=?^^       ] \mid [u00A0 - uD7FF uF900 - uFDFO - uFFEF]) +) \\ *) \mid ((x22) ((((x20 \mid x09) * uFDFO - uFFEF]) +) +) \\ + ((x22) \mid ((x20 \mid x09) * uFFEF]) +) \\ + ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFEF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *) \mid ((x20 \mid x09) * uFFF]) +) \\ *
   (x0d x0a))?(x20 | x09) +)?(([x01-x08 x0b x0c x0e-x1f x7f] | x21 | [x23-x5b] | [x5d-x7e] | [u00A0-uD7FF uF900-x0f x7f] | x21 | x21 | x21 | x22 | x25 | x25
 \begin{tabular}{ll} $$ \arrowvert = $$$ \arrowvert = $$$$ \arrowvert = $$$$ \arrowvert = $$$$ \arrowvert = $$$$ \arrowvert = $$$$$ \arrowvert = $$$$$\arrowvert = $$$$\arrowvert = $$$\arrowvert = $$$$\arrowve
  (\x0d\x0a))?(\x20\x0y)+)?(\x22)))@((([a-z]\x0]\x0y)+([a-z]\x0y))\\  (([a-z]\x0y))\\  (([a-z]\
message: '请输入有效的电子邮件地址'
          }
});
      $. extend($. fn. validatebox. defaults. rules, {
                                                    telephoneValidType: {
                                                                                                                                        validator: function (value, param) {
                                                                                                                                                          return /^((0(((\d{2,3})-(\d){7,8})|(\d{2,3}(\d){7,8}))))$/.test(value);
                                                                                                                                        },
                                                                                                                                        message: '联系电话不正确'
     });
```