<3 xmonad teh awesome FTW pls RT

[@scottbale](), Revelytix

xmonad.org

tiling window manager for X

xinerama

haskell

emacs

xmonad-0.8.1 default bindings

| unbound | xmonad | programs | xinerama | workspaces | layouts | master area | windows |

By default the xmonad mod key is left alt, (mod1). The following are the default mod- and mod-shift- key and mouse bindings displayed like this:
See 'man xmonad', http://xmonad.org, or #xmonad on irc.freenode.net for more help with using or customizing xmonad.

mod-shift-
mod-

| ~ ` | ! Move window to first workspace / 1 Switch to first workspace | @ Move window to second workspace / 2 Switch to second workspace | # Move window to third workspace / 3 Switch to third workspace | $ Move window to fourth workspace / 4 Switch to fourth workspace | % Move window to fifth workspace / 5 Switch to fifth workspace | ^ Move window to sixth workspace / 6 Switch to sixth workspace | & Move window to seventh workspace / 7 Switch to seventh workspace | * Move window to eighth workspace / 8 Switch to eighth workspace | (Move window to ninth workspace / 9 Switch to ninth workspace |) 0 | - | = | Backspace |

| Tab Focus previous window / Focus next window | Q Quit xmonad / q Restart xmonad | W Move window to xinerama 1 / w Focus Xinerama screen 1 | E Move window to xinerama 2 / e Focus Xinerama screen 2 | R Move window to xinerama 3 / r Focus Xinerama screen 3 | T / t Tile floating window | Y / y | U / u | I / i | O / o | P gmrun / p dmenu | { [| }] | | \ |

| A a | S s | D d | F f | G g | H / h Shrink master area | J Swap w/ next window / j Focus next window | K Swap w/ previous window / k Focus previous window | L / l Expand master area | : ; | " ' | ↵ terminal (default xterm) / Swap focused window with master window |

| Z z | X x | C Kill focused window / c | V v | B b | N / n Refresh viewed sizes | M Focus master window / m | < More master windows / , | > Fewer master windows / . | ? / | mouse: Float and move / Raise / Float and resize |

| Space | Reset current workspace layout to default / Next layout |

StackSet

Workspace	{ 0*}	{ 1 }	{ 2 }	{ 3 }
Windows	[1 ,2*]	[]	[3* ,4 ,5]	[6*]
Xinerama	2		1	

xmonad.org/xmonad-docs/xmonad/XMonad-StackSet.html

Custom keybinding

```
myCustomFunction :: WindowSet->WindowSet
```

Custom keybinding

```
myCustomFunction :: WindowSet->WindowSet
myCustomFunction = doToNextScreen W.view
```

Custom keybinding

```
myCustomFunction :: WindowSet->WindowSet
myCustomFunction = doToNextScreen moveWin
  where moveWin i ws
              = W.view i (W.shift i ws)
```

Custom keybinding

```
myCustomFunction :: WindowSet->WindowSet
myCustomFunction = doToNextScreen moveWin
  where moveWin i ws
               = W.view i (W.shift i ws)

-- takes a function that operates on a
-- workspace ID, and invokes it using the
-- workspace ID of the next screen.
doToNextScreen ::
  (WorkspaceId->WindowSet->WindowSet) ->
  WindowSet -> WindowSet
```

xmonad.org

my config

xmonad API doc

installing xmonad for ubuntu