





SECTION K-K




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS  TOLERANCE: ISO 2768-m				FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
										TITLE:	
										FRONT NOSE	
DRAWN S CAMPBELL				SIGNATURE		DATE 2024/06/20		DWG NO.			
CHK'D								A3			
APPV'D											
MFG											
Q.A						MATERIAL: ALUMINIUM 6061-T6					
						WEIGHT:		SCALE:1:1			
								SHEET 2 OF 3			

SURFACE FINISH NOTES

EXTERNAL SURFACES ARE COSMETIC  
(INTERNAL SURFACES MAYBE USED FOR  
HANGING DURING ANODIZING/BEAD BLASTING)




MASK REAR BORE AND THREADS BEFORE BEAD BLAST



MASK BORES BEFORE BEAD BLASTING

FINISH NOTES:  
BEADBLASTING & ANODIZING:  
BEAD BLASTING GRIT #120  
ANODIZE PER MIL-A-8625, Type II CLASS 1 (CLEAR)  
COATING THICKNESS = 13µm

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS				FINISH:		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING		REVISION		
TOLERANCE: ISO 2768-m											
	NAME	SIGNATURE	DATE				TITLE:  FRONT NOSE				
DRAWN	S CAMPBELL	SC	2024/06/20								
CHK'D											
APPV'D											
MFG							DWG NO.				
Q.A											
						MATERIAL:  ALUMINIUM 6061-T6	SCALE:1:1				
							SHEET 3 OF 3				