





REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
ALL	RO	PRE-PRODUCTION RELEASE	2024/06/19	SC


NOTES:
PROFILE TO CAD

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCE: ISO 2768-m						FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
													
		NAME		SIGNATURE		DATE						TITLE:	
DRAWN												FRONT NOSE	
CHK'D													
APPV'D													
MFG													
Q.A													
								MATERIAL:		DWG NO.		A3	
								ALUMINIUM 6061-T6					
								WEIGHT:		SCALE:1:1		SHEET 1 OF 3	




SECTION K-K




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS				FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION	
TOLERANCE: ISO 2768-m											
NAME		SIGNATURE		DATE				TITLE:			
DRAWN S CAMPBELL				2024/06/20				FRONT NOSE			
CHK'D											
APPV'D											
MFG											
Q.A						MATERIAL:		DWG NO.		A3	
						ALUMINIUM 6061-T6					
						WEIGHT:		SCALE:1:1		SHEET 2 OF 3	

SURFACE FINISH NOTES

EXTERNAL SURFACES ARE COSMETIC
(INTERNAL SURFACES MAYBE USED FOR
HANGING DURING ANODIZING/BEAD BLASTING)




MASK REAR BORE AND THREADS BEFORE BEAD BLAST



MASK BORES BEFORE BEAD BLASTING

FINISH NOTES:
BEADBLASTING & ANODIZING:
BEAD BLASTING GRIT #120
ANODIZE PER MIL-A-8625, Type II CLASS 1 (CLEAR)
COATING THICKNESS = 13µm

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCE: ISO 2768-m				FINISH:		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING		REVISION				
													
	NAME	SIGNATURE	DATE				TITLE: FRONT NOSE						
DRAWN	S CAMPBELL	SC	2024/06/20										
CHK'D													
APPV'D													
MFG													
Q.A				MATERIAL: ALUMINIUM 6061-T6			DWG NO.			A3			
							WEIGHT:			SCALE:1:1		SHEET 3 OF 3	