





SECTION K-K




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCE: ISO 2768-m				FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION		R02			
															
TITLE:															
RCDT-PR-001 FRONT HOUSING															
DRAWN		NAME		SIGNATURE		DATE						DWG NO.		A3	
CHK'D															
APPV'D															
MFG															
Q.A															

SURFACE FINISH NOTES

EXTERNAL SURFACES ARE COSMETIC
(INTERNAL SURFACES MAYBE USED FOR
HANGING DURING ANODIZING/BEAD BLASTING)




MASK REAR BORE AND THREADS BEFORE BEAD BLAST



MASK BORES BEFORE BEAD BLASTING

FINISH NOTES:
BEADBLASTING & ANODIZING:
BEAD BLASTING MT1 1010
ANODIZE PER MIL-A-8625, Type II CLASS 1 (CLEAR)
COATING THICKNESS = 13µm
MACBOOK LIKE FINISH

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCE: ISO 2768-m				FINISH:		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION		R02			
															
		NAME		SIGNATURE		DATE								TITLE:	
DRAWN		S CAMPBELL		SC		2024/06/20								RCDT-PR-001 FRONT HOUSING	
CHK'D															
APPV'D															
MFG															
Q.A															