

Comparison metrics

Alex Malz
LINCC@CMU

DSFP Session 16

*Adapted from a lesson at the Winter 2020 LSST-DESC
collaboration meeting's "DE School"*



Overview

The problem set aims to be specific to Bayesian model comparison, but this lecture is to give you some context for what metrics mean in the context of working with probabilities as the end goal.

How do we know if/when any estimated probabilities are good enough?



Conditional probability & forward models

Conditional probability & forward models

The universe has true
physical parameters θ .

Conditional probability & forward models

The universe has true physical parameters θ .



There is a causal relationship $p(x | \theta)$ between data and the physical parameters; the parameters θ determine the data x .

Probability
distribution
function
(PDF)

Conditional probability & forward models

The universe has true physical parameters θ .



There is a causal relationship $p(x | \theta)$ between data and the physical parameters; the parameters θ determine the data x .



We observe instances of data x generated by that model.

A tangible example of astrophysical parameter estimation under Bayesian statistics

Context: photo-zs

Spectroscopic redshift determination








Fig 8.12 (S. Charlot) 'Galaxies in the Universe' Sparke/Gallagher CUP 2007



Photometric redshift (photo-z) estimation




Photometric redshift (photo-z) estimation



Photometric redshift (photo-z) estimation



Photometric redshift (photo- z) estimation



Traditional photo-z metrics

Intrinsic scatter

$$\sigma_z < 0.02(1 + z)$$

Bias

$$\langle |z - \hat{z}| \rangle < 0.003(1 + z)$$

Catastrophic outlier rate

$$N_{|z - \hat{z}| > 3\sigma_z} < 0.1 N_{\text{LSST}}$$

Traditional photo-z metrics

Intrinsic scatter

$$\sigma_z < 0.02(1 + z)$$

Bias

$$\langle |z - \hat{z}| \rangle < 0.003(1 + z)$$

Catastrophic outlier rate

$$N_{|z - \hat{z}| > 3\sigma_z} < 0.1 N_{\text{LSST}}$$

What do these metrics miss?

Intrinsic scatter


$$\sigma_z < 0.02(1 + z)$$

Bias

$$\langle |z - \hat{z}| \rangle < 0.003(1 + z)$$

Catastrophic outlier rate

$$N_{|z - \hat{z}| > 3\sigma_z} < 0.1 N_{\text{LSST}}$$



Conditional probability & forward models

The universe has true physical parameters θ .



There is a causal relationship $p(x | \theta)$ between data and the physical parameters; the parameters θ determine the data x .



We observe instances of data x generated by that model.

Conditional probability & forward models


The universe has true physical parameters θ .

There is a causal relationship $p(x | \theta)$ between data and the physical parameters; the parameters θ determine the data x .


We observe instances of data x generated by that model.

We want to constrain the physical parameters θ that determined the observed data x , i.e. $p(\theta | x)$.


Photo-zs sample the joint PDF



Sketch the projected probability densities.




Sketch the projected probability densities.





What do the projections represent?

nonlinear projection of photometric data



What do the projections represent?





How do we compare PDFs?

Quantitative metrics of 1D PDFs


Root-mean-square Error (RMSE)


$$\text{RMSE} = \sqrt{\int (p_{\text{true}}(z) - \hat{p}_{\text{est}}(z))^2 dz}$$

Kullback-Leibler Divergence (KLD)



$$\text{KLD}[\hat{p}_{\text{est}}(z); p_{\text{true}}(z)] = \int_{-\infty}^{\infty} p_{\text{true}}(z) \log \left[\frac{p_{\text{true}}(z)}{\hat{p}_{\text{est}}(z)} \right] dz$$

Gaussian example: $\text{precision}^{-1} = \sigma / \sigma_0$







Interpret the asymptotic behavior of the metrics.





Gaussian example: $\text{tension} = \frac{|\mu - \mu_0|}{\sqrt{(\sigma_0^2 + \sigma^2)}}$





Interpret the asymptotic behavior of the metrics.



$$\text{tension} = \frac{|\mu - \mu_0|}{\sqrt{(\sigma_0^2 + \sigma^2)}}$$

What does this have to do with Bayesian model comparison?

Example: PZ DC1

The PZ DC1 experiment



Motivation: identify the best
photo-z posterior code
for LSST-DESC

Data: cosmological redshifts &
photometry catalog painted
on N-body simulation

Control: idealized, shared
prior information

The PZ DC1 experiment




Motivation: identify the best
photo-z posterior code
for LSST-DESC

Data: cosmological redshifts &
photometry catalog painted
on N-body simulation


Control: idealized, shared
prior information




Suggest possible causes for differences between photo-z posterior estimates.



Suggest possible causes for differences between photo-z posterior estimates.



The photo- z posterior estimator is a model, distinct from the assumed prior.



Quantitative metrics of 1D PDFs

Root-mean-square Error (RMSE)

$$\text{RMSE} = \sqrt{\int (p_{\text{true}}(z) - \hat{p}_{\text{est}}(z))^2 dz}$$

Kullback-Leibler Divergence (KLD)

$$\text{KLD}[\hat{p}_{\text{est}}(z); p_{\text{true}}(z)] = \int_{-\infty}^{\infty} p_{\text{true}}(z) \log \left[\frac{p_{\text{true}}(z)}{\hat{p}_{\text{est}}(z)} \right] dz$$

The PZ DC1 experiment



Motivation: identify the best
photo-z posterior code
for LSST-DESC

Data: cosmological redshifts &
photometry catalog painted
on N-body simulation

Control: idealized, shared
prior information

The PZ DC1 experiment

The universe has true physical parameters θ .



There is a causal relationship $p(x | \theta)$ between data and the physical parameters; the parameters θ determine the data x .

Data: cosmological redshifts & photometry catalog painted on N-body simulation



We observe instances of data x generated by that model.

Control: idealized, shared prior information

Quantitative metrics of 1D PDFs

Root-mean-square Error (RMSE)

$$\text{RMSE} = \sqrt{\int (p_{\text{true}}(z) - \hat{p}_{\text{est}}(z))^2 dz}$$

Kullback-Leibler Divergence (KLD)

$$\text{KLD}[\hat{p}_{\text{est}}(z); p_{\text{true}}(z)] = \int_{-\infty}^{\infty} p_{\text{true}}(z) \log \left[\frac{p_{\text{true}}(z)}{\hat{p}_{\text{est}}(z)} \right] dz$$

**No true
posteriors
available!**

Quantitative metrics of 1D PDF ensembles

Root-mean-square Error (RMSE)

$$\text{RMSE} = \sqrt{\int (p_{\text{true}}(z) - \hat{p}_{\text{est}}(z))^2 dz}$$

Kullback-Leibler Divergence (KLD)

$$\text{KLD}[\hat{p}_{\text{est}}(z); p_{\text{true}}(z)] = \int_{-\infty}^{\infty} p_{\text{true}}(z) \log \left[\frac{p_{\text{true}}(z)}{\hat{p}_{\text{est}}(z)} \right] dz$$

Cumulative Distribution Function (CDF)

$$\text{CDF}[\hat{p}, z'] \equiv \int_{-\infty}^{z'} \hat{p}(z) dz$$

**No true
posteriors
available!**

Quantitative metrics of 1D PDF ensembles

Root-mean-square Error (RMSE)

$$\text{RMSE} = \sqrt{\int (p_{\text{true}}(z) - \hat{p}_{\text{est}}(z))^2 dz}$$

Kullback-Leibler Divergence (KLD)

$$\text{KLD}[\hat{p}_{\text{est}}(z); p_{\text{true}}(z)] = \int_{-\infty}^{\infty} p_{\text{true}}(z) \log \left[\frac{p_{\text{true}}(z)}{\hat{p}_{\text{est}}(z)} \right] dz$$

Cumulative Distribution Function (CDF)

$$\text{CDF}[\hat{p}, z'] \equiv \int_{-\infty}^{z'} \hat{p}(z) dz$$

Probability Integral Transform (PIT)

$$P(\text{PIT} \equiv \text{CDF}[\hat{p}, z_{\text{true}}])$$


**No true
posteriors
available!**

Sketch the PIT histogram of an ideal photo- z posterior estimator.

$$\text{CDF}[\hat{p}, z'] \equiv \int_{-\infty}^{z'} \hat{p}(z) dz$$

$$P(\text{PIT} \equiv \text{CDF}[\hat{p}, z_{\text{true}}])$$

Sketch the PIT histogram of an ideal photo-z posterior estimator.



$$\text{CDF}[\hat{p}, z'] \equiv \int_{-\infty}^{z'} \hat{p}(z) dz$$

$$P(\text{PIT} \equiv \text{CDF}[\hat{p}, z_{\text{true}}])$$

What might the PIT look like for these photo-z posterior estimators?






Photo-z posterior ensemble metrics




$$0 < \text{PIT} = \int_{-\infty}^{z_{\text{true}}} p(z) dz < 1$$

What causes over-representation at
extreme PIT? over-representation at
mid-range PIT?
a tilted PIT?




$$0 < \text{PIT} = \int_{-\infty}^{z_{\text{true}}} p(z) dz < 1$$

(Hint: Imagine the PIT histograms in the Gaussian example.)



What causes over-representation at
extreme PIT? over-representation at
mid-range PIT?
a tilted PIT?



$$0 < \text{PIT} = \int_{-\infty}^{z_{\text{true}}} p(z) dz < 1$$

Quantitative metrics of 1D PDF ensembles

Root-mean-square Error (RMSE)

$$\text{RMSE} = \sqrt{\int (p_{\text{true}}(z) - \hat{p}_{\text{est}}(z))^2 dz}$$

Kullback-Leibler Divergence (KLD)

$$\text{KLD}[\hat{p}_{\text{est}}(z); p_{\text{true}}(z)] = \int_{-\infty}^{\infty} p_{\text{true}}(z) \log \left[\frac{p_{\text{true}}(z)}{\hat{p}_{\text{est}}(z)} \right] dz$$

Cumulative Distribution Function (CDF)

$$\text{CDF}[\hat{p}, z'] \equiv \int_{-\infty}^{z'} \hat{p}(z) dz$$


Probability Integral Transform (PIT)

$$P(\text{PIT} \equiv \text{CDF}[\hat{p}, z_{\text{true}}])$$

Quantile-quantile (QQ) Plot $\sim \int p(\text{PIT}) d\text{PIT}$

**No true
posteriors
available!**

Sketch the Q-Q Plot of a hypothetical perfect photo-z estimator.




$$\text{CDF}[\hat{p}, z'] \equiv \int_{-\infty}^{z'} \hat{p}(z) dz$$

$$P(\text{PIT} \equiv \text{CDF}[\hat{p}, z_{\text{true}}])$$

$$\sim \int p(\text{PIT}) d\text{PIT}$$


Sketch the Q-Q Plot of a hypothetical perfect photo-z estimator.




$$\text{CDF}[\hat{p}, z'] \equiv \int_{-\infty}^{z'} \hat{p}(z) dz$$

$$P(\text{PIT} \equiv \text{CDF}[\hat{p}, z_{true}])$$


$$\sim \int p(\text{PIT}) d\text{PIT}$$




Sketch the QQ plot. $\sim \int p(PIT) dPIT$




Sketch the QQ plot. $\sim \int p(PIT) dPIT$







Sketch the QQ plot. $\sim \int p(PIT) dPIT$




Sketch the QQ plot. $\int p(PIT) dPIT$







Sketch the QQ plot. $\sim \int p(PIT) dPIT$




Sketch the QQ plot. $\sim \int p(PIT) dPIT$







Sketch the QQ plot. $\sim \int p(PIT) dPIT$



Sketch the QQ plot. $\sim \int p(PIT) dPIT$



Sketch the QQ plot. $\sim \int p(PIT) dPIT$



Where is this going?

These metrics tell us about ensembles of 1D PDFs that correspond to different models.

In the problem session, we'll go over samples from 2D PDFs that correspond to different models (and data).