

# Project Title

---

June 10, 2016

## Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

LASTNAME1, FirstName1  
Credentials/Role  
Contact/Email

LASTNAME2, FirstName2  
Credentials/Role  
Contact/Email

# Contents

1	<a href="#">Examples</a>	3
---	--------------------------	---

# 1 Examples

The following [equation](#) is interesting.

$$e = mc^2 \tag{1}$$

Here is some inline code, it tells you every program has an entry point, usually called `main`, in C it looks like `int main(void)`. An example is the following code snippet.

```
1 #include <stdio.h>
2
3 int main(void) {
4     printf("Hello, world!");
5     return 0;
6 }
```