



**Hypermedia**

```
<!DOCTYPE html>
<html>
  <head>
    <title>Domain Search</title>
  </head>
  <body>
    <div>
      <h1>Find a domain</h1>

      <form action="/domains" method="GET">
        <label for="domain-name">Domain:</label>
        <input name="domain-name" type="text" value="example.com"/>
        <input type="submit" value="submit"/>
      </form>
    </div>

    <div>
      <a href="/products">products</a>
      <a href="/account">account</a>
      <a href="/cart">cart</a>
    </div>
  </body>
</html>
```

```
<form action="/domains" method="GET">  
  <label for="domain-name">Domain:</label>  
  <input name="domain-name" type="text" value="example.com"/>  
  <input type="submit" value="submit"/>  
</form>
```







`<a href="/products">products</a>`

`<a href="/account">account</a>`

`<a href="/cart">cart</a>`

# Example: Subdomains

## Existing Subdomains

Subdomains	Root Domain	Document Root	Redirection	Actions
test1	.example.com	🏠/public_html/test1	not redirected	 
test2	.example.com	🏠/public_html/test2	not redirected	 
test3	.example.com	🏠/public_html/test3	not redirected	 

# Hypermedia

```
<!DOCTYPE html>
<html>
  <head>
    <title>Domain Search</title>
  </head>
  <body>
    <div>
      <h1>Find a domain</h1>

      <form action="/domains" method="GET">
        <label for="domain-name">Domain:</label>
        <input name="domain-name" type="text" value="example.com"/>
        <input type="submit" value="submit"/>
      </form>
    </div>

    <div>
      <a href="/products">products</a>
      <a href="/account">account</a>
      <a href="/cart">cart</a>
    </div>
  </body>
</html>
```