Mojolicious::Validator

```
use Mojolicious::Lite;
app->validator->add_check(
    range => sub {
        my ($validation, $name, $value, $min, $max) = @_;
        return $value < $min || $value > $max;
post '/signup' => sub {
   my $c = shift;
   my $validator = $c->validation;
    $validator->required('name')->size(1, 10)->like(qr/^[a-z]/);
    $validator->required('state')->in(qw/UT TX CA OR ID/);
    $validator->required('age')->range(18, 40);
    return $c->render('400') if $validator->has_error;
   $c->render(text => "Welcome " . $validator->param('name'));
app->start;
```

```
app->validator->add check(
    range => sub {
        my ($validation, $name, $value, $min, $max) = @_;
        return $value < $min || $value > $max;
```

```
$validator->required('age')->range(18, 40);
```

```
$validator->required('name')->size(1, 10)->like(qr/^[a-z]/);
```

```
$validator->required('state')->in(qw/UT TX CA OR ID/);
```

```
return $c->render('400') if $validator->has_error;
```

```
$c->render(text => "Welcome " . $validator->param('name'));
```

## Mojolicious::Validator

```
use Mojolicious::Lite;
app->validator->add_check(
    range => sub {
        my ($validation, $name, $value, $min, $max) = @_;
        return $value < $min || $value > $max;
);
post '/signup' => sub {
   my $c = shift;
    my $validator = $c->validation;
    $validator->required('name')->size(1, 10)->like(qr/^[a-z]/);
    $validator->required('state')->in(qw/UT TX CA OR ID/);
    $validator->required('age')->range(18, 40);
    return $c->render('400') if $validator->has_error;
   $c->render(text => "Welcome" . $validator->param('name'));
app->start;
```

## WebSockets

```
websocket '/echo' => sub {
    my $c = shift;
    my $conn = $c->tx->connection;
    $c->broadcast("($conn has joined)");
   $c->on(
        text => sub {
            my ($c, $message) = @_;
            my $conn = $c->tx->connection;
            $c->broadcast($conn . ": " . $message);
```