

```
my $dbh = DBI->connect("dbi:SQLite:dbname=customer.db", "", "")
or die "Unable to connect: " . $DBI::errstr;
my $sth = $dbh->prepare(<<'_SQL_');</pre>
SELECT id, name, email FROM customer ORDER BY name
SQL
to html(
   title => "Customers",
sth => $sth,
   row_builder => sub {
       my $row = shift;
       say " ";
       for my $col (qw/id name email/) {
           say " " . $row->{$col} . "";
       say " ";
```

```
row builder => sub {
  my $row = shift;
  say " ";
  for my $col (qw/id name email/) {
     say " " " " ";
  say " ";
```

my \$row = shift;

\$row->{\$col}

customer app

```
my $dbh = DBI->connect("dbi:SQLite:dbname=customer.db", "", "")
  or die "Unable to connect: " . $DBI::errstr;
my $sth = $dbh->prepare(<<'_SQL_');</pre>
SELECT id, name, email FROM customer ORDER BY name
_SQL_
to html(
    title => "Customers",
    sth => $sth,
    row_builder => sub {
        my $row = shift;
        say " ";
        for my $col (qw/id name email/) {
            say " " - \td>" . \\ \$row->\{\$col\} . \\ "";
        say " ";
```

06-functions