

The end-of-session form (Part B)

Operator reference: the Part B template, rotating question, weekly teacher prep, and responses.

Fields

- Part A goes out mid-lesson and proves presence. Part B goes out at the end and measures what landed.

#	Field	Type	Required
1	Email + timestamp	automatic	n/a
2	"I could explain today's topic to someone"	1-7 scale	yes
3	"In one sentence, what are you taking away from today?"	short text	yes
4	Rotating question	short text	yes
5	"Who helped you today?"	short text	no
6	"I'd like someone to check in with me"	checkbox	no

- Don't reorder.** A click-first opener completes at 89% vs 83% for open-ended; a sensitive item early raises abandonment of the whole form.
- Fields 5 and 6 stay optional.
- No seventh field.** Three questions to four drops completion 18%; past eight minutes responses fall about 60%; fatigue makes repeated answers a third more common. Put a new question in the rotating slot for a week.
- 7-point scale: under 5 points loses reliability, and 5-point scales make people interpolate. Endpoint labels only ("Not at all" / "Easily").

Template setup

- Part B needs its own template and its own Verified-email step; Drive copies carry the setting per form (`docs/google-api-traps.md`, trap 2).
- Since August 2026 the API may accept `emailCollectionType: VERIFIED`, so Verify may go green right after Create. If not, do step 3.

1. Open **Templates** in the console.
2. Press **Create the Part B template**.
3. In Google Forms set **Settings** → **Responses** → **Collect email addresses** → **Verified**.
4. Press **Verify the Part B template** (reads the setting back from the API).

```
cufa template create --part b
cufa template verify --part b
cufa template status
```

- Part B provisioning is blocked until verify passes, and verify re-runs before every provisioning run.

Rotating question

- Schedule: `config/rotation.json`, owned by the Director of Programs.

Week	Asks
1, 4, 7, 10	Teacher's own question
2, 5, 8	"What's still unclear?"
3, 6, 9	"One way you'd use this in your project"

- The teacher's question comes most often: only someone present can answer it.
- After week 10 it wraps: week N maps to $((N - 1) \bmod 10) + 1$, shown as "repeats wk 3".
`"wrap": false` makes it an error instead.
- Week number is typed on the session, never derived from the calendar (reschedules would silently desync it).
- No week number is legal and means no Part B form. `--cohort` provisioning skips those; `--session` on one fails.

Teacher prep

- Teacher-question weeks need one sentence, set in the console or:

```
cufa session edit --session <id> --week 4 \  
  --teacher-question "Which question from the practice interviews would you ask  
differently?"
```

- **Provisioning refuses without it.** No generic stand-in.
- Find missing ones: `cufa rotation --cohort <id>` or **Rotation** in the console.

Provisioning

```
cufa provision --session <id> --part b  
cufa provision --cohort <id> --part b  
cufa provision --session <id> --part b --dry-run
```

- Or **Provision Part B** on the session. Safe to press twice. Dry runs still verify.
- "Cannot be opened by the connected account" usually means simulated forms from `make demo`. Use **Create a replacement template** or:

```
cufa template replace --part a  
cufa template replace --part b
```

- The old row is retired, not deleted. Verify the new form again.

Question-id map

- Responses are keyed by question id, and nobody has confirmed Drive copies keep ids. So provisioning reads each form back and records id → field, plus the exact wording shown.

- **A form with a missing or incomplete map refuses to ingest.** Re-provision to fix; it changes no questions.

Collecting responses

```
cufa pull --session <id> --part b
cufa pull --cohort <id> --part b
```

- Incremental per-form watermark; re-running writes nothing.
- Confidence: integer 1-7 as submitted. Out of range stores nothing, keeps the raw value, warns. **Never clamped.**
- Takeaway and rotating answer: verbatim, counted, never graded.
- Shoutouts: split on commas, "and", "&", newlines; matched within the cohort.
- Help checkbox: routed separately (docs/safeguarding.md).
- Part A and B are independent; neither fills in the other.

Shoutouts

```
cufa shoutouts review --cohort <id>
cufa shoutouts link --shoutout <id> --fellow <id> --by you@civicsunplugged.org
```

- One unambiguous match links automatically. Ambiguous names wait for a person.
- A name matching nobody (guest, teacher) is fine. Leave it.
- No leaderboard or ranking (ADR-028).

Muddiest-point themes

```
cufa themes --session <id>
cufa themes --session <id> --regenerate
```

- Clusters answers into 2-5 themes. Fewer than three answers gives a message.
- The model gets anonymous text only and groups by subject; it judges no one.
- No API key: a clear message, not a failed run.
- Regenerating supersedes, so old themes stay visible.
- Only the teacher-facing view exists; a fellow-facing one is the data owner's call.

Confidence

```
cufa report --cohort <id> --confidence
```

- Median and IQR per week, never a mean (ordinal scale).
- Read the trend and dip: 6 → 3 over two sessions is worth a conversation; flat at 4 isn't. One low score isn't a finding.
- The same value four or more sessions running is flagged on **Review → Straight-lining**. It's a data-quality flag and feeds no score.

See also

- [docs/safeguarding.md](#)
- [docs/google-api-traps.md](#) (trap 5)
- [docs/setup/console.md](#)
- [docs/decisions.md](#) (ADR-021 to ADR-028)