



DeskMail AI

Connecting Claude Desktop

Let Claude safely search, read, draft and organise your mail.


What this does (and what it can't)

DeskMail includes a small local “MCP server” that lets the Claude Desktop app work with your mail. Claude can search, read, summarise, draft, and organise (move / flag / mark read / delete-to-Bin). It can NEVER send email, permanently delete anything, see your passwords, or change your account settings — and any draft it writes waits in your Drafts for you to review and send.

Important: this connects the Claude DESKTOP app (installed on this PC), not the Claude website. A local connector like this can't be added on claude.ai in a browser — that would need a hosted server. So install Claude Desktop first if you haven't.

1 · Copy the connector config from DeskMail

Open DeskMail !' File !' Settings !' Claude connector. Click “Copy” — this copies a small block of settings unique to your install (with the correct paths).



- 1 Copy the connector config
- 2 What Claude can do (read/draft/organise only)
- 3 Ready-to-paste config for Claude Desktop

2 · Paste it into Claude Desktop

In Claude Desktop, open Settings !' Developer !' “Edit Config”. That opens a file called `claude_desktop_config.json` in a text editor. Paste in what you copied. If the file already has an “mcpServers” section, merge the “deskmail-ai” entry into it rather than duplicating the key. Save the file. For reference, the config looks like this (use the one you copied from your own install — the paths will match your machine):

```
{
  "mcpServers": {
    "deskmail-ai": {
      "command": "C:\\Users\\jamie\\Documents\\Claude\\PROJECTS\\DeskMail AI\\node_modules\\electron\\dist\\electron.exe",
      "args": [
        "C:\\Users\\jamie\\Documents\\Claude\\PROJECTS\\DeskMail AI\\out\\main\\mcp-server.js"
      ],
      "env": {
        "ELECTRON_RUN_AS_NODE": "1",

```

```
        "DESKMAIL_DB": "C:\\Users\\jamie\\AppData\\Local\\Temp\\deskmail-guide-SjsaPV\\  
\\deskmail.db"  
    }  
}  
}
```

3 · Restart Claude Desktop

Fully quit and reopen Claude Desktop so it picks up the new connector. You should see the DeskMail tools become available (a tools/plugin icon in the Claude Desktop chat).

4 · Try it

Ask Claude things like:

- “Search my unread mail and summarise what needs a reply.”
- “Draft a reply to Priya about the licence.” (it appears in DeskMail’s Drafts)
- “Move the GitHub notifications to Archive and flag Maya’s email.”
- “Export Maya’s email and its attachments for NotebookLM.”

Troubleshooting

- Tools don’t appear: make sure DeskMail has been run at least once (so the database exists), the JSON is valid (no trailing commas), and you fully restarted Claude Desktop.
- “Server failed”: re-copy the config from DeskMail — the file paths must match where DeskMail is installed on this PC.
- Claude’s changes (moves/flags) show in DeskMail within about 20 seconds, once it pushes them to your mail server.