

PAGE_01_HOME

URL: <https://securityblogs.com.au/> **Airtable table:** SB · 01 · Home (id tb15zTGn7rIwPDTBj)

Sections: 11 (see §2) **Status:** Visually complete; CMS-driven content migration pending (Phase C.2)

Purpose

The marketing site's home page is the highest-traffic surface and the primary conversion entry point. It must:

- Establish brand authority ("Be the answer AI gives.")
- Demo live capability (AI Visibility Score widget, Local SEO tool, Live ad metrics)
- Funnel to either /contact/ (free audit) or the relevant service page

Business Logic

Behaviour	Implementation
First-time visitor sees particle-canvas hero with animated CTAs	Client-side canvas; no backend
AI visibility score auto-counts up on scroll	Currently hardcoded; Phase C.2/D wires to /api/ai-score
Local SEO tool reverse-geocodes the visitor's location	Browser Geolocation API + Google Maps Places API
Service carousel cards link to /services/<slug>/	Reads from CMS Services collection (Phase C.2)
"Free AI Audit" CTA → /contact/ form → Lead record	POST /api/leads → Payload Leads
Newsletter signup (if added)	POST /api/leads with source: 'newsletter'

Airtable Tables

Table	Use
SB · 01 · Home	Section-by-section spec + backend mapping (11 rows)
SB · 00 · Pages Index	Master index entry for /
SB · DOCS · Index (proposed)	Links this MD/PDF to the page

PostgreSQL Tables

Table	Used by
pages	Home record (slug='home'), modules (JSONB blocks array)
services	Service carousel (7 published records)
media	Hero image, service card covers, footer flags
settings	Brand, contact, social, footer columns, GTM ID
leads	Form submissions (contact CTA, newsletter, score widget CTA)

Table	Used by
redirects	Middleware lookup (no path-specific rules for home)

API Endpoints

Endpoint	Method	Purpose	Public?
GET /api/pages?where[slug][equals]=home&depth=2	GET	Fetch home page record + modules	Yes (server-side)
GET /api/services?where[status][equals]=published&sort=sortOrder	GET	Service carousel data	Yes
GET /api/globals/settings?depth=2	GET	Brand / contact / social / footer	Yes
POST /api/leads	POST	Lead capture from hero CTA, local SEO tool, newsletter	Yes
GET /api/redirects?where[isActive][equals]=true	GET	Used by middleware on every request	Yes (middleware)
POST /api/ai-score (proposed)	POST	AI Visibility Score widget — not yet implemented	Public + Turnstile + rate limit
GET /api/ad-metrics?provider=google&period=last7d (proposed)	GET	Live ad metrics widget — not yet implemented	Cached 1h

Request Schemas

POST /api/leads

```
{
  name: string,                // 1-120 chars, required
  email: string,               // valid format, required
  phone?: string,              // optional
  company?: string,            // optional
  service?: string,            // optional, free text or enum
  message?: string,            // optional, max 2000 chars
  source: 'contact-form' | 'newsletter' // identifies the form
        | 'local-seo-tool' | 'visibility-checker'
        | 'visibility-challenge' | string,
  meta?: Record<string, unknown>, // form-specific extras
  'cf-turnstile-response'?: string, // Cloudflare token
  company_url?: string          // honeypot – must be empty
}
```

POST /api/ai-score (proposed)

```
{
  domain: string,              // e.g. 'securityblogs.com.au'
  'cf-turnstile-response': string, // required
  email?: string               // optional capture for lead
}
```

```
}
```

Response Schemas

POST /api/leads

```
// 200 OK
{ ok: true, id: 'rec123...' }

// 400 Bad Request
{ ok: false, error: 'Name is required' }

// 429 Too Many Requests
{ ok: false, error: 'Too many submissions. Please wait 15 minutes and try again.' }

// 502 Bad Gateway
{ ok: false, error: 'Could not save your enquiry. Please try again.' }
```

GET /api/pages (Payload-standard envelope)

```
{
  docs: [
    {
      id: 'rec...',
      slug: 'home',
      title: 'Home',
      status: 'published',
      modules: [
        { blockType: 'hero', badge, h1, h1Highlight, subtitle, ctas: [...] },
        { blockType: 'stats', eyebrow, title, items: [...] },
        { blockType: 'cta-band', title, subtitle, ctaLabel, ctaHref },
        // ... other blocks
      ],
      aiVisibility: { entityName, primaryTopic, targetEngines: [...], ... },
      publishedAt: '2026-06-01T00:00:00Z'
    }
  ],
  totalDocs: 1,
  limit: 1,
  page: 1,
  totalPages: 1
}
```

Authentication

Endpoint	Auth required
GET /api/pages (status=published)	None (public)
GET /api/services (status=published)	None
GET /api/globals/settings	None
GET /api/redirects	None (server-only key recommended in production)
POST /api/leads	None for the browser, but: Turnstile token required + honeypot empty + rate-limit per IP
POST /api/ai-score (proposed)	None for browser; Turnstile + rate limit
Server-to-server (PAYLOAD_API_KEY)	Authorization: users API-Key <key> — used by lib/cms.ts when calling cross-domain

React Components

Component	Path	Purpose
app/page.tsx	app/page.tsx	The home route's server component
Navbar	components/layout/Navbar.tsx	Shared header on all pages
Footer	components/layout/Footer.tsx	Shared footer
HeroBlock	components/modules/blocks/HeroBlock.tsx	Renders the CMS hero block
StatsBlock	components/modules/blocks/StatsBlock.tsx	Stats band
CtaBandBlock	components/modules/blocks/CtaBandBlock.tsx	CTA band
ModuleRenderer	components/modules/ModuleRenderer.tsx	Dispatches block.blockType → block component
ServicesCardStack	app/ServicesCardStack.tsx	Swipeable service carousel
ScoreCalculator	app/ai-visibility-center/ScoreCalculator.tsx	AI visibility score widget
AdMetricsPreview	components/previews/AdMetricsPreview.tsx	Live ad metrics demo
LocalVisibilityCheck	components/immersive/LocalVisibilityCheck.tsx	Local SEO tool
Turnstile	components/Turnstile.tsx	Cloudflare anti-bot widget
JsonLd	components/JsonLd.tsx	Renders structured data (Organization, WebSite)

Node.js Services

Service / module	Path	Purpose
Typed CMS client	lib/cms.ts	All CMS reads from this file
Form submission helper	lib/submitForm.ts	Browser-side POST to /api/leads
Lead API route	app/api/leads/route.ts	Validates + writes Lead via CMS local API
Edge middleware	middleware.ts	Reads CMS redirect rules + applies 301/302
Sitemap generator	app/sitemap.ts	CMS-driven sitemap.xml
Robots generator	app/robots.ts	Reads Settings.maintenance.enabled
llms.txt generator	app/llms.txt/route.ts	CMS-driven llmstxt.org-spec doc
Email transport	cms/src/email/transport.ts	Sends afterChange notifications via SMTP

Environment Variables

Var	Used by	Required?
NEXT_PUBLIC_SITE_URL	sitemap, robots, llms.txt, og tags	Yes
CMS_URL	lib/cms.ts (server-only)	Yes
PAYLOAD_API_KEY	lib/cms.ts for write operations	Yes (production)
NEXT_PUBLIC_TURNSTILE_SITE_KEY	components/Turnstile.tsx (browser)	Yes (production)
TURNSTILE_SECRET_KEY	app/api/leads/route.ts (server)	Yes (production)
NEXT_PUBLIC_GMAPS_KEY	Local SEO tool widget	Yes
NEXT_PUBLIC_MAPBOX_TOKEN	(other pages — not home)	No
SENTRY_DSN	Error tracking	Yes (production)

Cache Strategy

Surface	Cache	Reason
Home page HTML	ISR revalidate: 60	Re-render at most once a minute on new content
lib/cms.ts → getPage('home')	tag 'page:home'	Surgical purge on admin edit
lib/cms.ts → getServices()	tag 'services' + 60s	Service carousel
lib/cms.ts → getSettings()	tag 'settings' + 600s	Brand, footer rarely change
Middleware redirects fetch	module-scoped 60s cache	Avoid hammering CMS on every request
/api/leads	dynamic: 'force-dynamic'	Never cache writes
Static images (public/)	Long-cache via Caddy	Immutable per file hash

Revalidation Rules

Event	Action
Editor publishes home page in CMS admin	Payload afterChange hook POSTs /api/cms/purge?tag=page:home (Phase C.2)
Service marked published/unpublished	Purge tag services
Settings edited	Purge tag settings
Redirect toggled active/inactive	Purge tag redirects + restart edge cache
Site-wide deploy	All ISR caches start fresh

Deployment Notes

Concern	Detail
Static-export config	NOT compatible — output: 'export' removed in Phase C.1
First-deploy DB state	Run <code>pnpm payload migrate + pnpm seed:all</code> BEFORE booting marketing site
First-render warmup	First request triggers ISR generation — set ISR revalidate to a sane number (60s)
GTM tag (KS9SXB2K)	Set in <code>Settings.analytics.gtmId</code> ; injected by <code>layout.tsx</code>
Mapbox + GMAPS tokens	Browser-safe IF referrer-restricted in respective consoles
Turnstile keys	Must be real production keys in prod; dev keys cause widget to show "always pass"

Testing Process

Local smoke

1. `pnpm dev` (marketing site)
2. Open `http://localhost:3000/`
3. Verify particle canvas renders, hero CTAs visible.
4. Click "Get your free audit →" → lands on `/contact/`.
5. Submit contact form with junk data → verify Lead created in `/admin/collections/leads`.
6. Click "Try the live score" → `ScoreCalculator` widget renders.
7. Scroll: verify stat counters animate, service carousel slides.

Cross-browser

- Chrome desktop (primary)
- Safari macOS + iOS (verify Geolocation prompt UX)
- Firefox desktop
- Edge

Lighthouse

- Run on a production-like build (`pnpm build && pnpm start`)
- Target: Performance ≥ 85, Accessibility ≥ 95, SEO = 100

Form spam stress

- Submit 16 leads in 15 min from same IP → 16th returns 429.
- Submit with `company_url` filled (honeypot) → silent OK (no Lead created).
- Submit without Turnstile token in production env → 400 captcha error.

Troubleshooting

Symptom	Likely cause	Fix
Particle canvas missing	JS bundle error	Check browser console; redeploy if SSR mismatch
Service carousel empty	CMS fetch failed	Tail marketing logs for [cms] errors; confirm CMS reachable
Form submits but no Lead in admin	PAYLOAD_API_KEY wrong	Regenerate in CMS admin → Users → API Key
Form returns 429	Rate limit hit	Wait 15 min OR clear in-memory bucket (restart server)
Form returns 400 "Captcha verification failed"	TURNSTILE_SECRET_KEY mismatch with site key	Verify pair in Cloudflare dashboard
Particle canvas + score widget render but slow	JS bundle size	Check next build output; consider dynamic import
Sitemap missing service URLs	CMS unreachable when sitemap generated	Stale fallback served; verify CMS health
Mapbox / GMaps watermark visible	Tokens missing or wrong	Check lib/env.ts + browser console for 403

Change Procedures

Update hero copy

1. /admin/collections/pages/<home-id> → Modules → Hero block.
2. Edit H1, H1 Highlight, Subtitle, Badge.
3. Save (autosave fires every 2s).
4. Publish.
5. Within 60s the marketing site picks up the change.

Add a new service to the carousel

1. /admin/collections/services → Create new.
2. Fill: title, slug, shortDesc, accentColor, statChip, cover.
3. Set status = Published, sortOrder.
4. Save.
5. Within 60s the home page shows the new card.

Add a new section to the home page

1. /admin/collections/pages/<home-id> → Modules → Add Block.
2. Pick a block type (e.g. capabilities, image, rich-text).
3. Fill block fields.
4. Drag-reorder to desired position.
5. Save + Publish.
6. Renders automatically via <ModuleRenderer>.

Change the GTM container ID

1. /admin/globals/settings → Analytics tab.
2. Update GTM ID.
3. Save.
4. Within 600s the head injects the new container.

Migrate from hardcoded to CMS (Phase C.2)

1. Open `app/page.tsx`.
2. Convert to async server component (see HERO row backend doc).
3. `const page = await getPage('home')` and render `<ModuleRenderer modules={page.modules} />`.
4. Delete the hardcoded JSX blocks.
5. Verify the rendered home page matches the previous version side-by-side.
6. Commit.

End of PAGE_01_HOME.md. Template for the 35 remaining per-page docs.