

PAGE_06_GEO

URL: <https://securityblogs.com.au/services/geo/> **Airtable table:** SB · 06 · GEO (Generative Engine Optimisation) **Page kind:** detail **Sections in spec:** 7

Business Purpose

Service detail for GEO + Australia capital-city map widget showing pulsing pins.

Sections (top to bottom)

#	Section	Block type
1	Hero	hero
2	Australia GEO map	rich-text
3	Capabilities	capabilities
4	Process	process-steps
5	Stats	stats
6	FAQs	faqs
7	CTA band	cta-band

Airtable Tables

Table	Use
SB · 06 · GEO (Generative Engine Optimisation)	Per-section spec for /services/geo/ (one row per section)
SB · 00 · Pages Index	Master index entry
SB · DOCS · Index (proposed)	Links this MD/PDF to the Airtable page record

PostgreSQL Tables (used by this page)

Table	Use
services	Service catalogue + per-card data
media	Image attachments (hero, covers, logos)
settings	Brand, contact, footer, GTM injection

API Endpoints

Endpoint	Method	Cached	Purpose
GET /api/services?where[slug][equals]=geo	GET	ISR 60s	Service record

Endpoint	Method	Cached	Purpose
GET /api/globals/settings	GET	ISR 600s	Brand + contact + footer
GET /api/redirects?where[isActive][equals]=true	GET (middleware)	60s mem	Redirect rules

Request Schemas

No request body — this page only consumes GET endpoints.

Response Schemas

GET /api/services?where[slug][equals]=geo

```
{
  "docs": [{
    "id": "rec...",
    "slug": "geo",
    "title": "GEO (Generative Engine Optimisation)",
    "shortDesc": "...",
    "intro": "...",
    "accentColor": "#1e5fe0",
    "capabilities": [{ "title": "...", "description": "...", "previewVariant": "schema" }],
    "processSteps": [...],
    "stats": [...],
    "faqs": [...],
    "benefits": [...],
    "status": "published"
  }],
  "totalDocs": 1
}
```

React Components

Component	Purpose
app/services/geo/page.tsx	Server component — fetches CMS data, renders
app/services/geo/AustraliaMap.tsx (or similar)	Client component — Mapbox/GMaps integration
components/layout/Navbar.tsx	Component used on this page
components/layout/Footer.tsx	Component used on this page
components/layout/Navbar.tsx	Shared header
components/layout/Footer.tsx	Shared footer

Node.js Services

Service / module	Purpose
lib/cms.ts	Typed Payload REST client — all reads
middleware.ts	Edge middleware — CMS redirect rules

Environment Variables

Var	Required?	Purpose
NEXT_PUBLIC_SITE_URL	Yes	Canonical site URL
CMS_URL	Yes	Where lib/cms.ts fetches from
PAYLOAD_API_KEY	Yes (prod)	Server-side CMS write auth
NEXT_PUBLIC_MAPBOX_TOKEN	Yes	Mapbox tiles
SENTRY_DSN	Yes (prod)	Error tracking

Validation Rules

No user input on this page. Read-only validation: ISR cache freshness, CMS reachability.

Authentication Rules

- Public read of all page-driving CMS endpoints.
- No user session required.
- Middleware runs on every request but reads via server-only `PAYLOAD_API_KEY`.

Deployment Notes

- Server-rendered Next.js page (ISR). NOT compatible with `output: 'export'`.
- First deploy requires `pnpm payload migrate + relevant pnpm seed:*` before booting.
- Caddy reverse-proxies port 3000 (marketing) — see `DEPLOYMENT_GUIDE` §6.
- Mapbox token must be URL-restricted in Mapbox dashboard.

Testing Procedures

Local smoke

1. `pnpm dev` (marketing site at `http://localhost:3000`)
2. Navigate to `/services/geo/`
3. Verify hero renders, navigation works, no console errors

Production checks

- Lighthouse Performance ≥ 85 on landing pages
- Lighthouse Accessibility ≥ 95
- Lighthouse SEO = 100
- Sentry: no new error fingerprints after deploy
- Uptime monitor green

Troubleshooting

Symptom	Likely cause	Fix
Page returns 500	CMS unreachable	Check CMS_URL + CMS service status
Content stale after admin edit	Cache not purged	<code>revalidateTag()</code> or wait for revalidate interval
Sitemap missing this page	CMS Pages record not published	Set <code>status=published</code>
Navbar/footer shows defaults	Settings global missing	Run <code>pnpm seed:settings</code>
Map tiles missing	Mapbox token invalid or URL not allowlisted	Check Mapbox dashboard referrer rules

Change Impact Analysis

If you change...

- **Copy / hero text:** Low impact. Edit the CMS record (or `app/services/geo/page.tsx` if still hardcoded). Wait for ISR.
- **Sections order:** Medium impact. Re-order modules in admin. Renders instantly on next ISR.
- **Add a new module type:** High impact. Add block to `cms/src/collections/Pages.ts`, add component to `components/modules/blocks/`, add dispatch in `ModuleRenderer.tsx`.
- **Slug: CRITICAL — breaks every URL.** Add a `Redirects` record from old slug → new BEFORE updating. Notify SEO if any external links exist.
- **Authentication scope:** Edit `cms/src/access/*.ts`. Roles changes only by `super_admin`.
- **API endpoint shape:** Breaking change. Bump version, dual-route for 30 days, document migration.

Rollback Procedures

1. **CMS content rollback:** Use Payload versions UI (`/admin/collections/pages/<id>` → Versions tab). Revert to a prior snapshot.
2. **Code rollback:** `git revert <bad-commit>` on `phase-c-frontend-rewire`, push, redeploy.
3. **Schema migration rollback:** Restore Postgres from nightly backup (see `DEPLOYMENT_GUIDE §7`).
4. **Deploy rollback:** `systemctl stop sb-web && git checkout <prev-commit> && pnpm build && systemctl start sb-web`. <5 min.
5. **DNS-level rollback (emergency only):** Revert A record to the last static-export Hostinger IP (5-minute propagation).

Notes: Uses Mapbox token. Map renders 8-capital pulsing pins (Sydney, Melbourne, Brisbane, Perth, Adelaide, Canberra, Hobart, Darwin).

End of `PAGE_06_GEO.md`