

# PAGE\_12\_DEFINITIONS\_GLOSSARY

**URL:** <https://securityblogs.com.au/knowledge-hub/definitions-glossary/> **Airtable table:** SB · 12 · Definitions & Glossary **Page kind:** landing **Sections in spec:** 4

---

## Business Purpose

A–Z glossary of security + SEO terms.

## Sections (top to bottom)

| # | Section     | Block type    |
|---|-------------|---------------|
| 1 | Hero        | hero          |
| 2 | A-Z anchors | rich-text     |
| 3 | Term cards  | grid (server) |
| 4 | CTA band    | cta-band      |

## Airtable Tables

| Table                            | Use                                                                             |
|----------------------------------|---------------------------------------------------------------------------------|
| SB · 12 · Definitions & Glossary | Per-section spec for /knowledge-hub/definitions-glossary/ (one row per section) |
| SB · 00 · Pages Index            | Master index entry                                                              |
| SB · DOCS · Index (proposed)     | Links this MD/PDF to the Airtable page record                                   |

## PostgreSQL Tables (used by this page)

| Table | Use                                                      |
|-------|----------------------------------------------------------|
| posts | Listing + post cards                                     |
| pages | Page record + module blocks (Phase C.2 migration target) |

## API Endpoints

| Endpoint                                                | Method | Cached  | Purpose               |
|---------------------------------------------------------|--------|---------|-----------------------|
| GET /api/pages?where[slug][equals]=definitions-glossary | GET    | ISR 60s | Page record + modules |
| GET /api/posts?where[status][equals]=published&limit=12 | GET    | ISR 60s | Recent posts strip    |

| Endpoint                                        | Method           | Cached   | Purpose                  |
|-------------------------------------------------|------------------|----------|--------------------------|
| GET /api/globals/settings                       | GET              | ISR 600s | Brand + contact + footer |
| GET /api/redirects?where[isActive][equals]=true | GET (middleware) | 60s mem  | Redirect rules           |

## Request Schemas

No request body — this page only consumes GET endpoints.

## Response Schemas

GET /api/pages?where[slug][equals]=...

```
{
  "docs": [{
    "id": "rec...",
    "slug": "definitions-glossary",
    "title": "Definitions & Glossary",
    "modules": [
      { "blockType": "hero", "h1": "...", "subtitle": "...", "ctas": [...] },
      { "blockType": "rich-text", "title": "...", "body": { /* Lexical JSON */ } }
    ],
    "status": "published"
  }],
  "totalDocs": 1
}
```

## React Components

| Component                                       | Purpose                                      |
|-------------------------------------------------|----------------------------------------------|
| app/knowledge-hub/definitions-glossary/page.tsx | Server component — fetches CMS data, renders |
| components/layout/Navbar.tsx                    | Component used on this page                  |
| components/layout/Footer.tsx                    | Component used on this page                  |
| components/layout/Navbar.tsx                    | Shared header                                |
| components/layout/Footer.tsx                    | Shared footer                                |

## Node.js Services

| Service / module | Purpose                               |
|------------------|---------------------------------------|
| lib/cms.ts       | Typed Payload REST client — all reads |
| middleware.ts    | Edge middleware — CMS redirect rules  |

## Environment Variables

| Var                  | Required?  | Purpose                       |
|----------------------|------------|-------------------------------|
| NEXT_PUBLIC_SITE_URL | Yes        | Canonical site URL            |
| CMS_URL              | Yes        | Where lib/cms.ts fetches from |
| PAYLOAD_API_KEY      | Yes (prod) | Server-side CMS write auth    |
| SENTRY_DSN           | Yes (prod) | Error tracking                |

## Validation Rules

No user input on this page. Read-only validation: ISR cache freshness, CMS reachability.

## Authentication Rules

- Public read of all page-driving CMS endpoints.
- No user session required.
- Middleware runs on every request but reads via server-only `PAYLOAD_API_KEY`.

## Deployment Notes

- Server-rendered Next.js page (ISR). NOT compatible with output: `'export'`.
- First deploy requires `pnpm payload migrate + relevant pnpm seed:*` before booting.
- Caddy reverse-proxies port 3000 (marketing) — see `DEPLOYMENT_GUIDE` §6.

## Testing Procedures

### Local smoke

1. `pnpm dev` (marketing site at `http://localhost:3000`)
2. Navigate to `/knowledge-hub/definitions-glossary/`
3. Verify hero renders, navigation works, no console errors

### Production checks

- Lighthouse Performance  $\geq 85$  on landing pages
- Lighthouse Accessibility  $\geq 95$
- Lighthouse SEO = 100
- Sentry: no new error fingerprints after deploy
- Uptime monitor green

## Troubleshooting

| Symptom                        | Likely cause     | Fix                                                          |
|--------------------------------|------------------|--------------------------------------------------------------|
| Page returns 500               | CMS unreachable  | Check <code>CMS_URL</code> + CMS service status              |
| Content stale after admin edit | Cache not purged | <code>revalidateTag()</code> or wait for revalidate interval |

| Symptom                      | Likely cause                   | Fix                                 |
|------------------------------|--------------------------------|-------------------------------------|
| Sitemap missing this page    | CMS Pages record not published | Set status=published                |
| Navbar/footer shows defaults | Settings global missing        | Run <code>pnpm seed:settings</code> |

## Change Impact Analysis

### If you change...

- **Copy / hero text:** Low impact. Edit the CMS record (or `app/knowledge-hub/definitions-glossary/page.tsx` if still hardcoded). Wait for ISR.
- **Sections order:** Medium impact. Re-order modules in admin. Renders instantly on next ISR.
- **Add a new module type:** High impact. Add block to `cms/src/collections/Pages.ts`, add component to `components/modules/blocks/`, add dispatch in `ModuleRenderer.tsx`.
- **Slug: CRITICAL — breaks every URL.** Add a `Redirects` record from old slug → new BEFORE updating. Notify SEO if any external links exist.
- **Authentication scope:** Edit `cms/src/access/*.ts`. Roles changes only by `super_admin`.
- **API endpoint shape:** Breaking change. Bump version, dual-route for 30 days, document migration.

## Rollback Procedures

1. **CMS content rollback:** Use Payload versions UI (`/admin/collections/pages/<id>` → Versions tab). Revert to a prior snapshot.
2. **Code rollback:** `git revert <bad-commit>` on `phase-c-frontend-rewire`, push, redeploy.
3. **Schema migration rollback:** Restore Postgres from nightly backup (see `DEPLOYMENT_GUIDE` §7).
4. **Deploy rollback:** `systemctl stop sb-web && git checkout <prev-commit> && pnpm build && systemctl start sb-web.` <5 min.
5. **DNS-level rollback (emergency only):** Revert A record to the last static-export Hostinger IP (5-minute propagation).

---

*Notes:* Currently hardcoded glossary. Could migrate to Posts with category='definitions-glossary' or stay as a Page with rich-text blocks.

*End of PAGE\_12\_DEFINITIONS\_GLOSSARY.md*