

PAGE_27_CONTACT

URL: <https://securityblogs.com.au/contact/> **Airtable table:** SB · 27 · Contact **Page kind:** form
Sections in spec: 5

Business Purpose

Primary contact + free-audit request form. Most-used form on the site.

Sections (top to bottom)

#	Section	Block type
1	Hero	hero
2	Contact form	form (client component)
3	Direct contact info	rich-text
4	Map (HQ)	rich-text
5	Office hours	rich-text

Airtable Tables

Table	Use
SB · 27 · Contact	Per-section spec for /contact/ (one row per section)
SB · 00 · Pages Index	Master index entry
SB · DOCS · Index (proposed)	Links this MD/PDF to the Airtable page record

PostgreSQL Tables (used by this page)

Table	Use
leads	Form submissions land here as new Lead records
users	Author of posts, assignee of leads
audit_log	Phase E — change tracking
settings	Brand, contact, footer, GTM injection

API Endpoints

Endpoint	Method	Cached	Purpose
GET /api/globals/settings	GET	ISR 600s	Brand + contact + footer
GET /api/redirects?where[isActive][equals]=true	GET (middleware)	60s mem	Redirect rules

Endpoint	Method	Cached	Purpose
POST /api/leads	POST	dynamic	Form submission

Request Schemas

POST /api/leads

```
{
  "name": "string (1-120 chars, required)",
  "email": "string (valid format, required)",
  "phone": "string (optional)",
  "company": "string (optional)",
  "subject": "string (optional)",
  "message": "string (optional, max 2000 chars)",
  "source": "contact-form",
  "meta": { },
  "cf-turnstile-response": "string (Cloudflare token, required in production)",
  "company_url": "string (honeypot – must be empty)"
}
```

Response Schemas

POST /api/leads

```
// 200 OK
{ "ok": true, "id": "rec..." }

// 400 Bad Request
{ "ok": false, "error": "Email looks invalid" }

// 429 Too Many Requests
{ "ok": false, "error": "Too many submissions. Please wait 15 minutes and try again." }

// 502 Bad Gateway (CMS write rejected)
{ "ok": false, "error": "Could not save your enquiry. Please try again." }
```

React Components

Component	Purpose
app/contact/page.tsx	Server component — fetches CMS data, renders
components/ui/ContactForm.tsx	Client component — handles submit, calls submitForm()
components/layout/Navbar.tsx	Component used on this page
components/layout/Footer.tsx	Component used on this page
components/layout/Navbar.tsx	Shared header
components/layout/Footer.tsx	Shared footer

Node.js Services

Service / module	Purpose
lib/cms.ts	Typed Payload REST client — all reads
middleware.ts	Edge middleware — CMS redirect rules

Service / module	Purpose
lib/submitForm.ts	Browser-side POST helper
app/api/leads/route.ts	Server endpoint — Turnstile + rate-limit + Lead create
cms/src/collections/Leads.ts	Lead schema + afterChange email hook
cms/src/email/transport.ts	Hostinger SMTP via nodemailer

Environment Variables

Var	Required?	Purpose
NEXT_PUBLIC_SITE_URL	Yes	Canonical site URL
CMS_URL	Yes	Where lib/cms.ts fetches from
PAYLOAD_API_KEY	Yes (prod)	Server-side CMS write auth
NEXT_PUBLIC_TURNSTILE_SITE_KEY	Yes (prod)	Cloudflare widget site key
TURNSTILE_SECRET_KEY	Yes (prod)	Server-side verify
NEXT_PUBLIC_MAPBOX_TOKEN	Yes	Mapbox tiles
NEXT_PUBLIC_GMAPS_KEY	Yes	Google Maps embeds
SENTRY_DSN	Yes (prod)	Error tracking

Validation Rules

/api/leads validation pipeline

1. **Honeypot:** company_url must be empty. If filled, return { ok: true } silently (do NOT create lead).
2. **Shape:** name and email required. email must match /^[^@\s]+@[^\s]+\.[^\s]+\$/.
3. **Rate limit:** Per-IP, 15 submissions per 15 minutes. Returns 429 over limit.
4. **Turnstile:** Server-side siteverify against Cloudflare. Skipped if TURNSTILE_SECRET_KEY unset (dev mode).
5. **Source:** Must be one of the SOURCE_OPTIONS values defined in cms/src/collections/Leads.ts.
6. **Forensic:** IP, user-agent, referer captured automatically.

Source-specific validation runs in the Next.js layer before the CMS write (zod schemas).

Authentication Rules

- Public POST allowed for browser-side form submission.
- Bot protection: honeypot + Turnstile + per-IP rate limit (15/15min).
- Server-to-server CMS write uses Authorization: users API-Key <PAYLOAD_API_KEY>.
- No NextAuth session required from the visitor.

Deployment Notes

- Server-rendered Next.js page (ISR). NOT compatible with output: 'export'.

- First deploy requires `pnpm payload migrate + relevant pnpm seed : *` before booting.
- Caddy reverse-proxies port 3000 (marketing) — see `DEPLOYMENT_GUIDE §6`.
- Cloudflare Turnstile site key + secret must be configured in production env.
- Hostinger SMTP credentials must be set in `cms/.env` for assignee notification emails.

Testing Procedures

Local smoke

1. `pnpm dev` (marketing site at `http://localhost:3000`)
2. Navigate to `/contact/`
3. Verify hero renders, navigation works, no console errors
4. Fill the form with valid data → expect 200 OK + lead in `/admin/collections/leads`
5. Fill the form with empty email → expect 400
6. Submit 16 times in 15 min from same IP → 16th returns 429
7. Open with JS disabled → confirm graceful no-JS fallback message

Production checks

- Lighthouse Performance ≥ 85 on landing pages
- Lighthouse Accessibility ≥ 95
- Lighthouse SEO = 100
- Sentry: no new error fingerprints after deploy
- Uptime monitor green

Troubleshooting

Symptom	Likely cause	Fix
Page returns 500	CMS unreachable	Check <code>CMS_URL</code> + CMS service status
Content stale after admin edit	Cache not purged	<code>revalidateTag()</code> or wait for revalidate interval
Sitemap missing this page	CMS Pages record not published	Set <code>status=published</code>
Navbar/footer shows defaults	Settings global missing	Run <code>pnpm seed:settings</code>
Form submits but no Lead	<code>PAYLOAD_API_KEY</code> wrong	Regenerate in admin → Users → API Key
Form rejected with 400 captcha	Turnstile token bad	Verify production <code>TURNSTILE_SECRET_KEY</code> matches site key
Assignee not getting email	SMTP creds wrong	Test Hostinger SMTP from VPS shell

Change Impact Analysis

If you change...

- **Copy / hero text:** Low impact. Edit the CMS record (or `app/contact/page.tsx` if still hardcoded). Wait for ISR.
- **Sections order:** Medium impact. Re-order modules in admin. Renders instantly on next ISR.
- **Add a new module type:** High impact. Add block to `cms/src/collections/Pages.ts`, add component to `components/modules/blocks/`, add dispatch in `ModuleRenderer.tsx`.
- **Slug: CRITICAL — breaks every URL.** Add a `Redirects` record from old slug → new BEFORE updating. Notify SEO if any external links exist.
- **Authentication scope:** Edit `cms/src/access/*.ts`. Roles changes only by `super_admin`.
- **API endpoint shape:** Breaking change. Bump version, dual-route for 30 days, document migration.

Rollback Procedures

1. **CMS content rollback:** Use Payload versions UI (`/admin/collections/pages/<id>` → Versions tab). Revert to a prior snapshot.
2. **Code rollback:** `git revert <bad-commit>` on `phase-c-frontend-rewire`, push, redeploy.
3. **Schema migration rollback:** Restore Postgres from nightly backup (see `DEPLOYMENT_GUIDE §7`).
4. **Deploy rollback:** `systemctl stop sb-web && git checkout <prev-commit> && pnpm build && systemctl start sb-web`. <5 min.
5. **DNS-level rollback (emergency only):** Revert A record to the last static-export Hostinger IP (5-minute propagation).

Forms

- **Contact form** — posts to `/api/leads` (see Request/Response schemas)

Notes: Form posts to `/api/leads` with `source='contact-form'`. Honeypot + Turnstile + rate limit applied.

End of PAGE_27_CONTACT.md