MOBSF

ANDROID STATIC ANALYSIS REPORT

Octopus (7.2.8)

File Name: com.chaozhuo.gameassistant_7.2.8-64728_minAPI19_arm64-v8a_nodpi_apkmirror.com.apk

Package Name: com.chaozhuo.gameassistant

Scan Date: Jan. 19, 2026, 3:22 p.m.

App Security Score: 49/100 (MEDIUM RISK)

Grade: B

Trackers Detection: 3/432

FINDINGS SEVERITY

HIGH	MEDIUM	INFO	SECURE	HOTSPOT
3	227	2	1	2

FILE INFORMATION

File Name: com.chaozhuo.gameassistant_7.2.8-64728_minAPI19_arm64-v8a_nodpi_apkmirror.com.apk
Size: 14.87MB
MD5: 844ec5106ec7fc1de9eb023ae24da4fa
SHA1: e7f524a4893f8888aceee3e5405074277adfe021
SHA256: c42da40d5c1d13a1222aa7b218b358e20bace4cb2a6dca6153643b3c59500160

APP INFORMATION

App Name: Octopus
Package Name: com.chaozhuo.gameassistant
Main Activity: com.chaozhuo.gameassistant.SplashActivity
Target SDK: 33
Min SDK: 19
Max SDK:
Android Version Name: 7.2.8
Android Version Code: 64728

APP COMPONENTS

Activities: 232
Services: 117
Receivers: 11
Providers: 106
Exported Activities: 2
Exported Services: 2
Exported Receivers: 1
Exported Providers: 1

CERTIFICATE INFORMATION

Binary is signed
v1 signature: True
v2 signature: True
v3 signature: False
v4 signature: False
X.509 Subject: C=86, ST=Beijing, L=Beijing, O=Beijing Chaozhuo Technology Co. Ltd., OU=Phoenix Studio, CN=Xie ZhenYu
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2015-05-20 08:54:49+00:00
Valid To: 2040-05-13 08:54:49+00:00
Issuer: C=86, ST=Beijing, L=Beijing, O=Beijing Chaozhuo Technology Co. Ltd., OU=Phoenix Studio, CN=Xie ZhenYu
Serial Number: 0x3004f463
Hash Algorithm: sha256
md5: be0dd2bc8fa3b534241f91f8b66d1c50
sha1: 19b727b6d3eccebfb91811befc41ee8ece538af8
sha256: 0ee714717cfa5e40c727b4fa1eb4cf6d6834c1c44f1ffebe5bbb8e2cc4fe43ce
sha512: 9e14caef44b4ef7f8b5396954e653396a3719bac52709aa85d139709ef00f5b52426575a55a3af2b4bfde4c398147e75992c1fd69e34fdd06456e3bda71997bf
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 50e58015b4086c976a3f65b769df8ae234cc55c266f35dd8b352c583e47e1b29
Found 1 unique certificates

APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
android.permission.QUERY_ALL_PACKAGES	normal	enables querying any normal app on the device.	Allows query of any normal app on the device, regardless of manifest declarations.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.chaozhuo.gameassistant.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.chaozhuo.gameassistant.permission.SAFE_ACCESS	unknown	Unknown permission	Unknown permission from android reference
android.permission.WRITE_SOCIAL_STREAM	dangerous	write the user's social stream	Allows an application to write (but not read) the user's social stream data.
android.permission.READ_SOCIAL_STREAM	dangerous	read from the user's social stream	Allows an application to read from the user's social stream.
android.permission.READ_PROFILE	dangerous	read the user's personal profile data	Allows an application to read the user's personal profile data.
android.permission.WRITE_PROFILE	dangerous	write the user's personal profile data	Allows an application to write (but not read) the user's personal profile data.
android.permission.READ_USER_DICTIONARY	dangerous	read user-defined dictionary	Allows an application to read any private words, names and phrases that the user may have stored in the user dictionary.
android.permission.WRITE_USER_DICTIONARY	normal	write to user-defined dictionary	Allows an application to write new words into the user dictionary.
android.permission.USE_CREDENTIALS	dangerous	use the authentication credentials of an account	Allows an application to request authentication tokens.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.AUTHENTICATE_ACCOUNTS	dangerous	act as an account authenticator	Allows an application to use the account authenticator capabilities of the Account Manager, including creating accounts as well as obtaining and setting their passwords.
com.samsung.svoice.sync.READ_DATABASE	unknown	Unknown permission	Unknown permission from android reference
com.samsung.svoice.sync.ACCESS_SERVICE	unknown	Unknown permission	Unknown permission from android reference
com.samsung.svoice.sync.WRITE_DATABASE	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.app.voicenote.Controller	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.permission.VOIP_INTERFACE	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.permission.LAUNCH_PERSONAL_PAGE_SERVICE	unknown	Unknown permission	Unknown permission from android reference
com.samsung.android.providers.context.permission.WRITE_USE_APP_FEATURE_SURVEY	unknown	Unknown permission	Unknown permission from android reference
com.samsung.android.providers.context.permission.READ_RECORD_AUDIO	unknown	Unknown permission	Unknown permission from android reference
com.samsung.android.providers.context.permission.WRITE_RECORD_AUDIO	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.sec.android.settings.permission.SOFT_RESET	unknown	Unknown permission	Unknown permission from android reference
sec.android.permission.READ_MSG_PREF	unknown	Unknown permission	Unknown permission from android reference
com.samsung.android.scloud.backup.lib.read	unknown	Unknown permission	Unknown permission from android reference
com.samsung.android.scloud.backup.lib.write	unknown	Unknown permission	Unknown permission from android reference
com.android.alarm.permission.SET_ALARM	unknown	Unknown permission	Unknown permission from android reference
com.android.voicemail.permission.ADD_VOICEMAIL	unknown	Unknown permission	Unknown permission from android reference
com.android.voicemail.permission.READ_WRITE_ALL_VOICEMAIL	unknown	Unknown permission	Unknown permission from android reference
com.huawei.authentication.HW_ACCESS_AUTH_SERVICE	unknown	Unknown permission	Unknown permission from android reference
com.android.vending.CHECK_LICENSE	unknown	Unknown permission	Unknown permission from android reference
com.google.android.providers.talk.permission.READ_ONLY	unknown	Unknown permission	Unknown permission from android reference
com.google.android.providers.talk.permission.WRITE_ONLY	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
com.google.android.gms.permission.ACTIVITY_RECOGNITION	dangerous	allow application to recognize physical activity	Allows an application to recognize physical activity.
com.google.android.gms.permission.AD_ID_NOTIFICATION	unknown	Unknown permission	Unknown permission from android reference
com.google.android.providers.gsf.permission.READ_GSERVICES	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.INSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.UNINSTALL_SHORTCUT	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_APP_BADGE	normal	show app notification	Allows an application to show app icon badges.
com.google.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.oppo.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.

PERMISSION	STATUS	INFO	DESCRIPTION
com.oppo.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for oppo phones.
me.everything.badger.permission.BADGE_COUNT_READ	unknown	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.sec.android.provider.badge.permission.WRITE	normal	show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.htc.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	show notification count on app	Show notification count or badge on application launch icon for htc phones.

PERMISSION	STATUS	INFO	DESCRIPTION
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.anddoes.launcher.permission.UPDATE_COUNT	normal	show notification count on app	Show notification count or badge on application launch icon for apex.
com.majeur.launcher.permission.UPDATE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for solid.
com.huawei.android.launcher.permission.CHANGE_BADGE	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.READ_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.WRITE_SETTINGS	normal	show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.android.launcher.permission.WRITE_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
com.android.launcher3.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.android.launcher2.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.teslacoilsw.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.actionlauncher.playstore.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.mx.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.anddoes.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.apusapps.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.tsf.shell.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.lenovo.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.bbk.launcher2.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
com.s.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
cn.nubia.launcher.permission.READ_SETTINGS	unknown	Unknown permission	Unknown permission from android reference
android.permission.FLASHLIGHT	normal	control flashlight	Allows the application to control the flashlight.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_LOCATION_EXTRA_COMMANDS	normal	access extra location provider commands	Access extra location provider commands. Malicious applications could use this to interfere with the operation of the GPS or other location sources.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.CHANGE_NETWORK_STATE	normal	change network connectivity	Allows applications to change network connectivity state.
android.permission.CHANGE_WIFI_MULTICAST_STATE	normal	allow Wi-Fi Multicast reception	Allows an application to receive packets not directly addressed to your device. This can be useful when discovering services offered nearby. It uses more power than the non-multicast mode.
android.permission.CHANGE_WIFI_STATE	normal	change Wi-Fi status	Allows an application to connect to and disconnect from Wi-Fi access points and to make changes to configured Wi-Fi networks.
android.permission.MOUNT_UNMOUNT_FILESYSTEMS	dangerous	mount and unmount file systems	Allows the application to mount and unmount file systems for removable storage.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.BATTERY_STATS	signature	modify battery statistics	Allows the modification of collected battery statistics. Not for use by common applications.
android.permission.BROADCAST_STICKY	normal	send sticky broadcast	Allows an application to send sticky broadcasts, which remain after the broadcast ends. Malicious applications can make the phone slow or unstable by causing it to use too much memory.
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.DISABLE_KEYGUARD	normal	disable keyguard	Allows applications to disable the keyguard if it is not secure.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.EXPAND_STATUS_BAR	normal	expand/collapse status bar	Allows application to expand or collapse the status bar.
android.permission.GET_ACCOUNTS	dangerous	list accounts	Allows access to the list of accounts in the Accounts Service.
android.permission.MANAGE_ACCOUNTS	dangerous	manage the accounts list	Allows an application to perform operations like adding and removing accounts and deleting their password.
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.READ_PHONE_NUMBERS	dangerous	allows reading of the device's phone number(s).	Allows read access to the device's phone number(s). This is a subset of the capabilities granted by READ_PHONE_STATE but is exposed to instant applications.
android.permission.ANSWER_PHONE_CALLS	dangerous	permits an app to answer incoming phone calls.	Allows the app to answer an incoming phone call.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CHANGE_CONFIGURATION	SignatureOrSystem	change your UI settings	Allows an application to change the current configuration, such as the locale or overall font size.
android.permission.WRITE_SETTINGS	dangerous	modify global system settings	Allows an application to modify the system's settings data. Malicious applications can corrupt your system's configuration.
android.permission.GET_TASKS	dangerous	retrieve running applications	Allows application to retrieve information about currently and recently running tasks. May allow malicious applications to discover private information about other applications.
android.permission.KILL_BACKGROUND_PROCESSES	normal	kill background processes	Allows an application to kill background processes of other applications, even if memory is not low.
android.permission.REORDER_TASKS	normal	reorder applications running	Allows an application to move tasks to the foreground and background. Malicious applications can force themselves to the front without your control.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.PERSISTENT_ACTIVITY	dangerous	make application always run	Allows an application to make parts of itself persistent, so that the system can't use it for other applications.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.BLUETOOTH_ADMIN	normal	bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.BLUETOOTH_SCAN	dangerous	required for discovering and pairing Bluetooth devices.	Required to be able to discover and pair nearby Bluetooth devices.
android.permission.BLUETOOTH_ADVERTISE	dangerous	required to advertise to nearby Bluetooth devices.	Required to be able to advertise to nearby Bluetooth devices.
android.permission.BLUETOOTH_CONNECT	dangerous	necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.NFC	normal	control Near-Field Communication	Allows an application to communicate with Near-Field Communication (NFC) tags, cards and readers.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
com.android.browser.permission.READ_HISTORY_BOOKMARKS	unknown	Unknown permission	Unknown permission from android reference
com.android.browser.permission.WRITE_HISTORY_BOOKMARKS	unknown	Unknown permission	Unknown permission from android reference
android.permission.CLEAR_APP_CACHE	SignatureOrSystem	delete all application cache data	Allows an application to free phone storage by deleting files in application cache directory. Access is usually very restricted to system process.
android.permission.GET_PACKAGE_SIZE	normal	measure application storage space	Allows an application to find out the space used by any package.
android.permission.WRITE_SYNC_SETTINGS	normal	write sync settings	Allows an application to modify the sync settings, such as whether sync is enabled for Contacts.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_SYNC_SETTINGS	normal	read sync settings	Allows an application to read the sync settings, such as whether sync is enabled for Contacts.
android.permission.READ_SYNC_STATS	normal	read sync statistics	Allows an application to read the sync stats; e.g. the history of syncs that have occurred.
android.permission.SUBSCRIBED_FEEDS_READ	normal	read subscribed feeds	Allows an application to receive details about the currently synced feeds.
android.permission.SUBSCRIBED_FEEDS_WRITE	dangerous	write subscribed feeds	Allows an application to modify your currently synced feeds. This could allow a malicious application to change your synced feeds.
android.permission.WRITE_CALENDAR	dangerous	add or modify calendar events and send emails to guests	Allows an application to add or change the events on your calendar, which may send emails to guests. Malicious applications can use this to erase or modify your calendar events or to send emails to guests.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_CALENDAR	dangerous	read calendar events	Allows an application to read all of the calendar events stored on your phone. Malicious applications can use this to send your calendar events to other people.
android.permission.READ_CONTACTS	dangerous	read contact data	Allows an application to read all of the contact (address) data stored on your phone. Malicious applications can use this to send your data to other people.
android.permission.WRITE_CONTACTS	dangerous	write contact data	Allows an application to modify the contact (address) data stored on your phone. Malicious applications can use this to erase or modify your contact data.
android.permission.READ_LOGS	dangerous	read sensitive log data	Allows an application to read from the system's various log files. This allows it to discover general information about what you are doing with the phone, potentially including personal or private information.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.RESTART_PACKAGES	normal	kill background processes	Allows an application to kill background processes of other applications, even if memory is not low.
android.permission.SET_TIME	SignatureOrSystem	set time	Allows an application to change the phone's clock time.
android.permission.SET_TIME_ZONE	SignatureOrSystem	set time zone	Allows an application to change the phone's time zone.
android.permission.SET_WALLPAPER	normal	set wallpaper	Allows the application to set the system wallpaper.
android.permission.SET_WALLPAPER_HINTS	normal	set wallpaper size hints	Allows the application to set the system wallpaper size hints.
android.permission.TRANSMIT_IR	normal	enables use of the device's IR transmitter.	Allows using the device's IR transmitter, if available.
android.permission.USE_SIP	dangerous	make/receive Internet calls	Allows an application to use the SIP service to make/receive Internet calls.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.SYSTEM_OVERLAY_WINDOW	unknown	Unknown permission	Unknown permission from android reference
android.permission.GET_INTENT_SENDER_INTENT	unknown	Unknown permission	Unknown permission from android reference
android.permission.BIND_DIRECTORY_SEARCH	unknown	Unknown permission	Unknown permission from android reference
android.permission.UPDATE_APP_OPS_STATS	unknown	Unknown permission	Unknown permission from android reference
android.permission.INSTALL_PACKAGES	SignatureOrSystem	directly install applications	Allows an application to install new or updated Android packages. Malicious applications can use this to add new applications with arbitrarily powerful permissions.
android.permission.DELETE_PACKAGES	SignatureOrSystem	delete applications	Allows an application to delete Android packages. Malicious applications can use this to delete important applications.
android.permission.CLEAR_APP_USER_DATA	signature	delete other applications' data	Allows an application to clear user data.
android.permission.WRITE_MEDIA_STORAGE	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_CACHE_FILESYSTEM	SignatureOrSystem	access the cache file system	Allows an application to read and write the cache file system.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.DEVICE_POWER	signature	turn phone on or off	Allows the application to turn the phone on or off.
android.permission.WRITE_APN_SETTINGS	dangerous	write Access Point Name settings	Allows an application to modify the APN settings, such as Proxy and Port of any APN.
android.permission.BIND_APPWIDGET	SignatureOrSystem	choose widgets	Allows the application to tell the system which widgets can be used by which application. With this permission, applications can give access to personal data to other applications. Not for use by common applications.
android.permission.ACCOUNT_MANAGER	signature	act as the Account Manager Service	Allows an application to make calls to Account Authenticators.
android.permission.PACKAGE_USAGE_STATS	signature	update component usage statistics	Allows the modification of collected component usage statistics. Not for use by common applications.
android.permission.READ_INSTALL_SESSIONS	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_OWNER_DATA	unknown	Unknown permission	Unknown permission from android reference
android.permission.WRITE_CLIPS	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_CLIPS	unknown	Unknown permission	Unknown permission from android reference
android.permission.GET_CLIPS	unknown	Unknown permission	Unknown permission from android reference
android.permission.WRITE_OWNER_DATA	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_GPS	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_WIMAX_STATE	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_DOWNLOAD_MANAGER	unknown	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIMAX_STATE	unknown	Unknown permission	Unknown permission from android reference
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	unknown	Unknown permission	Unknown permission from android reference
android.permission.INTERACT_ACROSS_USERS	unknown	Unknown permission	Unknown permission from android reference
android.permission.INTERACT_ACROSS_USERS_FULL	unknown	Unknown permission	Unknown permission from android reference
android.permission.UPDATE_DEVICE_STATS	SignatureOrSystem	modify battery statistics	Allows the modification of collected battery statistics. Not for use by common applications.

PERMISSION	STATUS	INFO	DESCRIPTION
com.tencent.msg.permission.pushnotify	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_COARSE_UPDATES	unknown	Unknown permission	Unknown permission from android reference
android.permission.MANAGE_USERS	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_MEDIA_LOCATION	dangerous	access any geographic locations	Allows an application to access any geographic locations persisted in the user's shared collection.
android.permission.UWB_RANGING	dangerous	required for ranging to devices using ultra-wideband.	Required to be able to range to devices using ultra-wideband.
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.NEARBY_WIFI_DEVICES	dangerous	required for advertising and connecting to nearby devices via Wi-Fi.	Required to be able to advertise and connect to nearby devices via Wi-Fi.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.READ_MEDIA_IMAGES	dangerous	allows reading image files from external storage.	Allows an application to read image files from external storage.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_MEDIA_AUDIO	dangerous	allows reading audio files from external storage.	Allows an application to read audio files from external storage.
android.permission.READ_MEDIA_VIDEO	dangerous	allows reading video files from external storage.	Allows an application to read video files from external storage.

APKID ANALYSIS

FILE	DETAILS
classes.dex	<table><tr><th>FINDINGS</th><th>DETAILS</th></tr><tr><td>Anti-VM Code</td><td>Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check possible Build.SERIAL check</td></tr><tr><td>Compiler</td><td>r8</td></tr></table>

<table>
<tr><th>FILE</th><th>DETAILS</th></tr>
<tr><td>classes2.dex</td><td>
<table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Anti-VM Code</td><td>Build.FINGERPRINT check
Build.MODEL check
Build.MANUFACTURER check
Build.PRODUCT check
Build.HARDWARE check
Build.TAGS check
SIM operator check
possible VM check</td></tr>
<tr><td>Anti Debug Code</td><td>Debug.isDebuggerConnected() check</td></tr>
<tr><td>Compiler</td><td>r8 without marker (suspicious)</td></tr>
</table>
</td></tr>
<tr><td>assets/gameassistant-signin.apt!classes.dex</td><td>
<table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Compiler</td><td>r8</td></tr>
</table>
</td></tr>
<tr><td>assets/split-dex/ActivityCompat.dex</td><td>
<table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Compiler</td><td>dx</td></tr>
</table>
</td></tr>
</table>

<table>
<tr><th>FILE</th><th>DETAILS</th></tr>
<tr><td>assets/split-dex/AndroidUtile.dex</td><td><table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Compiler</td><td>dexlib 1.x</td></tr>
<tr><td>Manipulator Found</td><td>dexmerge</td></tr>
</table></td></tr>
<tr><td>assets/split-dex/ArraySet.dex</td><td><table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Compiler</td><td>dx</td></tr>
</table></td></tr>
<tr><td>assets/split-dex/BaseStub.dex</td><td><table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Compiler</td><td>dx</td></tr>
</table></td></tr>
<tr><td>assets/split-dex/SimpleArrayMap.dex</td><td><table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Compiler</td><td>dx</td></tr>
</table></td></tr>
<tr><td>assets/split-dex/com.tendcloud.tenddata.dex</td><td><table>
<tr><th>FINDINGS</th><th>DETAILS</th></tr>
<tr><td>Compiler</td><td>dexlib 1.x</td></tr>
<tr><td>Manipulator Found</td><td>dexmerge</td></tr>
</table></td></tr>
</table>

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

MANIFEST ANALYSIS

HIGH: 2 | WARNING: 215 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version Android 4.4-4.4.4, [minSdk=19]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	Clear text traffic is Enabled For App [android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
3	Launch Mode of activity (com.chaozhuo.gameassistant.XActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
4	Activity (com.chaozhuo.gameassistant.BackHomeActivity) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
5	Activity (com.chaozhuo.gameassistant.XWebViewActivity) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
6	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
7	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
8	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.ShortcutHandleActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
9	Activity (com.chaozhuo.supreme.client.stub.ShortcutHandleActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
10	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubPendingActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
11	Activity (com.chaozhuo.supreme.client.stub.StubPendingActivity) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
12	Service (com.chaozhuo.supreme.client.stub.StubPendingService) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
13	Broadcast Receiver (com.chaozhuo.supreme.client.stub.StubPendingReceiver) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Broadcast Receiver is found to be exported, but is protected by permission.
14	Service (com.chaozhuo.supreme.client.stub.StubJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
15	Activity (com.chaozhuo.supreme.client.stub.ChooseAccountTypeActivity) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
16	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.ChooserActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
17	Activity (com.chaozhuo.supreme.client.stub.ChooserActivity) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
18	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.ResolverActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
19	Activity (com.chaozhuo.supreme.client.stub.ResolverActivity) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
20	Content Provider (com.chaozhuo.supreme.server.BinderProvider) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
21	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P0)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
22	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P0) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
23	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P1)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
24	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P1) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
25	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P2)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
26	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P2) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
27	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P3)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
28	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P3) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
29	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P4)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
30	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P4) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
31	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P5)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
32	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P5) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
33	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P6)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
34	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P6) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
35	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P7)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
36	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P7) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
37	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P8)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
38	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P8) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
39	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P9)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
40	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P9) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
41	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P10)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
42	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P10) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
43	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P11)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
44	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P11) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
45	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P12)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
46	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P12) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
47	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P13)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
48	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P13) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
49	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P14)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
50	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P14) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
51	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P15)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
52	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P15) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
53	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P16)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
54	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P16) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
55	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P17)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
56	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P17) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
57	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P18)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
58	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P18) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
59	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P19)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
60	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P19) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
61	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P20)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
62	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P20) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
63	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P21)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
64	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P21) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
65	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P22)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
66	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P22) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
67	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P23)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
68	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P23) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
69	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P24)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
70	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P24) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
71	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P25)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
72	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P25) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
73	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P26)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
74	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P26) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
75	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P27)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
76	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P27) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
77	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P28)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
78	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P28) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
79	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P29)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
80	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P29) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
81	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P30)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
82	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P30) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
83	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P31)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
84	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P31) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
85	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P32)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
86	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P32) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
87	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P33)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
88	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P33) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
89	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P34)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
90	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P34) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
91	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P35)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
92	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P35) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
93	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P36)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
94	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P36) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
95	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P37)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
96	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P37) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
97	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P38)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
98	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P38) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
99	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P39)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
100	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P39) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
101	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P40)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
102	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P40) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
103	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P41)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
104	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P41) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
105	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P42)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
106	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P42) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
107	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P43)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
108	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P43) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
109	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P44)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
110	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P44) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
111	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P45)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
112	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P45) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
113	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P46)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
114	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P46) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
115	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P47)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
116	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P47) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
117	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P48)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
118	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P48) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
119	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P49)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
120	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P49) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
121	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P50)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
122	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P50) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
123	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P51)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
124	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P51) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
125	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P52)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
126	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P52) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
127	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P53)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
128	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P53) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
129	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P54)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
130	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P54) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
131	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P55)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
132	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P55) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
133	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P56)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
134	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P56) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
135	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P57)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
136	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P57) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
137	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P58)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
138	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P58) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
139	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P59)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
140	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P59) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
141	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P60)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
142	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P60) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
143	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P61)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
144	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P61) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
145	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P62)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
146	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P62) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
147	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P63)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
148	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P63) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
149	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P64)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
150	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P64) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
151	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P65)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
152	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P65) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
153	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P66)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
154	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P66) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
155	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P67)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
156	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P67) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
157	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P68)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
158	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P68) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
159	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P69)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
160	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P69) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
161	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P70)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
162	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P70) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
163	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P71)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
164	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P71) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
165	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P72)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
166	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P72) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
167	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P73)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
168	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P73) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
169	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P74)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
170	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P74) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
171	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P75)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
172	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P75) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
173	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P76)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
174	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P76) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
175	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P77)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
176	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P77) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
177	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P78)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
178	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P78) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
179	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P79)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
180	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P79) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
181	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P80)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
182	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P80) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
183	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P81)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
184	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P81) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
185	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P82)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
186	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P82) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
187	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P83)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
188	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P83) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
189	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P84)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
190	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P84) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
191	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P85)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
192	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P85) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
193	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P86)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
194	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P86) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
195	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P87)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
196	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P87) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
197	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P88)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
198	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P88) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
199	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P89)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
200	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P89) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
201	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P90)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
202	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P90) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
203	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P91)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
204	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P91) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
205	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P92)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
206	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P92) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
207	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P93)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
208	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P93) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
209	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P94)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
210	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P94) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
211	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P95)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
212	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P95) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
213	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P96)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
214	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P96) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
215	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P97)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
216	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P97) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
217	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P98)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
218	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P98) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
219	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubActivity$P99)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
220	Activity (com.chaozhuo.supreme.client.stub.StubActivity$P99) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
221	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P0)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
222	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P0) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
223	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P1)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
224	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P1) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
225	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P2)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
226	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P2) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
227	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P3)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
228	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P3) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
229	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P4)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
230	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P4) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
231	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P5)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
232	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P5) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
233	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P6)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
234	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P6) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
235	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P7)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
236	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P7) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
237	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P8)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
238	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P8) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
239	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P9)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
240	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P9) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
241	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P10)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
242	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P10) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
243	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P11)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
244	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P11) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
245	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P12)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
246	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P12) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
247	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P13)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
248	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P13) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
249	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P14)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
250	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P14) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
251	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P15)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
252	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P15) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
253	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P16)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
254	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P16) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
255	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P17)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
256	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P17) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
257	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P18)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
258	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P18) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
259	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P19)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
260	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P19) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
261	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P20)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
262	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P20) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
263	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P21)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
264	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P21) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
265	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P22)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
266	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P22) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
267	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P23)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
268	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P23) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
269	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P24)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
270	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P24) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
271	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P25)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
272	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P25) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
273	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P26)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
274	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P26) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
275	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P27)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
276	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P27) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
277	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P28)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
278	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P28) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
279	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P29)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
280	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P29) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
281	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P30)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
282	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P30) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
283	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P31)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
284	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P31) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
285	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P32)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
286	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P32) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
287	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P33)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
288	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P33) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
289	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P34)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
290	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P34) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
291	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P35)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
292	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P35) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
293	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P36)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
294	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P36) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
295	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P37)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
296	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P37) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
297	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P38)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
298	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P38) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
299	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P39)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
300	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P39) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
301	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P40)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
302	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P40) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
303	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P41)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
304	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P41) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
305	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P42)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
306	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P42) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
307	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P43)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
308	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P43) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
309	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P44)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
310	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P44) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
311	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P45)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
312	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P45) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
313	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P46)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
314	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P46) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
315	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P47)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
316	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P47) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
317	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P48)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
318	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P48) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
319	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P49)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
320	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P49) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
321	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P50)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
322	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P50) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
323	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P51)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
324	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P51) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
325	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P52)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
326	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P52) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
327	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P53)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
328	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P53) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
329	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P54)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
330	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P54) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
331	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P55)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
332	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P55) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
333	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P56)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
334	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P56) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
335	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P57)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
336	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P57) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
337	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P58)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
338	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P58) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
339	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P59)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
340	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P59) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
341	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P60)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
342	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P60) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
343	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P61)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
344	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P61) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
345	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P62)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
346	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P62) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
347	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P63)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
348	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P63) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
349	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P64)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
350	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P64) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
351	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P65)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
352	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P65) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
353	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P66)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
354	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P66) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
355	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P67)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
356	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P67) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
357	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P68)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
358	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P68) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
359	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P69)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
360	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P69) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
361	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P70)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
362	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P70) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
363	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P71)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
364	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P71) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
365	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P72)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
366	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P72) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
367	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P73)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
368	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P73) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
369	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P74)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
370	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P74) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
371	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P75)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
372	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P75) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
373	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P76)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
374	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P76) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
375	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P77)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
376	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P77) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
377	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P78)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
378	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P78) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
379	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P79)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
380	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P79) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
381	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P80)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
382	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P80) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
383	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P81)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
384	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P81) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
385	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P82)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
386	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P82) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
387	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P83)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
388	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P83) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
389	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P84)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
390	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P84) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
391	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P85)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
392	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P85) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
393	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P86)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
394	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P86) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
395	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P87)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
396	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P87) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
397	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P88)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
398	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P88) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
399	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P89)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
400	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P89) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
401	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P90)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
402	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P90) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
403	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P91)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
404	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P91) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
405	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P92)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
406	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P92) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
407	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P93)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
408	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P93) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
409	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P94)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
410	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P94) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
411	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P95)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
412	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P95) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
413	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P96)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
414	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P96) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
415	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P97)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
416	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P97) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
417	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P98)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
418	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P98) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
419	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P99)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

NO	ISSUE	SEVERITY	DESCRIPTION
420	Activity (com.chaozhuo.supreme.client.stub.StubDialogActivity$P99) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	An Activity is found to be exported, but is protected by permission.
421	Service (com.chaozhuo.supreme.client.stub.StubService$P0) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
422	Service (com.chaozhuo.supreme.client.stub.StubService$P1) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
423	Service (com.chaozhuo.supreme.client.stub.StubService$P2) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
424	Service (com.chaozhuo.supreme.client.stub.StubService$P3) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
425	Service (com.chaozhuo.supreme.client.stub.StubService$P4) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
426	Service (com.chaozhuo.supreme.client.stub.StubService$P5) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
427	Service (com.chaozhuo.supreme.client.stub.StubService$P6) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
428	Service (com.chaozhuo.supreme.client.stub.StubService$P7) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
429	Service (com.chaozhuo.supreme.client.stub.StubService$P8) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
430	Service (com.chaozhuo.supreme.client.stub.StubService$P9) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
431	Service (com.chaozhuo.supreme.client.stub.StubService$P10) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
432	Service (com.chaozhuo.supreme.client.stub.StubService$P11) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
433	Service (com.chaozhuo.supreme.client.stub.StubService$P12) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
434	Service (com.chaozhuo.supreme.client.stub.StubService$P13) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
435	Service (com.chaozhuo.supreme.client.stub.StubService$P14) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
436	Service (com.chaozhuo.supreme.client.stub.StubService$P15) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
437	Service (com.chaozhuo.supreme.client.stub.StubService$P16) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
438	Service (com.chaozhuo.supreme.client.stub.StubService$P17) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
439	Service (com.chaozhuo.supreme.client.stub.StubService$P18) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
440	Service (com.chaozhuo.supreme.client.stub.StubService$P19) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
441	Service (com.chaozhuo.supreme.client.stub.StubService$P20) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
442	Service (com.chaozhuo.supreme.client.stub.StubService$P21) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
443	Service (com.chaozhuo.supreme.client.stub.StubService$P22) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
444	Service (com.chaozhuo.supreme.client.stub.StubService$P23) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
445	Service (com.chaozhuo.supreme.client.stub.StubService$P24) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
446	Service (com.chaozhuo.supreme.client.stub.StubService$P25) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
447	Service (com.chaozhuo.supreme.client.stub.StubService$P26) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
448	Service (com.chaozhuo.supreme.client.stub.StubService$P27) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
449	Service (com.chaozhuo.supreme.client.stub.StubService$P28) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
450	Service (com.chaozhuo.supreme.client.stub.StubService$P29) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
451	Service (com.chaozhuo.supreme.client.stub.StubService$P30) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
452	Service (com.chaozhuo.supreme.client.stub.StubService$P31) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
453	Service (com.chaozhuo.supreme.client.stub.StubService$P32) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
454	Service (com.chaozhuo.supreme.client.stub.StubService$P33) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
455	Service (com.chaozhuo.supreme.client.stub.StubService$P34) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
456	Service (com.chaozhuo.supreme.client.stub.StubService$P35) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
457	Service (com.chaozhuo.supreme.client.stub.StubService$P36) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
458	Service (com.chaozhuo.supreme.client.stub.StubService$P37) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
459	Service (com.chaozhuo.supreme.client.stub.StubService$P38) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
460	Service (com.chaozhuo.supreme.client.stub.StubService$P39) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
461	Service (com.chaozhuo.supreme.client.stub.StubService$P40) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
462	Service (com.chaozhuo.supreme.client.stub.StubService$P41) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
463	Service (com.chaozhuo.supreme.client.stub.StubService$P42) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
464	Service (com.chaozhuo.supreme.client.stub.StubService$P43) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
465	Service (com.chaozhuo.supreme.client.stub.StubService$P44) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
466	Service (com.chaozhuo.supreme.client.stub.StubService$P45) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
467	Service (com.chaozhuo.supreme.client.stub.StubService$P46) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
468	Service (com.chaozhuo.supreme.client.stub.StubService$P47) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
469	Service (com.chaozhuo.supreme.client.stub.StubService$P48) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
470	Service (com.chaozhuo.supreme.client.stub.StubService$P49) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
471	Service (com.chaozhuo.supreme.client.stub.StubService$P50) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
472	Service (com.chaozhuo.supreme.client.stub.StubService$P51) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
473	Service (com.chaozhuo.supreme.client.stub.StubService$P52) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
474	Service (com.chaozhuo.supreme.client.stub.StubService$P53) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
475	Service (com.chaozhuo.supreme.client.stub.StubService$P54) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
476	Service (com.chaozhuo.supreme.client.stub.StubService$P55) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
477	Service (com.chaozhuo.supreme.client.stub.StubService$P56) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
478	Service (com.chaozhuo.supreme.client.stub.StubService$P57) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
479	Service (com.chaozhuo.supreme.client.stub.StubService$P58) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
480	Service (com.chaozhuo.supreme.client.stub.StubService$P59) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
481	Service (com.chaozhuo.supreme.client.stub.StubService$P60) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
482	Service (com.chaozhuo.supreme.client.stub.StubService$P61) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
483	Service (com.chaozhuo.supreme.client.stub.StubService$P62) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
484	Service (com.chaozhuo.supreme.client.stub.StubService$P63) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
485	Service (com.chaozhuo.supreme.client.stub.StubService$P64) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
486	Service (com.chaozhuo.supreme.client.stub.StubService$P65) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
487	Service (com.chaozhuo.supreme.client.stub.StubService$P66) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
488	Service (com.chaozhuo.supreme.client.stub.StubService$P67) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
489	Service (com.chaozhuo.supreme.client.stub.StubService$P68) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
490	Service (com.chaozhuo.supreme.client.stub.StubService$P69) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
491	Service (com.chaozhuo.supreme.client.stub.StubService$P70) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
492	Service (com.chaozhuo.supreme.client.stub.StubService$P71) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
493	Service (com.chaozhuo.supreme.client.stub.StubService$P72) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
494	Service (com.chaozhuo.supreme.client.stub.StubService$P73) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
495	Service (com.chaozhuo.supreme.client.stub.StubService$P74) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
496	Service (com.chaozhuo.supreme.client.stub.StubService$P75) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
497	Service (com.chaozhuo.supreme.client.stub.StubService$P76) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
498	Service (com.chaozhuo.supreme.client.stub.StubService$P77) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
499	Service (com.chaozhuo.supreme.client.stub.StubService$P78) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
500	Service (com.chaozhuo.supreme.client.stub.StubService$P79) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
501	Service (com.chaozhuo.supreme.client.stub.StubService$P80) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
502	Service (com.chaozhuo.supreme.client.stub.StubService$P81) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
503	Service (com.chaozhuo.supreme.client.stub.StubService$P82) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
504	Service (com.chaozhuo.supreme.client.stub.StubService$P83) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
505	Service (com.chaozhuo.supreme.client.stub.StubService$P84) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
506	Service (com.chaozhuo.supreme.client.stub.StubService$P85) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
507	Service (com.chaozhuo.supreme.client.stub.StubService$P86) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
508	Service (com.chaozhuo.supreme.client.stub.StubService$P87) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
509	Service (com.chaozhuo.supreme.client.stub.StubService$P88) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
510	Service (com.chaozhuo.supreme.client.stub.StubService$P89) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
511	Service (com.chaozhuo.supreme.client.stub.StubService$P90) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
512	Service (com.chaozhuo.supreme.client.stub.StubService$P91) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
513	Service (com.chaozhuo.supreme.client.stub.StubService$P92) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
514	Service (com.chaozhuo.supreme.client.stub.StubService$P93) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
515	Service (com.chaozhuo.supreme.client.stub.StubService$P94) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
516	Service (com.chaozhuo.supreme.client.stub.StubService$P95) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
517	Service (com.chaozhuo.supreme.client.stub.StubService$P96) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
518	Service (com.chaozhuo.supreme.client.stub.StubService$P97) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
519	Service (com.chaozhuo.supreme.client.stub.StubService$P98) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
520	Service (com.chaozhuo.supreme.client.stub.StubService$P99) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Service is found to be exported, but is protected by permission.
521	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P0) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
522	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P1) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
523	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P2) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
524	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P3) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
525	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P4) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
526	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P5) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
527	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P6) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
528	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P7) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
529	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P8) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
530	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P9) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
531	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P10) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
532	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P11) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
533	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P12) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
534	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P13) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
535	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P14) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
536	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P15) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
537	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P16) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
538	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P17) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
539	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P18) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
540	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P19) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
541	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P20) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
542	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P21) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
543	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P22) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
544	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P23) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
545	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P24) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
546	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P25) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
547	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P26) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
548	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P27) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
549	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P28) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
550	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P29) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
551	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P30) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
552	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P31) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
553	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P32) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
554	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P33) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
555	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P34) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
556	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P35) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
557	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P36) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
558	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P37) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
559	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P38) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
560	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P39) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
561	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P40) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
562	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P41) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
563	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P42) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
564	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P43) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
565	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P44) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
566	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P45) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
567	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P46) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
568	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P47) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
569	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P48) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
570	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P49) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
571	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P50) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
572	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P51) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
573	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P52) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
574	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P53) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
575	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P54) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
576	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P55) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
577	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P56) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
578	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P57) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
579	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P58) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
580	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P59) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
581	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P60) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
582	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P61) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
583	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P62) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
584	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P63) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
585	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P64) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
586	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P65) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
587	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P66) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
588	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P67) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
589	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P68) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
590	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P69) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
591	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P70) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
592	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P71) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
593	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P72) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
594	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P73) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
595	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P74) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
596	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P75) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
597	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P76) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
598	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P77) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
599	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P78) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
600	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P79) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
601	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P80) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
602	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P81) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
603	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P82) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
604	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P83) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
605	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P84) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
606	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P85) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
607	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P86) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
608	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P87) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
609	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P88) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
610	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P89) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
611	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P90) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
612	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P91) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
613	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P92) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
614	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P93) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
615	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P94) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
616	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P95) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
617	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P96) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
618	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P97) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
619	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P98) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.

NO	ISSUE	SEVERITY	DESCRIPTION
620	Content Provider (com.chaozhuo.supreme.client.stub.StubContentProvider$P99) is Protected by a permission. Permission: com.chaozhuo.gameassistant.permission.SAFE_ACCESS protectionLevel: signature [android:exported=true]	info	A Content Provider is found to be exported, but is protected by permission.
621	Content Provider (com.chaozhuo.supreme.client.stub.ContentProviderProxy) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
622	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.StartupActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
623	TaskAffinity is set for activity (com.chaozhuo.supreme.client.stub.PermissionRequestActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
624	Launch Mode of activity (com.chaozhuo.supreme.client.stub.PermissionRequestActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.
625	Activity (com.chaozhuo.supreme.client.stub.PermissionRequestActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
626	Launch Mode of activity (com.chaozhuo.appcheck.NewUpdateDetectedActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

CODE ANALYSIS

HIGH: **1** | WARNING: **9** | INFO: **1** | SECURE: **0** | SUPPRESSED: **0**

NO	ISSUE	SEVERITY	STANDARDS	FILES
				Jama/examples/MagicSquareExample.java Jama/test/TestMatrix.java a0/c.java a0/d.java a0/i.java a2/b.java android/content/SyncStatusInfo.java b2/c.java b2/e.java b2/i.java b3/c.java b3/g.java b3/u.java c8/e.java c8/f.java c8/g.java com/airbnb/lottie/LottieAnimationView.java com/airbnb/lottie/e.java com/airbnb/lottie/f.java com/airbnb/lottie/g.java com/airbnb/lottie/h.java com/airbnb/lottie/n.java com/airbnb/lottie/p.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/airbnb/lottie/p.java com/chaozhuo/gameassistant/XApp.java com/chaozhuo/gameassistant/czkeymap/view/BaseStretchView.java com/chaozhuo/gameassistant/fakelocation/ChooseLocationActivity.java com/chaozhuo/gameassistant/homepage/widget/GameLauncherLayout.java com/chaozhuo/gameassistant/ipc/Utils/LogUtils.java com/chaozhuo/gameassistant/ipc/server/network/TCPServerController.java com/chaozhuo/gameassistant/recommendpage/widget/BadgeView.java com/chaozhuo/supreme/client/stub/ChooseTypeAndAccountActivity.java com/chaozhuo/supreme/hooker/ActivityHooker.java com/chaozhuo/supreme/hooker/CustomHooker.java com/chaozhuo/supreme/remote/VParceledListSlice.java com/chaozhuo/supreme/server/content/b.java com/chaozhuo/supreme/server/content/d.java com/chaozhuo/supreme/server/content/e.java com/chaozhuo/supreme/server/content/f.java com/chaozhuo/supreme/server/pm/installer/a.java com/liulishuo/filedownloader/DownloadTask.java com/liulishuo/filedownloader/DownloadTaskHunter.java com/liulishuo/filedownloader/FileDownloadList.java com/liulishuo/filedownloader/FileDownloadListener.java com/liulishuo/filedownloader/FileDownloadMessenger.java com/liulishuo/filedownloader/FileDownloa

NO	ISSUE	SEVERITY	STANDARDS	FILES
				dTaskLauncher.java com/liulishuo/filedownloader/FileDownloader.java
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/liulishuo/filedownloader/LostServiceConnectedHandler.java com/liulishuo/filedownloader/MessageSnapshotGate.java com/liulishuo/filedownloader/QueuesHandler.java com/liulishuo/filedownloader/connection/RedirectHandler.java com/liulishuo/filedownloader/database/NoDatabaseImpl.java com/liulishuo/filedownloader/database/SqliteDatabaseImpl.java com/liulishuo/filedownloader/download/ConnectTask.java com/liulishuo/filedownloader/download/CustomComponentHolder.java com/liulishuo/filedownloader/download/DownloadLaunchRunnable.java com/liulishuo/filedownloader/download/DownloadRunnable.java com/liulishuo/filedownloader/download/DownloadStatusCallback.java com/liulishuo/filedownloader/download/FetchDataTask.java com/liulishuo/filedownloader/event/DownloadEventPoolImpl.java com/liulishuo/filedownloader/event/IDownloadEvent.java com/liulishuo/filedownloader/message/MessageSnapshotTaker.java com/liulishuo/filedownloader/services/BaseFileServiceUIGuard.java com/liulishuo/filedownloader/services/DownloadMgrInitialParams.java com/liulishuo/filedownloader/services/FDServiceSeparateHandler.java com/liulishuo/filedownloader/services/FileDownloadManager.java com/liulishuo/filedownloader/services/FileDownloadThreadPool.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/liulishuo/filedownloader/util/DownloadServiceNotConnectedHelper.java com/liulishuo/filedownloader/util/FileDownloadProperties.java com/liulishuo/filedownloader/util/FileDownloadSerialQueue.java com/liulishuo/filedownloader/util/FileDownloadUtils.java com/scwang/smartrefresh/layout/SmartRefreshLayout.java com/swift/sandhook/ClassNeverCall.java com/swift/sandhook/HookLog.java com/swift/sandhook/PendingHookHandler.java com/swift/sandhook/SandHook.java com/swift/sandhook/utils/FileUtils.java com/swift/sandhook/utils/ReflectionUtils.java com/swift/sandhook/utils/Unsafe.java com/tendcloud/tenddata/TalkingDataGA.java com/youth/banner/Banner.java d0/c0.java d0/d0.java d0/e0.java d0/f0.java d0/g0.java d0/n.java d0/x.java d0/y.java d0/z.java d7/c.java e0/c.java e0/h.java e0/l.java e2/i.java e3/a.java e3/e.java e8/c.java f/a.java f8/c.java g7/i.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				h8/b.java h8/c.java i/g.java i8/a.java j/c.java k7/c.java m1/b.java m4/b.java m7/b.java m7/r.java mc/f.java o/a.java o3/e.java org/slf4j/helpers/MessageFormatter.java org/slf4j/helpers/Util.java p/c.java p/h.java p/j.java p1/a.java q/f.java q/h.java q/s.java q0/e.java q1/a.java q3/f.java q3/i.java q7/d.java s0/d.java s1/z.java t4/d.java t7/c.java u0/c.java v1/g.java v2/a.java v2/b.java v3/f.java v3/j.java w/f.java w/f0.java w/h0.java w/k.java w/p.java w/w.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				w/x.java w1/d.java x0/c.java x3/g.java x3/i.java x9/b.java y/d.java y/h0.java y/m0.java y1/b.java y7/e.java z/h.java z0/b.java z0/c.java z0/e.java
2	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/chaozhuo/gameassistant/mepage/z0.java com/chaozhuo/supreme/server/bit64/AddonContentProvider.java com/moba/unityplugin/AndroidUtile.java q7/c.java
3	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/liulishuo/filedownloader/util/FileDownloadUtils.java f8/b.java i4/a.java m7/k.java okio/Buffer.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	a7/a.java com/chaozhuo/gameassistant/mepage/widget/TurntableView.java com/chaozhuo/gameassistant/widget/CashUserView.java com/chaozhuo/gameassistant/widget/EarnCashItemLayout.java com/chaozhuo/supreme/remote/VDeviceConfig.java com/chaozhuo/supreme/server/content/b.java com/chaozhuo/supreme/server/content/e.java com/chaozhuo/supreme/server/pm/installer/e.java q9/a.java
5	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/liulishuo/filedownloader/database/SqliteDatabaseImpl.java com/liulishuo/filedownloader/database/SqliteDatabaseOpenHelper.java x1/a.java
6	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/chaozhuo/supreme/helper/dedex/a.java m7/k.java x3/b.java
7	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/chaozhuo/gameassistant/ipc/Utils/Const.java
8	The file or SharedPreference is World Writable. Any App can write to the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	c8/c.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
9	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/chaozhuo/gameassistant/convert/bean/KeyMappingInfo.java com/chaozhuo/onlineconfiguration/CZOnlineConfigConstants.java
10	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/chaozhuo/gameassistant/recommendpage/widget/DiscoveryWebView.java
11	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	g9/e.java s1/z.java

SHARED LIBRARY BINARY ANALYSIS

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
1	arm64-v8a/libsupreme.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memmove_chk', '__vsprintf_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
2	arm64-v8a/libsandhook-native.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsnprintf_chk', '__strlen_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
3	arm64-v8a/libsupreme_64.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsnprintf_chk', '__strlen_chk', '__memcpy_chk', '__memmove_chk', '__read_chk', '__vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
4	arm64-v8a/libsandhook.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsnprintf_chk', '__strlen_chk', '__memmove_chk', '__strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
5	arm64-v8a/libsandhook-native_32.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
6	arm64-v8a/libsandhook_32.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
7	arm64-v8a/libsupreme.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__memcpy_chk', '__memmove_chk', '__vsprintf_chk', '__strlen_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
8	arm64-v8a/libsandhook-native.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsnprintf_chk', '__strlen_chk', '__memmove_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
9	arm64-v8a/libsupreme_64.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsnprintf_chk', '__strlen_chk', '__memcpy_chk', '__memmove_chk', '__read_chk', '__vsprintf_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
10	arm64-v8a/libsandhook.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__vsnprintf_chk', '__strlen_chk', '__memmove_chk', '__strcat_chk']	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
11	arm64-v8a/libsandhook-native_32.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	False warning The binary does not have any fortified functions. Fortified functions provides buffer overflow checks against glibc's commons insecure functions like strcpy, gets etc. Use the compiler option -D_FORTIFY_SOURCE=2 to fortify functions. This check is not applicable for Dart/Flutter libraries.	True info Symbols are stripped.

NO	SHARED OBJECT	NX	PIE	STACK CANARY	RELRO	RPATH	RUNPATH	FORTIFY	SYMBOLS STRIPPED
12	arm64-v8a/libsandhook_32.so	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	Dynamic Shared Object (DSO) info The shared object is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	Full RELRO info This shared object has full RELRO enabled. RELRO ensures that the GOT cannot be overwritten in vulnerable ELF binaries. In Full RELRO, the entire GOT (.got and .got.plt both) is marked as read-only.	None info The binary does not have run-time search path or RPATH set.	None info The binary does not have RUNPATH set.	True info The binary has the following fortified functions: ['__strcat_chk']	True info Symbols are stripped.

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00130	Get the current WIFI information	wifi collection	h8/c.java
00013	Read file and put it into a stream	file	Jama/test/TestMatrix.java a3/a.java a3/b.java com/chaozhuo/supreme/server/bit64/AddonContentProvider.java com/chaozhuo/supreme/server/content/e.java com/chaozhuo/supreme/server/job/VJobSchedulerService.java com/chaozhuo/supreme/server/pm/m.java com/chaozhuo/supreme/server/pm/parser/a.java d0/d0.java d0/x.java e8/a.java f8/a.java f8/b.java g8/a.java k7/f.java m4/o.java m7/b.java m7/i.java m7/k.java m7/m.java okio/Okio.java s1/z.java t7/c.java u7/j.java v1/c.java v3/k.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	a3/a.java a3/b.java com/chaozhuo/gameassistant/XApp.java com/chaozhuo/supreme/client/NativeInitializer.java com/chaozhuo/supreme/client/core/VirtualCore.java com/chaozhuo/supreme/helper/compat/j.java com/chaozhuo/supreme/helper/compat/m.java com/chaozhuo/supreme/server/bit64/AddonContentProvider.java com/chaozhuo/supreme/server/pm/installer/PackageInstallerSession.java com/chaozhuo/supreme/server/pm/j.java com/chaozhuo/supreme/server/pm/m.java com/chaozhuo/supreme/server/pm/parser/a.java com/liulishuo/filedownloader/DownloadTaskHunter.java com/liulishuo/filedownloader/util/FileDownloadUtils.java com/moba/unityplugin/AndroidUtile.java com/swift/sandhook/SandHook.java f8/a.java m4/c.java m7/i.java m7/k.java n4/b.java n4/c.java p4/d.java q7/c.java s1/z.java v1/a.java x1/b.java z4/e.java
00003	Put the compressed bitmap data into JSON object	camera	m4/c.java
00005	Get absolute path of file and put it to JSON object	file	com/moba/unityplugin/AndroidUtile.java m4/c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	m4/c.java
00091	Retrieve data from broadcast	collection	com/chaozhuo/supreme/client/stub/ChooseTypeAndAccountActivity.java com/chaozhuo/supreme/client/stub/ChooserActivity.java w/d0.java z/e.java
00121	Create a directory	file command	com/chaozhuo/supreme/client/core/VirtualCore.java com/chaozhuo/supreme/server/bit64/AddonContentProvider.java
00125	Check if the given file path exist	file	com/chaozhuo/supreme/client/core/VirtualCore.java com/chaozhuo/supreme/server/bit64/AddonContentProvider.java com/chaozhuo/supreme/server/content/e.java com/chaozhuo/supreme/server/pm/parser/a.java t7/c.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	c4/e.java c4/l.java com/chaozhuo/appcheck/NewUpdateDetectedActivity.java com/chaozhuo/gameassistant/XActivity.java com/chaozhuo/gameassistant/homepage/RequestInstallPkgActivity.java com/chaozhuo/gameassistant/mepage/AboutActivity.java com/chaozhuo/gameassistant/mepage/DialogFactory.java com/chaozhuo/gameassistant/mepage/ObbFilesActivity.java com/chaozhuo/gameassistant/mepage/z0.java com/chaozhuo/gameassistant/recommendpage/widget/DiscoveryWebView.java com/chaozhuo/supreme/server/pm/j.java com/moba/unityplugin/AndroidUtile.java m4/i.java m4/o.java p/c.java v3/j.java w/b.java w/d0.java y3/b.java z4/e.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/chaozhuo/gameassistant/mepage/AboutActivity.java com/chaozhuo/gameassistant/mepage/z0.java com/chaozhuo/gameassistant/recommendpage/widget/DiscoveryWebView.java com/chaozhuo/supreme/server/pm/j.java m4/o.java v3/j.java z4/e.java
00075	Get location of the device	collection location	k0/k.java

RULE ID	BEHAVIOUR	LABEL	FILES
00036	Get resource file from res/raw directory	reflection	c4/e.java com/moba/unityplugin/AndroidUtile.java m4/i.java m4/o.java v3/j.java w/b.java y3/b.java
00192	Get messages in the SMS inbox	sms	w0/d.java
00187	Query a URI and check the result	collection sms calllog calendar	com/chaozhuo/supreme/server/content/e.java n0/e.java z0/e.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	n0/e.java z0/e.java
00189	Get the content of a SMS message	sms	com/chaozhuo/supreme/server/content/e.java n0/e.java
00188	Get the address of a SMS message	sms	com/chaozhuo/supreme/server/content/e.java n0/e.java
00200	Query data from the contact list	collection contact	com/chaozhuo/supreme/server/content/e.java n0/e.java
00201	Query data from the call log	collection calllog	com/chaozhuo/supreme/server/content/e.java n0/e.java
00175	Get notification manager and cancel notifications	notification	w/x.java

RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	a3/b.java c8/e.java com/liulishuo/filedownloader/connection/FileDownloadUrlConnection.java
00030	Connect to the remote server through the given URL	network	a3/b.java c8/e.java com/liulishuo/filedownloader/connection/FileDownloadUrlConnection.java
00109	Connect to a URL and get the response code	network command	a3/b.java c8/e.java com/liulishuo/filedownloader/connection/FileDownloadUrlConnection.java
00004	Get filename and put it to JSON object	file collection	com/moba/unityplugin/AndroidUtile.java
00123	Save the response to JSON after connecting to the remote server	network command	com/moba/unityplugin/AndroidUtile.java
00056	Modify voice volume	control	com/moba/unityplugin/AndroidUtile.java
00054	Install other APKs from file	reflection	m7/e.java z4/e.java
00033	Query the IMEI number	collection	h8/b.java
00096	Connect to a URL and set request method	command network	a3/b.java c8/e.java
00023	Start another application from current application	reflection control	com/chaozhuo/gameassistant/mepage/DialogFactory.java
00094	Connect to a URL and read data from it	command network	c8/e.java

RULE ID	BEHAVIOUR	LABEL	FILES
00108	Read the input stream from given URL	network command	c8/e.java
00163	Create new Socket and connecting to it	socket	com/liulishuo/filedownloader/download/DownloadRunnable.java
00160	Use accessibility service to perform action getting node info by View Id	accessibility service	s0/d.java
00161	Perform accessibility service action on accessibility node info	accessibility service	s0/d.java
00159	Use accessibility service to perform action getting node info by text	accessibility service	s0/d.java
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	s0/d.java
00177	Check if permission is granted and request it	permission	w/b.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://octopus-ee09c.firebaseio.com

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/492775800797/namespaces/firebase:fetch?key=AIzaSyCxUo50XnxHISzYYiCIMeeI5-0TkQ3zDHo. This is indicated by the response: {'state': 'NO_TEMPLATE'}

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	18/25	android.permission.ACCESS_NETWORK_STATE, android.permission.INTERNET, android.permission.WAKE_LOCK, android.permission.CAMERA, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_WIFI_STATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE, android.permission.GET_ACCOUNTS, android.permission.READ_PHONE_STATE, android.permission.WRITE_SETTINGS, android.permission.GET_TASKS, android.permission.RECORD_AUDIO, android.permission.VIBRATE, android.permission.READ_CONTACTS, android.permission.SET_WALLPAPER, android.permission.SYSTEM_ALERT_WINDOW
Other Common Permissions	22/44	com.google.android.gms.permission.AD_ID, android.permission.FOREGROUND_SERVICE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, android.permission.AUTHENTICATE_ACCOUNTS, com.google.android.c2dm.permission.RECEIVE, com.google.android.gms.permission.ACTIVITY_RECOGNITION, com.android.launcher.permission.INSTALL_SHORTCUT, android.permission.FLASHLIGHT, android.permission.ACCESS_LOCATION_EXTRA_COMMANDS, android.permission.CHANGE_NETWORK_STATE, android.permission.CHANGE_WIFI_STATE, android.permission.BATTERY_STATS, android.permission.BROADCAST_STICKY, android.permission.CALL_PHONE, android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, android.permission.MODIFY_AUDIO_SETTINGS, android.permission.READ_CALENDAR, android.permission.WRITE_CONTACTS, android.permission.BIND_APPWIDGET, android.permission.ACCOUNT_MANAGER, android.permission.PACKAGE_USAGE_STATS

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

❗ OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
api.er.run	IP: 121.40.103.103 Country: China Region: Zhejiang City: Hangzhou

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.zanuar.tk	ok	No Geolocation information available.
github.com	ok	**IP:** 140.82.114.3 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.775700 **Longitude:** -122.395203 **View:** Google Map
xmlpull.org	ok	**IP:** 185.199.108.153 **Country:** United States of America **Region:** Pennsylvania **City:** California **Latitude:** 40.065632 **Longitude:** -79.891708 **View:** Google Map

DOMAIN	STATUS	GEOLOCATION
octopus-ee09c.firebaseio.com	ok	**IP:** 35.201.97.85 **Country:** United States of America **Region:** Missouri **City:** Kansas City **Latitude:** 39.099731 **Longitude:** -94.578568 **View:** Google Map
schemas.android.com	ok	No Geolocation information available.
octopusgame.app	ok	**IP:** 34.195.168.141 **Country:** United States of America **Region:** Virginia **City:** Ashburn **Latitude:** 39.043720 **Longitude:** -77.487488 **View:** Google Map
www.slf4j.org	ok	**IP:** 159.100.250.151 **Country:** Switzerland **Region:** Vaud **City:** Lausanne **Latitude:** 46.515999 **Longitude:** 6.632820 **View:** Google Map
discord.gg	ok	**IP:** 162.159.134.234 **Country:** United States of America **Region:** California **City:** San Francisco **Latitude:** 37.775700 **Longitude:** -122.395203 **View:** Google Map

DOMAIN	STATUS	GEOLOCATION
api.er.run	ok	**IP:** 121.40.103.103 **Country:** China **Region:** Zhejiang **City:** Hangzhou **Latitude:** 30.293650 **Longitude:** 120.161423 **View:** Google Map

EMAILS

EMAIL	FILE
-1@base.apk	q7/c.java
bd@octopusgame.com feedback@octopusgame.com	Android String Resource

TRACKERS

TRACKER	CATEGORIES	URL
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

HARDCODED SECRETS

POSSIBLE SECRETS
"handle_correcte_key_start_ok" : "START□□□□□□□□□□□□"
"handle_correcte_key_lb_ok" : "LB□□□□□□□□□□□□"
"tv_compass" : "□□□"
"tv_mouse_compass" : "□□□□"
"handle_correcte_key_thumb_r_ok" : "RS□□□□□□□□□□□□"
"occupy_shoot_key_tips" : "□□□□□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key_rb_ok" : "RB□□□□□□□□□□□□"
"handle_correcte_key_rb" : "□□□□□RB□□□□"
"game_mode_key" : "□□□□□"
"handle_correcte_key_y_ok" : "Y□□□□□□□□□□□□"
"handle_correcte_key" : "Tecla"
"mouse_key_exist_tips" : "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key_x_ok" : "X□□□□□□□□□□□□"
"handle_correcte_key_thumb_r" : "□□□□□RS□□□□"

POSSIBLE SECRETS
"use_other_key_value" : "□□□□□□"
"handle_correcte_key_start_ok" : "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□"
"config_key_map" : "□□□□□□"
"handle_to_key" : "□□□"
"handle_correcte_key" : "Touche"
"handle_correcte_key_y" : "□□□□□Y□□□□"
"tv_compass" : "Compass"
"handle_correcte_key_x" : "□□□□□X□□□□"
"game_mode_key" : "Teclado"
"tv_compass" : "□□□"
"occupy_shoot_key_tips" : "□□□□□□□□□□□□□□□"
"tv_compass" : "□□"
"multi_key_tips" : "□□□□□6□□□□□"
"handle_correcte_key_a" : "□□□□□A□□□□"
"short_key_fire_mode_input" : "□□□□□□□□□□"
"handle_correcte_key_lb" : "LB□□□□□□□□□□□□"

POSSIBLE SECRETS
"handle_correcte_key_rb_ok" : "RB□□□□□□□□□□□□□"
"handle_correcte_key_rt" : "□□□□□RT□□□□□"
"handle_correcte_key" : "Клавиша"
"handle_correcte_key_start" : "□□□□□START□□□□□"
"tv_key_transparent" : "□□□□□"
"handle_correcte_key_b" : "□□□□□B□□□□□"
"handle_correcte_key_rt" : "□□□□□RT□□□□□"
"handle_correcte_key_a" : "A□□□□□□□□□□□□□"
"handle_correcte_key_select_ok" : "SELECT□□□□□□□□□□□□"
"handle_correcte_key_x" : "□□□X□□□□□□□□□"
"use_other_key_value" : "□□□□□□□□□"
"mouse_key_exist_tips" : "□□□□□□□□□□□□□□□□□"
"handle_correcte_key_x" : "□□□□□X□□□□□"
"handle_to_key" : "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key_select" : "□□□□□SELECT□□□□□"
"handle_correcte_key_lb_ok" : "LB□□□□□□□□□□□□□□□□□□□□□□□□□□□"

POSSIBLE SECRETS
"tv_key_transparent_left" : "Hidden"
"short_key_fire_mode_tips" : "□□/□□□

POSSIBLE SECRETS
"handle_correcte_key_start" : "START□□□□□□□□□□□□"
"handle_correcte_key_thumb_r" : "□□□□□RS□□□□"
"handle_correcte_key_rb" : "RB□□□□□□□□□□□□"
"handle_correcte_key_start_ok" : "START□□□□□□□□□□□□"
"handle_correcte_key_thumb_l" : "□□□□□LS□□□□"
"handle_correcte_key_thumb_l_ok" : "LS□□□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key_a_ok" : "A□□□□□□□□□□□□"
"handle_correcte_key_thumb_l_ok" : "LS□□□□□□□□□□□□"
"handle_correcte_key_x_ok" : "X□□□□□□□□□□□□"
"handle_correcte_key" : "■■■■■"
"handle_correcte_key_rt_ok" : "RT□□□□□□□□□□□□"
"multi_key_use_tips" : "□□"
"tv_key" : "Key"
"handle_correcte_key_lt_ok" : "LT□□□□□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key" : "■■■■■"
"tv_key" : "□□"

POSSIBLE SECRETS
"short_key_fire_mode_input" : "□□□□□□□□□□□□□□□□□□□□□□"
"tv_key_transparent" : "□□□□□□□□"
"tv_key" : "□□"
"google_maps_key" : "AIzaSyAhy38vZiMtT3_qzM5Lgr_5_moaZhCKGRc"
"multi_key_tips" : "□□□□□□6□□□□□□"
"firebase_database_url" : "https://octopus-ee09c.firebaseio.com"
"tv_key_transparent_left" : "□□"
"tv_compass" : "Bússola"
"handle_correcte_key_b" : "□□□B□□□□□□□□□"
"handle_correcte_key_rt" : "□□□RT□□□□□□□□"
"sight_key_conflict_tips" : "□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key" : "Chave"
"handle_correcte_key_lt" : "□□□□□LT□□□□"
"handle_correcte_key_thumb_r" : "RS□□□□□□□□□□□□"
"tv_key_transparent" : "□□□□□"
"handle_correcte_key_thumb_r_ok" : "RS□□□□□□□□□□□□"

POSSIBLE SECRETS
"handle_correcte_key_lt" : "□□□□□LT□□□□"
"handle_correcte_key_b" : "□□□□□B□□□□"
"handle_correcte_key_thumb_l" : "LS□□□□□□□□□□□"
"tv_key" : "□□"
"google_crash_reporting_api_key" : "AIzaSyCxUo50XnxHISzYYiCIMeeI5-0TkQ3zDHo"
"sight_key_conflict_tips" : "□□□□□□□□□□□

POSSIBLE SECRETS
"handle_correcte_key_lt_ok" : "LT□□□□□□□□□□□□"
"handle_correcte_key" : "□"
"handle_correcte_key_start" : "■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■"
"multi_key_use_tips" : "□□□□□□□□□□□□

POSSIBLE SECRETS
"handle_correcte_key_thumb_l_ok" : "LS□□□□□□□□□□□□"
"handle_correcte_key_lb" : "□□□□□LB□□□□"
"key_to_handle" : "□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key_rt_ok" : "RT□□□□□□□□□□□□"
"handle_correcte_key" : "Tombol"
"handle_correcte_key_select_ok" : "SELECT□□□□□□□□□□□□□□□□□□□□□□□□□□"
"tv_compass" : "□□"
"handle_correcte_key" : "مفتاح"
"handle_correcte_key_select" : "SELECT□□□□□□□□□□□□"
"mouse_key_exist_tips" : "□□□□□□□□□□□□□□□□□□"
"tv_key" : "□□"
"handle_correcte_key_b_ok" : "B□□□□□□□□□□□□"
"game_mode_key" : "□□□"
"game_mode_key" : "□□"
"handle_correcte_key" : "□□□□"
"multi_key_use_tips" : "□□□□□□□□□□□□□□□□□□□

POSSIBLE SECRETS
"handle_correcte_key_y_ok" : "Y□□□□□□□□□□□□"
"handle_correcte_key_y" : "□□□□□□□□□□□□□□"
"tv_compass" : "Kompas"
"handle_correcte_key_rt_ok" : "RT□□□□□□□□□□□□□□□□□□□□□□□□□□□□"
"handle_correcte_key_thumb_l" : "□□□□□LS□□□□"
"handle_correcte_key_b_ok" : "B□□□□□□□□□□□□"
"handle_correcte_key_lb_ok" : "LB□□□□□□□□□□□□"
"handle_correcte_key_y" : "□□□□□Y□□□□"
0IMe0hZjzvPOj0FU8vVpI60XmFXXOxBk0ZbCWvkG8dU=
YW5kcm9pZC5hcHAuQWxlcnREaWFsb2ckQnVpbGRlcg==
3U0cjCPkA8fmy+qqbK7WJ2AhtyNFccQtIqqvzcvTqob91cu5tr66zNiNrkLc8aJb

POSSIBLE SECRETS
308204433082032ba003020102020900c2e08746644a308d300d06092a864886f70d01010405003074310b3009060355040613025553311330110603550408130a43616c6966f726e69613116301406035504071 30d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964301e170d303830383231323331333333345a170d333630313037323331333333345a3074310b3009060355040613025553311330110603550408130a43616c69666f726e69613116301406035504071 30d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820120300d06092a864886f70d01010105000382010d00308201080282010100ab562e00d83ba208ae0a966f124e29da11f2ab56d08f58e2cca91303e9b754d372f640a71b1dcb130967624e4656a7776a92193db2e5bfb724a91e77188b0e6a47a43b33d9609b77183145ccdf7b2e586674c9e1565b1f4c6a5955bff251a63dabf9c55c27222252e875e4f8154a645f897168c0b1bfc612eabf785769bb34aa7984dc7e2ea2764cae8307d8c17154d7ee5f64a51a44a602c249054157dc02cd5f5c0e55fbef8519fbe327f0b1511692c5a06f19d18385f5c4dbc2d6b93f68cc2979c70e18ab93866b3bd5db8999552a0e3b4c99df58fb918bedc182ba35e003c1b4b10dd244a8ee24fffd333872ab5221985edab0fc0d0b145b6aa192858e79020103a381d93081d6301d0603551d0e04160414c77d8cc2211756259a7fd382df6be398e4d786a53081a60603551d2304819e30819b8014c77d8cc2211756259a7fd382df6be398e4d786a5a178a4763074310b3009060355040613025553311330110603550408130a43616c69666f726e69613116301406035504071 30d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964820900c2e08746644a308d300c0603551d13040530030101ff300d06092a864886f70d01010405000382010100 6dd252ceef85302c360aaace939bcff2cca904bb5d7a1661f8ae46b2994204d0ff4a68c7ed1a531ec4595a623ce60763b167297a7ae35712c407f208f0cb109429124d7b106219c084ca3eb3f9ad5fb871ef92269a8be28bf16d44c8d9a08e6cb2f005bb3fe2cb96447e868e731076ad45b33f6009ea19c161e62641aa99271dfd5228c5c587875ddb7f452758d661f6cc0cccb7352e424cc4365c523532f7325137593c4ae341f4db41edda0d0b1071a7c440f0fe9ea01cb627ca674369d084bd2fd911ff06cdbf2cfa10dc0f893ae35762919048c7efc64c7144178342f70581c9de573af55b390dd7fdb9418631895d5f759f30112687ff621410c069308a
icVSPKCsokOqk/nN9ldgEGzs48x1unFAjrOT1dBDO7k=
470fa2b4ae81cd56ecbcda9735803434cec591fa
Tw8s+i46jU7h4eAAIyqjRm6Qx2s08AiuQFiQiAnvTc/m6i7qS69Zqr0xce6FwG0s
7E6XPHHgJYFzxm7py5uavXz1wvEMAaDOWzYZ4RGmH8Q=
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
xg6GNdV7fYR9czDPsYCpiIl0/69vO40WnrUnsYSb5exMDfWVVhFT+7O8xMnCz7QV
8G9c9fsfPvjJxInHRs9Zm9vZr56UYrRb8WMC1rhyiOA=
NVotBewebesTf3yaQqbfIHsAQGGO5mYV6zcO8zQG+1Te4y/3fFN6rm5Uo4mLM7YY
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5

POSSIBLE SECRETS
dBvoahw90QxEayGvM7wPL8uyGyjAlcLulgarkCbJ360=
115792089210356248762697446949407573530086143415290314195533631308867097853951
68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403803403 72808892707005449
5qOA5rWL5Yiw5oKo5omA5L2/55So55qE6L2v5Lu25LiN5piv5Yek5Yew5bel5L2c5a6k55qE5a6Y5pa55q2j54mI6L2v5Lu277yM5pyJ5Y+v6IO96KKr5qSN5YWl5LqG5oG25oSP5Luj5 6CB77yM5L615a6z5oKo55qE6K6+5aSH5oiW6ICF6ZqQ56eB77yM5bu66K6u5oKo5Y675Yek5Yew5bel5L2c5a6k55qE5a6Y572R5LiL6L295q2j54mI6L2v5Lu277yM5bm25Zyo6K66 5Z2b5Li+5oql5q2k54mI5pys44CCd3d3LnBob2VuaXhzdHVkaW8ub3Jn
nFFCV0RNg4jne34kh3cuJ7Rctyd77rnT1UYT4k6WJUQ=
2aR451s+WavC28PZAI1OicYdxdf9H8e1m2qQ6Vd7HNY=
V2UndmUgZGV0ZWN0ZWQgdGhhdCB0aGUgc29mdHdhcmUgeW91IGFyZSB1c2luZyBpcyBub3QgYSBnZW51aW5lIFBob2VuaXggU3R1ZGlvIHByb2R1Y3QsIHdoaWNoIG1heSBjY XVzZSBkaXNjbG9zdXJlIG9mIHlvdXIgcHJpdmFjeSBhbmQgaGFybWZ1bCB0byB5b3VyIGRldmljZS4gV2Ugc3Ryb25nbHkgc3VnZ2VzdCB5b3UgdG8gZG93bmxvYWQgYSBnZW51aW 5lIHZlcnNpb24gb2YgdGhpcyBwcm9kdWN0IGZyb20gb3VyIG9mZmljaWFsIHdlYiBzaXRlLCBhbmQgcmVwb3J0IHRoaXMgaXNzdWUgdG8gdXMsIHRoYW5rIHlvdS4gd3d3LnBob2V uaXhzdHVkaW8ub3Jn
5kaSofNlVXtCUNlGdVeQWvaOP7NTIA28WhQGVqYMr2+1W5DIZ4rAeif/Ixnxac6c
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
fyLPA28mp7uPyBOReRADDijv3FZ1tUGnt5ZGr7JsU06e7RVIoG/wHKNRMf3WJSQe
CNH0HFMOMU1Nrmid580u5GwyoVtbweFPAsHIvna6oGuy7GvzbjYQOB8wix+zhJ0t
apLnpmRDpCfdu10ORTmQ+sdRCmiB4EA8hGSHUeA9nD0=
soiTax1jBnD3649O45Tb84AswyowGJo3bnB66jWq5Kw=

POSSIBLE SECRETS
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
PuuRKBgJ4ot1aOnWjIUdGlqyRoZ6ZOMOeX7ZmvGezGg=
ehe3LQxKXFrt/NNsQSZhaLiz0oEhy5ctQpqWTqSg+00=
z6qQV45Nmnz8yfEHycE7xvBh5frOehaJSTK9o+9gqcg=
1Bl17hQq0WWTvmWWEgdcU2HCh9GQdFF/nionC9ho0WU=
2wtcCTLoT7a0RzNv8L+mVKR+6NVfukO9BpKgsaOGTiHGeYqcI7vlZYOTUtiUYK5a
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
kwtXYBCvBLfWcikGQlC0YCCiAi3jf0v8mKFP3Rqx70Jf0cytKZO4qWHMAffIVrkU
Bh5pClYU50tw4hiHvABH1pMF0C7RYCQSvKvFr+ZMSOJwQxEU/7HcV4ByjdhbUI8z
AIzaSyDRKQ9d6kfsoZT2lUnZcZnBYvH69HExNPE
Jdw9xFuo4OHuL+Waf9VEkBs6M7XtRhuX3PknFoicWEjQXQ4CENXY5MXEEK1WPoR/
faUXYiGUMq7bQIeIkZZxqavg/5i6OivEyj0LKDXCfso=
c103703e120ae8cc73c9248622f3cd1e
AEKrzIydHngo8q7U2b8x25JI4cfZS+4qAP315Zd3WikH6poIulxYQwD/LrG8ezMS
686479766013060971498190079908139321726943530014330540939446345918554318339765605212255964066145455497729631139148085803712198799971664381257402829111505715 1
59128569B08D07FE61DC177606DF8BF4

POSSIBLE SECRETS

9Ibp0iX8frxcDol5LCDOary7OEblvzOEr0WtPn69zRxHnh2qqHn8v0kanoAZtnND

308204a830820390a003020102020900d585b86c7dd34ef5300d06092a864886f70d010104050030819431 0b30090603550406130255533113301106035504081 30a43616c69666f726e696131163014060355040713 0d4d6f756e7461696e2056696577311030 0e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040 31307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d301e170d3038303431353233333635365a170d3335303930313233333635365a308194310b30090603550406130255533113301106035504081 30a43616c69666f726e696131163014060355040713 0d4d6f756e7461696e2056696577311030 0e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d30820120300d06092a864886f70d01010105000382010d00308201080282010100d6ce2e080abfe2314dd18db3cfd3185cb43d33fa0c74e1bdb6d1db8913f62c5c39df56f846813d65bec0f3ca426b07c5a8ed5a3990c167e76bc999b927894b8f0b22001994a92915e572c56d2a301ba36fc5fc113ad6cb9e7435a16d23ab7dfaeee165e4df1f0a8dbda70a869d516c4e9d051196ca7c0c557f175bc375f948c56aae86089ba44f8aa6a4dd9a7dbf2c0a352282ad06b8cc185eb15579eef86d080b1d6189c0f9af98b1c2ebd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3c645f2f55f3d4c375ec4070a93f7151d83670c16a971abe5ef2d11890e1b8aef3298cf066bf9e6ce144ac9ae86d1c1b0f020103a381fc3081f9301d0603551d0e041604148d1cc5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b2a1819aa48197308194310b30090603550406130255533113301106035504081 30a43616c69666f726e696131163014060355040713 0d4d6f756e7461696e2056696577311030 0e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e06035504031307416e64726f69643122302006092a864886f70d0109011613616e64726f696440616e64726f69642e636f6d820900d585b86c7dd34ef5300c0603551d13040530030101ff300d06092a864886f70d01010405000382010100 19d30cf105fb78923f4c0d7dd223233d40967acfce00081d5bd7c6e9d6ed206b0e11209506416ca244939913d26b4aa0e0f524cad2bb5c6e4ca1016a15916ea1ec5dc95a5e3a010036f49248d5109bbf2e1e618186673a3be56daf0b77b1c229e3c255e3e84c905d2387efba09cbf13b202b4e5a22c93263484a23d2fc29fa9f1939759733afd8aa160f4296c2d0163e8182859c6643e9c1962fa0c18333335bc090ff9a6b22ded1ad444229a539a94eefadabd065ced24b3e51e5dd7b66787bef12fe97fba484c423fb4ff8cc494c02f0f5051612ff6529393e8e46eac5bb21f277c151aa5f2aa627d1e89da70ab6033569de3b9897bfff7ca9da3e1243f60b

11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650

mckfj+6L7YQAG+Kc7UoytYIs9AbnOm5Xq8IrT+DQQ5M=

IowIKykYnY6WZoInjAhl1KeEVDwldWZiaxuj9ry3exU=

B3EEABB8EE11C2BE770B684D95219ECB

mC2vnvn09mABIg+Z3lW4jT9JiWpty1Pg+VYrat/OBbcFnzi+qVKsaQnZ8pNi1wxq

c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66

hunjs8A/5DNYOOAMFalGgcT5i4IxfyPvlvtXNFOaD034Wz4GSxVvrwBSs7k+Xuhr

POSSIBLE SECRETS
6DjMpZpwaW5op66Lef2rZgfmub82/L76U+lowNvybUI=
HiRHV0+7iHel8ouy3rC3Vh6JmfAaV6+B5y9bcOz6v6RtgCUkDJJ1u0Sc7x4KnqIM
15gLcM46Z4orUYIpbooVfBRJ135AlZRFOmzWaSvqSHg=
vKrEk100dPKKqaxICALjJbVlJ7Gg4dfwKwDEqSKZDKo=
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
Tgl2ye65VdPWpGRA4PcAavXIUkvdg+RB2j/Kpy7fLYc=
bNQyCiIh4bApN5OPBGky2u9xZmVV2JI0QXAUD4Niu0E=
Nh+w10G1n7Da4ABjUIxN+bi57DvusNUcn9VqpF1GXimOuh+Booa8zjDH+Fzh+CdP
SWC7heB+iJvjMtyDTDnMRbHSVyBQ/kwwuxCjVwpzEBg=
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
gRiEqMdygJbXVwKGpJJS0XfYaGpCoNDcsHcIyHSZIcdpg+a2r1SI+bnO9R0NWRI0
FZw69K6puYJxxRxEPnIcPhNWMb6KJOCrIG9Jmt7OCzqsABzt6hhEAApiISZy7jIX
gqK1fJWMt2lYn7O2X7ompi2Bw14HxMMjzTnJdiQom2Q=
c02d938226be4d8d87a8efb5bcea00a5
GZmNPeawNfdnWxeYT+Jkvj7Vlk5JycUitv3JUjomoDekPAkUoGh0m7MOHceNe5l+
afOCxwiNZt1pFw/pjRCeFiRYbGwWcjibO33q64LhR0M=

POSSIBLE SECRETS
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
EBqSzSIe3Rjv1o1jIB+xCBngdhv60cOxeintd9wp68g=
i/S3Ms1xTrAJGHFn1omMI5XPFfDzyhz5oaagmOhDNQg=
49f946663a8deb7054212b8adda248c6
XIDT/tdnEZKwO9t3IF1TXzt4lSi3aThE4MpcZzXzgu8=
115792089210356248762697446949407573529996955224135760342422259061068512044369
sGX187VmldVivMx8d2G9ijy8IexWLJjVBriaGlzwhpHKAK1AG3if6ICXfcjwXboZ

SCAN LOGS

Timestamp	Event	Error
2026-01-19 15:22:37	Generating Hashes	OK
2026-01-19 15:22:37	Extracting APK	OK
2026-01-19 15:22:37	Unzipping	OK
2026-01-19 15:22:37	Parsing APK with androguard	OK

2026-01-19 15:22:38	Extracting APK features using aapt/aapt2	OK
2026-01-19 15:22:38	Getting Hardcoded Certificates/Keystores	OK
2026-01-19 15:22:41	Parsing AndroidManifest.xml	OK
2026-01-19 15:22:41	Extracting Manifest Data	OK
2026-01-19 15:22:41	Manifest Analysis Started	OK
2026-01-19 15:22:41	Performing Static Analysis on: Octopus (com.chaozhuo.gameassistant)	OK
2026-01-19 15:22:42	Fetching Details from Play Store: com.chaozhuo.gameassistant	OK
2026-01-19 15:22:42	Checking for Malware Permissions	OK
2026-01-19 15:22:42	Fetching icon path	OK
2026-01-19 15:22:42	Library Binary Analysis Started	OK
2026-01-19 15:22:43	Analyzing apktool_out/lib/arm64-v8a/libsupreme.so	OK

2026-01-19 15:22:43	Analyzing apktool_out/lib/arm64-v8a/libsandhook-native.so	OK
2026-01-19 15:22:43	Analyzing apktool_out/lib/arm64-v8a/libsupreme_64.so	OK
2026-01-19 15:22:43	Analyzing apktool_out/lib/arm64-v8a/libsandhook.so	OK
2026-01-19 15:22:43	Analyzing apktool_out/lib/arm64-v8a/libsandhook-native_32.so	OK
2026-01-19 15:22:43	Analyzing apktool_out/lib/arm64-v8a/libsandhook_32.so	OK
2026-01-19 15:22:43	Analyzing lib/arm64-v8a/libsupreme.so	OK
2026-01-19 15:22:43	Analyzing lib/arm64-v8a/libsandhook-native.so	OK
2026-01-19 15:22:43	Analyzing lib/arm64-v8a/libsupreme_64.so	OK
2026-01-19 15:22:43	Analyzing lib/arm64-v8a/libsandhook.so	OK
2026-01-19 15:22:43	Analyzing lib/arm64-v8a/libsandhook-native_32.so	OK
2026-01-19 15:22:43	Analyzing lib/arm64-v8a/libsandhook_32.so	OK

2026-01-19 15:22:43	Reading Code Signing Certificate	OK
2026-01-19 15:22:43	Running APKiD 3.0.0	OK
2026-01-19 15:22:47	Detecting Trackers	OK
2026-01-19 15:22:50	Decompiling APK to Java with JADX	OK
2026-01-19 15:23:15	Converting DEX to Smali	OK
2026-01-19 15:23:15	Code Analysis Started on - java_source	OK
2026-01-19 15:23:18	Android SBOM Analysis Completed	OK
2026-01-19 15:23:22	Android SAST Completed	OK
2026-01-19 15:23:22	Android API Analysis Started	OK
2026-01-19 15:23:25	Android API Analysis Completed	OK
2026-01-19 15:23:25	Android Permission Mapping Started	OK

2026-01-19 15:24:02	Android Permission Mapping Completed	OK
2026-01-19 15:24:02	Android Behaviour Analysis Started	OK
2026-01-19 15:24:05	Android Behaviour Analysis Completed	OK
2026-01-19 15:24:05	Extracting Emails and URLs from Source Code	OK
2026-01-19 15:24:07	Email and URL Extraction Completed	OK
2026-01-19 15:24:07	Extracting String data from APK	OK
2026-01-19 15:24:07	Extracting String data from SO	OK
2026-01-19 15:24:08	Extracting String data from Code	OK
2026-01-19 15:24:08	Extracting String values and entropies from Code	OK
2026-01-19 15:24:10	Performing Malware check on extracted domains	OK
2026-01-19 15:24:14	Saving to Database	OK

Report Generated by - MobSF v4.4.4

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.