Jason Anrico CSC330 -HW1_2 2/4/2019

Connecting to the main.py flask app

```
Jasonanrico@csc330: ~/Flask_intro

File Edit View Search Terminal Help

Jasonanrico@csc330:~/flask_intro$ python3 -m flask run --host=0.0.0.0 --port=808

* Serving Flask app "main.py" (lazy loading)

* Environment: production

WARNING: No not use the development server in a production environment.

Use a production WSGI server instead.

* Debug mode: on

* Running on http://0.0.0.0:8080/ (Press CTRL+C to quit)

* Restarting with stat

* Debugger is active!

* Debugger PIN: 201-158-388
```

top level route '/'



Hello CSC330

reverse route reverse/hellocsc330



033cscolleh

convert route tobinary/250



The binary conversion of 250=0b11111010

```
jasonanrico@csc330: ~/flask_intro

File Edit View Search Terminal Help

jasonanrico@csc330: ~/flask_intro$ python3 -m flask run --host=0.0.0.0 --port=808

* Serving Flask app "main.py" (lazy loading)

* Environment: production

MARNING: No not use the development server in a production environment.

Use a production WSGI server instead.

* Debug mode: on

* Running on http://0.0.0.0:8080/ (Press CTRL+C to quit)

* Restarting with stat

* Debugger is active!

* Debugger PIN: 201-158-388

73.100.141.182 - - [04/Feb/2019 03:00:02] "GET / HTTP/1.1" 200 -
73.100.141.182 - - [04/Feb/2019 03:03:35] "GET /reverse/hellocsc330 HTTP/1.1" 30

1 -
73.100.141.182 - - [04/Feb/2019 03:04:33] "GET /reverse/hellocsc330/ HTTP/1.1" 200 -
73.100.141.182 - - [04/Feb/2019 03:04:33] "GET /tobinary/250 HTTP/1.1" 301 -
73.100.141.182 - - [04/Feb/2019 03:04:33] "GET /tobinary/250/ HTTP/1.1" 200 -
```