Chapter 6: Algorithmic Design

6.1 Guide to Algorithmic/Pseudo Code Design

The pseudo code for each code file in the system are grouped accordingly:

System Manager Pseudo Code

- 1. System Manager 1 code
- 2. System Manager 2 code
- 3. System Process code

Calculator Manager Pseudo Code

- 4. Calculator Manager code
- 5. rCalculatorUserTypes code
- 6. extraclasses code
- 7. rCalculatorClass code

Data Manager Code Pseudo Code

- 8. Data Manager code
- 9. data set code
- 10. set input code
- 11. IO Map code

Graph Manager Code Pseudo Code

- 12. Graph Manager code
- 13. graph_spec code
- 14. extragraphclasses code
- 15. graph_device code

Validator & Preprocessor Pseudo Code

- 16. Validator code
- 17. preprocessorTypes code
- 18. calc_preprocessor code

List and List Pseudo

- 19. ulist code
- 20. record object code
- 21. data_set_obj code
- 22. set_input_object code
- 23. IO_map_object code
- 24. name_object code
- 25. graph_spec_obj code
- 26. calc object code
- 27. stringobject code

Complex Number Pseudo Code

- 28. iadditional math code
- 29. complex functions code
- 30. complex (number) code
- 31. newstring code