

# Command Broker Commissioning & Joint Training

## *Standing Up the Command Broker Role at the Vendor-AOO Intersection*

Companion Module to the Command Broker Framework and the DBA Series

Module Designation: CB-CT

**Version 0.2 — DRAFT**

July 2026

Timothy E. Roxey · Eclectic Technologies

*Audience: ICS/OT Vendors and Suppliers, and Asset Owner/Operators — Procurement, Engineering, Operations, and Compliance*

Parent Document: Command Broker Framework, Cross-Sector (CB-Framework\_Cross\_Sector v0.2)

Companion Standard: CB-IB Qualification and Onboarding Standard (CB-IB\_Qualification\_Standard v0.1)

Related: Command Broker Implementation Guide V0.2 · DBA-VC Vendor Companion v0.8 · CB-UC-1 BA Integrated Interface v0.1

---

## 1. Purpose and Scope

This module governs how a Command Broker is stood up in practice: the commissioning-time and lifecycle procedure by which a qualified human broker is placed in control of a specific generative-AI-enabled product at a specific facility, and re-qualified when that product or its model materially changes. It is the connective tissue between obligations the corpus already assigns separately to vendors and to asset owner/operators (AOOs).

The Command Broker is the one role in the corpus that no single stakeholder fully owns. The human broker is the AOO's; the enforcement mechanism, the confirmation interface, the exercise mode, and the audit records are the vendor's; and band classification is a joint determination. The Command Broker Framework establishes the requirement, CB-IB defines broker competency, the Implementation Guide sets AOO governance, and DBA-VC sets vendor product obligations — but none sequences the handoff at which those halves meet. This module supplies that sequence.

**Method.** This is a standalone companion module. It owns the vendor-AOO seam end to end. Where a requirement is already normative in another corpus document, this module cites it rather than restating it; only the sequencing, the responsibility assignments, the gate criteria, the joint training procedure, and the re-qualification trigger are original and normative here.

- **In scope.** The roles, gates, joint training, and evidence by which a Command Broker is commissioned on a specific product at a specific facility, and re-qualified when the product or model materially changes.
- **Out of scope.** The definition of broker competencies (CB-IB), the Bright Line and criticality-band doctrine (CB-Framework), the confirmation-interface specification (CB-UC-1), and standing vendor product obligations (DBA-VC). This module sequences and connects those; it does not redefine them.

## 2. Position in the Corpus and Normative Convention

This module sits beneath the Command Broker Framework (parent) and alongside the CB-IB Qualification and Onboarding Standard (companion). It draws operational detail from the Implementation Guide (AOO governance), DBA-VC (vendor product obligations), and CB-UC-1 (confirmation interface).

**Conformance convention.** A requirement stated as “shall” is binding and introduced by this module. A requirement carried by cross-reference retains the force given it in its home document; this module only places it in sequence. Every requirement names the party accountable for it under the responsibility model in §3. Consistent with DBA-VC §3.1, a vendor’s product characterization does not substitute for the gate evidence required below.

### 3. Roles and Responsibility at the Seam

The responsibility model below is the spine of the module. R = responsible (does the work); A = accountable (single owner of the outcome and its sign-off); C = consulted; I = informed.

| Activity                                                | Vendor | AOO | Mode           |
|---------------------------------------------------------|--------|-----|----------------|
| Document band classification & config to change band    | R      | A   | Joint sign-off |
| Deliver enforcement mechanism & confirmation interface  | R      | I   | Vendor         |
| Provide exercise mode (known-erroneous injection)       | R      | C   | Vendor         |
| Staff, qualify & maintain the human broker              | C      | R/A | AOO            |
| Deliver product-specific interface/exercise walkthrough | R      | A   | Joint event    |
| Verify audit reconstruction without vendor cooperation  | C      | R/A | AOO-verified   |
| Model-update notification                               | R      | I   | Vendor         |
| Re-qualify broker after material model change           | C      | R/A | Joint trigger  |

**Governing principle.** Per the Command Broker Framework’s mechanism-vs-accountability distinction (CB-Framework §2), the vendor may build and operate the enforcement mechanism, but accountability for the brokered decision — and therefore for the broker’s fitness to make it — remains with the AOO’s named human broker. It follows that the AOO is accountable (A) for every broker-competency outcome in this table, even where the vendor is responsible (R) for delivering the material the broker is trained on.

## 4. Lifecycle Gates

A Command Broker is commissioned through an ordered sequence of gates. Each gate has entry criteria, defined activities, and an exit condition tied to a specific evidence artifact and a single accountable sign-off. No product operates above the Bright Line at a facility until the Operational Qualification gate (§4.4) has closed for the individual brokers assigned to it.

### 4.1 Procurement

- **Entry.** The criticality band of the intended application has been identified by the AOO (CB-Framework §3.3).
- **Activities.** The vendor provides the band-design statement and the configuration changes required to deploy at a different band (DBA-VC §2.2); the conformance, audit-record, and audit-reconstruction clauses are accepted (DBA-VC §3.1, §3.7).
- **Exit & evidence.** Signed vendor band-design statement and accepted conformance clause on file.
- **Accountable.** AOO, on joint band determination with the vendor.

### 4.2 Factory Acceptance (FAT)

- **Entry.** Product build complete.
- **Activities.** The vendor demonstrates, action by action, the product's Bright-Line placement (CB-Framework §3.2) and the operation of the exercise mode that injects known-erroneous recommendations to support broker qualification (DBA-VC).
- **Exit & evidence.** FAT record capturing the demonstrated Bright-Line placements and exercise-mode results.
- **Accountable.** Joint; AOO witnesses and countersigns.

### 4.3 Site Acceptance / Commissioning (SAT)

- **Entry.** Product installed in the target operating environment.
- **Activities.** On-site verification of the confirmation gesture sequence, staleness/degraded-data flags, and override procedure (CB-UC-1 §§4–5); verification that the AOO can independently reconstruct broker decisions from the audit record without vendor cooperation (DBA-VC §3.7).
- **Exit & evidence.** SAT record plus a passing audit-reconstruction test result.
- **Accountable.** AOO.

### 4.4 Operational Qualification

- **Entry.** Named brokers assigned; SAT closed.
- **Activities.** The Joint Training Event (§5) is delivered, and each assigned broker demonstrates competency against the CB-IB standard on this specific product.
- **Exit & evidence.** A per-broker competency record (CB-IB) and the training-event evidence package. This gate closes individually, per broker.
- **Accountable.** AOO. No broker operates above the Bright Line until this gate has closed for that individual.

### 4.5 Model-Update Re-Qualification

- **Entry.** A vendor material-change notice (DBA-VC model-update notification procedure).

- **Activities.** Per §6: classify the change, and where material, re-run the affected Joint Training Event modules and re-qualify affected brokers.
- **Exit & evidence.** Re-qualification record plus confirmation of audit continuity across the change.
- **Accountable.** AOO.

## 4.6 Periodic Drill

- **Entry.** The review interval or a triggering condition is reached (not less than annually for Highest-band applications, per the Implementation Guide).
- **Activities.** A degraded-mode / adversarial-stress exercise covering the stress categories in CB-Framework §3.6.
- **Exit & evidence.** Drill findings logged; any competency lapse triggers remediation before continued above-Bright-Line operation.
- **Accountable.** AOO.

# 5. The Joint Training Event

The Joint Training Event is the currently-unspecified centerpiece of the seam: the vendor-led walkthrough of a specific product delivered to the AOO's assigned brokers, paired with the AOO's own process-authority context. It is delivered at the Operational Qualification gate (§4.4) and re-run, for the affected modules, on any material model change (§6). CB-UC-1 establishes that interface training is a component of CB qualification maintenance; this section specifies the event that discharges it.

## 5.1 Vendor-led content (product-specific)

- The product's Bright-Line placement, action by action (CB-Framework §3.2).
- The confirmation gesture sequence, staleness/degraded-data flags, and override procedure (CB-UC-1 §§4–5).
- Operation of the exercise mode, including a live run in which each broker responds to injected known-erroneous recommendations (DBA-VC).
- How to read and reconstruct the audit record for a brokered decision (DBA-VC §3.7).

## 5.2 AOO-led content (facility-specific)

- The process-authority context: what the broker is deciding, and the operating limits that bound it.
- Escalation paths and decision-authority boundaries at this facility.
- The broker's non-delegable accountability for the brokered decision (CB-Framework §2).

## 5.3 Delivery and evidence

The event records attendance, the results of each broker's live exercise-mode run, and a per-broker competency sign-off that feeds the CB-IB competency record. That record is the evidence closing the Operational Qualification gate for each individual.

# 6. Model-Update Re-Qualification Loop

DBA-VC requires the vendor to notify the AOO, in advance, of model updates, fine-tuning changes, and retrieval-source changes. This module closes the loop that notification opens: it defines when such a change obliges re-training and re-qualification, and it requires audit continuity across the change.

**Material-change test (proposed).** A change is material if it could alter the product’s outputs for any class of actions at or above the Bright Line, or if it changes the confirmation interface, the exercise mode, or the structure of the audit record. A change confined to cosmetic or interface-styling behavior with no effect on above-Bright-Line outputs or on the evidence artifacts is non-material.

**Obligation.** On a material change, the affected modules of the Joint Training Event (§5) shall be re-run and the affected brokers re-qualified before the updated product operates above the Bright Line. Audit continuity shall be preserved so that pre-change and post-change brokered decisions remain reconstructable from a coherent record.

**Open decision.** Whether the material-change threshold above is maintained here or migrated into DBA-VC as a vendor-side definition is a corpus-placement decision for the author; the substance is intended to be identical wherever it lives.

## 7. Evidence and Artifact Mapping

Every gate resolves to an evidence artifact already required elsewhere in the corpus. This module imposes no new evidentiary burden; it sequences existing artifacts and assigns their sign-off.

| Gate / requirement            | Evidence artifact                                     | Home document                           |
|-------------------------------|-------------------------------------------------------|-----------------------------------------|
| Procurement                   | Band-design statement; accepted conformance clause    | DBA-VC §2.2, §3.1                       |
| Factory Acceptance            | Bright-Line placement & exercise-mode results         | CB-Framework §3.2; DBA-VC               |
| Site Acceptance               | Audit-reconstruction test result                      | DBA-VC §3.7; CB-UC-1 §§4–5              |
| Operational Qualification     | Per-broker competency record                          | CB-IB; this module §5                   |
| Model-Update Re-Qualification | Re-qualification record; audit-continuity attestation | DBA-VC; this module §6                  |
| Periodic Drill                | Degraded-mode exercise findings                       | CB-Framework §3.6; Implementation Guide |

## 8. Conformance and Misrepresentation

Each requirement in this module binds the party named accountable for it in §3. Consistent with CB-Framework §3.2 and DBA-VC §3.1, a vendor’s characterization of a product — for example as offering “turnkey autonomy” or “operator-free optimization” — does not substitute for the gate evidence required here, and does not by itself close any gate. No generative-AI-enabled product operates above the Bright Line at a facility until the Operational Qualification gate (§4.4) has closed for the brokers assigned to it, and re-closed after any material change under §6.

## 9. Foundational References

Command Broker Framework, Cross-Sector (CB-Framework\_Cross\_Sector v0.2). Roxey, T.E. Eclectic Technologies, 2026. [Parent: broker requirement, Bright Line, criticality-band model, mechanism-vs-accountability distinction.]

CB-IB Qualification and Onboarding Standard (CB-IB\_Qualification\_Standard v0.1). Roxey, T.E. Eclectic Technologies, 2026. [Companion: normative broker competency, onboarding, and accountability.]

Command Broker Implementation Guide (V0.2). Roxey, T.E. Eclectic Technologies, 2026. [AOO duty-of-care, training, and governance.]

DBA-VC Vendor Companion (v0.8). Roxey, T.E. Eclectic Technologies, 2026. [Vendor obligations: joint band classification, exercise mode, model-update notification, evidentiary package, audit reconstruction.]

CB-UC-1 BA Integrated Interface (v0.1). Roxey, T.E. Eclectic Technologies, 2026. [Confirmation interface, staleness flags, interface training as qualification maintenance.]

Roxey, T.E. "Generative AI Risk in Industrial Control Systems: A Study for Critical Infrastructure Operators, Regulators, and Suppliers." Version 29. Eclectic Technologies, 2026. [Primary risk-landscape source for the three-tier framework and the Bright Line concept.]

## Revision History

| Version            | Date      | Description                                                                                                                                                                                                                                                                                                                                        |
|--------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0.1                | July 2026 | Initial draft. Establishes the standalone Commissioning & Joint Training module (Option A): responsibility model at the vendor-AOO seam, lifecycle gates, the Joint Training Event, the model-update re-qualification loop, evidence mapping, and conformance. Sequences and cross-references existing corpus requirements without restating them. |
| 0.2 (cite refresh) | Jul 2026  | Citations refreshed to current corpus versions: CB-Framework v0.2, Command Broker Implementation Guide V0.2, CB-CT v0.2, DBA-VC v0.8. Mechanical version-reference pass; no substantive content change. (Held pending decision: the NERC/BES-Variant TAF reference and the ISA Parent Framework V1.2 label.)                                       |