INFORMATION TECHNOLOGY SECTOR DESIGN BASIS FRAMEWORK

Design Basis, Design Basis Accident, and Military-Action Extension Methodology
Function-Primary Facility-Class Architecture — the Logical Substrate

DBA-IT: Information Technology Sector Parent Document

A standalone sector series in the Design Basis for AI Governance in Critical Infrastructure

Version 0.6 — DRAFT

October 2026

Tim Roxey
Eclectic Technologies

SUGGESTED CITATION

T. Roxey, "DBA-IT_Sector_Framework — Information Technology Sector Framework," Version 0.6, in CIKR Design Basis Examples, Edition 1 (November 2026), Eclectic Technologies, November 2026. https://doi.org/10.5281/zenodo.23863986

This version is a member of CIKR Design Basis Examples, Edition 1 (November 2026) (https://doi.org/10.5281/zenodo.23863986), a dated edition that freezes, for each of fifteen critical infrastructure sectors, a sector framework, a facility class and a reference event as they stood on 1 November 2026. The edition is not falsified by a later revision of this document, whose working master continues to move. It is a working draft, marked DRAFT on its cover.

Section 1 — Purpose, Scope, and Series Architecture

1.1 Purpose

This document establishes the Design Basis Framework for the National Infrastructure Protection Plan (NIPP) Information Technology sector. It is the parent instrument for the DBA-IT series and applies the DB → DBA → DBA-MA three-layer analytical progression to the logical functions on which the digital substrate depends: the internet core, cloud and platform services, and the software and product supply chain.

1.2 What This Document Does Not Do

This document does not supersede cybersecurity regulation or standards. It does not restate the Bright Line or Command Broker, inherited by reference from FD-BL. Critically, it does not re-scope the physical infrastructure the sector runs on: the physical compute facilities are governed by the DBA-DC data-center series, the physical network transport by the DBA-COMM series, and semiconductor fabrication by the DBA-CM series. DBA-IT governs the logical layer that rides upon all three.

1.3 Function-Primary Organizing Principle

Placement follows the consequence chain. The Information Technology sector is organized by logical function — the internet core, the cloud and platform service layer, and the software and product supply chain — and each is placed by the consequence its compromise or loss produces, sub-indexed by foundational-dependency tier.

1.4 Series Placement — DBA-IT as a Standalone Sector Series

DBA-IT is a standalone sector series and, with the communications and data-center series, one of the three that constitute the digital substrate. It inherits the DB → DBA → DBA-MA methodology from the DBA-MA parent and the Bright Line and Command-Broker architecture from FD-BL, and it applies the mandatory Military-Action Extension Applicability Determination. The Cybersecurity and Infrastructure Security Agency is the Sector-Specific Agency.

1.5 The Logical Substrate — Completing the Digital Triad

Information Technology is, in the words of the sector taxonomy, foundational to all other sectors, and it is the third member of a triad the corpus has been assembling piecemeal. The data-center series governs the physical compute substrate; the communications series governs the physical transport substrate; and Information Technology governs the logical substrate — the naming, routing, trust, service, and software layer that turns compute and transport into usable capability. The three together are the digital foundation on which every other sector now operates, and DBA-IT is the member that completes it.

The sector's distinctive consequence follows from its logical character. For the physical sectors, consequence requires a physical event — a facility fails, a line is cut. For Information Technology the consequence is a logical one that requires no physical failure at all: a software supply-chain compromise inserted into a trusted update, a failure or hijack of the Domain Name System or the internet routing that underlies it, or the compromise of a certificate authority or identity provider that anchors digital trust, each propagates across the entire dependent population at machine speed while every physical facility continues to run. This is a logical-integrity consequence with a global blast radius, and it is the axis on which this sector's design basis is most distinctive — closer to the defense sector's non-recoverable compromise than to the recovery-duration consequence of the physical sectors.

Section 2 — The Information Technology Sector and Its Regulatory Context

2.1 A Global, Standards-Governed, Lightly-Mandated Sector

Information Technology is global, privately operated, and governed by standards and voluntary frameworks more than by a mandatory regulator. The Cybersecurity and Infrastructure Security Agency is the Sector-Specific Agency and the national cybersecurity coordinator; the National Institute of Standards and Technology provides the Cybersecurity Framework and the underlying standards; the Federal Trade Commission and state breach-notification laws govern consumer-data protection; and international standards such as ISO 27001 and SOC 2, together with sector-specific regimes such as HIPAA and GLBA, govern particular applications. The internet's core naming function is stewarded by ICANN under a multi-stakeholder model rather than a national regulator.

2.2 Standard-and-Function Inheritance

The applicable regime varies by function: the internet core inherits the ICANN stewardship and the routing and naming security practices; the cloud and platform layer inherits the CISA and NIST cloud-security frameworks and the international assurance standards; and the software and product supply chain inherits the emerging software-supply-chain-security requirements and the CISA secure-by-design agenda.

2.3 The Regulatory Gap

The sector is rich in security frameworks but carries no design basis stated in consequence terms — no statement of the logical functions the digital substrate must be demonstrated to sustain, and no treatment of the logical-integrity consequence as a design basis condition rather than a compliance objective. Security maturity is measured in controls; a design basis measured against the loss or compromise of a foundational logical function does not exist.

Section 3 — Function-Primary Taxonomy

3.1 The Function Classes and the Foundational-Dependency Sub-Index

The sector is decomposed into three function classes — infrastructure and compute (cloud, hosting, and compute delivered as a logical service), connectivity and protocols (the internet-core naming, routing, and trust plane), and the software and product supply chain — each realized as a logical facility class, a system or service running on the physical substrate this sector inherits, and one coordination class, the cybersecurity-and-coordination layer. Each is sub-indexed by foundational-dependency tier, so that the design basis load a given function carries reflects the breadth of the dependent population its compromise would reach.

3.2 Infrastructure & Compute (IC)

The cloud-and-platform function covers the infrastructure-, platform-, and software-as-a-service providers, the content-delivery networks, and the managed service providers that deliver computing as a service. Its governing consequence is a concentration-and-control-plane consequence: a small number of cloud providers carry a foundational share of the dependent workload, and the compromise of a cloud control plane propagates across every tenant simultaneously. It shares a boundary with the data-center series, which governs the physical facilities while DBA-IT governs the service and control-plane layer.

3.3 Connectivity & Protocols (CP)

The internet-core function covers the Domain Name System and its root and top-level-domain operators, the internet routing infrastructure, the internet exchange points and service providers, and the certificate authorities and identity providers that anchor digital trust. Its governing consequence is the global-blast-radius logical failure — a naming, routing, or trust-anchor compromise that reaches every dependent system at once. It shares a boundary with the communications sector, which governs the physical exchange-point and routing hardware while DBA-IT governs the logical naming, routing, and trust functions those systems carry. Ownership of this logical naming and trust plane — the Domain Name System, the public-key infrastructure and its certificate authorities, and the identity providers — is authoritatively DBA-IT's; this was ratified against the Communications sector under the COMM/IT boundary cut, with the BGP and SS7 signaling plane remaining with the Communications-sector Core class.

3.4 Software, Hardware & Product Supply Chain (SW)

The software-and-product function covers operating systems, applications, security and industrial-control-system software, and the hardware and device supply chain. Its governing consequence is the software-supply-chain compromise — the insertion of adversary capability into a trusted product that then propagates to every system that installs it — the logical-integrity consequence in its purest form. It shares a boundary with the critical-manufacturing series, which governs semiconductor fabrication while DBA-IT governs the software and product integrity that rides on it.

3.5 OpsCo — Cybersecurity & Sector Coordination (coordination class)

The coordination function is carried by a coordination class spanning the security operations centers, managed security service providers, threat-intelligence platforms, and incident-response services, together with the CISA and NIST coordination role and the sector information-sharing mechanism. OpsCo is the private cloud- and software-industry self-coordinating class — the Information Technology Information Sharing and Analysis Center (IT-ISAC) — operating under the Cybersecurity and Infrastructure Security Agency. It is the sector's defensive layer and the locus at which the AI-Governance Design Basis is implemented — the Bright Line placement and Command-Broker obligation for the generative-AI and machine-learning systems now embedded throughout security operations, code generation, and automated remediation, where autonomous AI action can itself become the supply-chain and integrity risk the sector is defending against.

† The IC / CP / SW and OpsCo designators were ratified 2026-08-09.

3.6 The Logical Blast-Radius Consequence

The sector's consequence measure is not a duration but a reach. The logical-integrity consequence — a DNS, routing, trust-anchor, cloud-control-plane, or software-supply-chain compromise — is measured by the blast radius: the breadth of the dependent population and the number of downstream sectors the failure reaches before it can be contained. As with the defense sector's exfiltration consequence and the government sector's symbolic consequence, the corpus here carries a consequence it cannot express as a recovery timeline, and the design basis must state the blast radius directly. *Software, Hardware and Product Supply Chain* (DBA-IT-SW-FC3) proposes the measure as five parameters, reach, privilege, propagation time, dwell and time to recovery, because its two consequence chains are bounded by different parameters (*Software, Hardware and Product Supply Chain* §3.3, §10.2); this framework takes the proposal up at its next conformance pass, after the other two logical classes have been read against it.

Section 4 — The Information Technology Sector Design Basis

[Skeleton — to be developed.] The design envelope will be organized by event category, spanning the logical-integrity and the availability dimensions, with a consequence-severity inclusion criterion consistent with the series.

4.1 Design Basis Principles

The criterion for inclusion is logical-consequence severity — potential for a naming, routing, trust-anchor, cloud-control-plane, or software-supply-chain compromise or failure whose blast radius reaches a foundational share of the dependent population — not event likelihood. Candidate bounding events, to be developed: a Domain Name System or routing failure or hijack; a certificate-authority or identity-provider compromise; a cloud control-plane compromise; a software-supply-chain compromise inserted into a trusted update; and the

compound event that combines a logical compromise with a physical data-center or communications failure.

Section 5 — Dual Design Basis: Bright Line and Command Broker

[Skeleton — to be developed on the DBA-W §5.5 model.]

Information Technology is both the sector most saturated with AI and the sector where autonomous AI most directly becomes the threat. Generative and machine-learning systems now write and deploy code, triage and remediate security incidents, and manage cloud infrastructure autonomously. The Bright Line must be placed for any action of a component within scope of FD-LD §4.3 whose incorrect or compromised performance could alter a trust anchor, a routing or naming configuration, a cloud control-plane state, or a software artifact at or above the severity threshold, with the architecturally enforced authorization of a qualified operator as Command Broker. The inverter-firmware-trustworthiness precondition of the energy series generalizes here to its most fundamental form: a compromised or unverified AI or software component does not meet the determinism carve-out on the strength of its apparent behavior, and each of its actions is placed on its own consequence (FD-LD §4.3; FD-BL §4.2). Where its output is an input on which placement or discharge depends and cannot be corroborated through an independent path, the action it bears on does not proceed without in-the-moment Command Broker authorization, and no placement changes (FD-BL-D2 §4.3). Logical-integrity compromise is precisely this sector's governing threat, which is why the precondition binds here. Determinism decides scope under FD-LD §4.3; it does not decide placement.

Section 6 — Cross-Sector Dependencies and the Consequence Elevation Rule

6.1 Inward View — the Physical Substrate and the Manufacturing Base

Information Technology depends on energy for the massive power its data-center substrate consumes, on communications for network transport, on critical manufacturing for the semiconductor fabrication its hardware requires, and on transportation for equipment delivery and its supply chain. These are stated as design basis conditions, and the semiconductor dependency in particular ties the sector's hardware integrity to the concentration and foreign-ownership exposures the critical-manufacturing series analyzes.

6.2 Outward View — the Foundational Dependency

The outward consequence of Information Technology is the broadest in the framework: it is the substrate on which every other sector operates, so a foundational logical failure propagates horizontally across all sectors at once. This is the same foundational-dependency consequence the data-center series established for the compute substrate, generalized to the logical layer, and

it is why a compromise of a single trust anchor or a single dominant cloud or software provider is a cross-sector event of the highest tier.

6.3 The Digital Triad

Three boundaries define the sector by defining the digital triad. Physical compute is the data-center series; physical transport is the communications series; and the logical naming, routing, trust, service, and software layer is Information Technology. Each is a distinct series with a distinct design basis, and a complete analysis of any digital dependency requires all three: the failure of a foundational digital service can originate in a compute failure, a transport failure, or a logical compromise, and the three series together are what let the corpus tell them apart.

Section 7 — Military-Action Extension Applicability

[Skeleton.] Information Technology is, in the sector taxonomy's own words, the primary attack surface for cyber threats, and it is the sector where the pre-positioning and denial characteristics of military action are most consequential: a logical compromise pre-positioned in a trust anchor, a cloud control plane, or a widely-deployed software product is a capability an adversary can hold in reserve and activate to defeat multiple sectors at once. The sector-level presumption toward MA applicability is strong for the internet-core trust anchors, the dominant cloud providers, and the most widely-deployed software. Application remains a per-facility or per-function determination under the mandatory two-factor test — geolocation and strategic value — with strategic value driven by blast radius.

Section 8 — Facility Class Register and Inheritance Model

8.1 Inheritance Model

Facility-class instruments of every type in the DBA-IT series inherit the threat taxonomy, bounding methodology, consequence-analysis structure, adequacy standards, and Bright Line / Command-Broker architecture established in this framework, and inherit the physical design basis of their substrate from the data-center, communications, and critical-manufacturing series. Each instrument adds the logical-function-specific consequence chain, expressed in blast-radius terms.

8.2 Facility Class Register

The following table is the current facility-class register for the DBA-IT series. DBA-IT-SW-FC3 has issued as a working draft and the other two logical classes are at Anticipated status; the physical substrate is shown as governed by the data-center, communications, and critical-manufacturing series. Designators were ratified 2026-08-09 and sub-indexed by foundational-dependency tier.

Designator	Function class (function-primary)	Governing characteristic	Status	Primary regulatory anchor
DBA-IT-IC-FC1	Infrastructure & compute — cloud, hosting, and data-center compute delivered as a logical service; IaaS/PaaS/SaaS providers, content delivery networks, managed service providers (the service & control-plane layer)	concentration; control-plane compromise	Anticipated	CISA; NIST; boundary w/ DBA-DC
DBA-IT-CP-FC2	Connectivity & protocols — Domain Name System (root, TLD), routing/BGP, internet exchange points, ISPs, certificate authorities & identity providers	logical trust/naming/routing; global blast radius	Anticipated	CISA (SSA); ICANN; boundary w/ DBA-COMM
DBA-IT-SW-FC3	Software, hardware & product supply chain — operating systems, applications, security & ICS software; hardware & device supply	software supply-chain compromise (logical integrity)	Issued (working draft)	CISA; NIST; boundary w/ DBA-CM (semiconductor fab)
DBA-IT-OpsCo†	Cybersecurity & sector coordination (coordination class) — SOCs, MSSPs, threat intelligence, incident response; CISA / NIST / IT-ISAC	sector-wide defense & coordination	Anticipated (architecture)	CISA; NIST (Cybersecurity Framework)
(digital triad)	Physical compute → DBA-DC · physical transport → DBA-COMM · semiconductor fabrication → DBA-CM	IT is the logical layer of the digital substrate	Governed elsewhere	see those series

Designators were ratified 2026-08-09 (v0.2). Facility-class numbers are sequential across the series; OpsCo is a coordination class and carries no FC number, mirroring DBA-ES-CntlCo. Grounded in the CIKR_v16 sector map (Information Technology Core Infrastructure and Operational Characteristics).

Section 9 — Development Status and Open Items

This is the initial working draft of the DBA-IT sector framework, grounded in the CIKR_v16 sector map. It establishes the standalone-series placement as the logical member of the digital triad (with DBA-DC compute and DBA-COMM transport), the logical-integrity consequence with its global blast radius, the function-primary decomposition (internet core and trust anchors, cloud and platform services, software and product supply chain, and the OpsCo cybersecurity-and-coordination class) with a foundational-dependency sub-index, and the digital-triad boundaries to the data-center, communications, and critical-manufacturing series. The design-basis envelope (Section 4), the dual-DB detail (Section 5), and the MA applicability section (Section 7) are stubs to be developed. Open items at this version: develop the blast-radius consequence measure; and formalize the digital-triad boundary protocol with DBA-DC and DBA-COMM. At v0.5, DBA-IT-SW-FC3 (*Software, Hardware and Product Supply Chain*) has issued as the series' first facility-class instrument and the first logical class written in the corpus, with software products and their update channels in full and the hardware and device supply chain at the depth of the sub-index, and the three reference events it proposed are conferred at Section 9.1. It develops the blast-radius measure of Section 3.6 and the candidate supply-chain event of Section 4.1. What it notes to this framework is taken up at the framework's next

conformance pass: the five parameters of the blast-radius measure, the event categories it develops ahead of Section 4, the three tiers of the foundational-dependency sub-index, the geolocation factor restated for a product without a site, its declared residuals, the consequence-basis conditionality check, and a statement of the update channel as the governing pathway of the class (*Software, Hardware and Product Supply Chain* §10.9). Further open items: the class's reading of what one action is when a release reaches a population of hosts, referred to Project 0 (*Software, Hardware and Product Supply Chain* §7.3, §10.4); the boundary between this class and Infrastructure and Compute for a product that is both an agent on the host and a service in the vendor's cloud (*Software, Hardware and Product Supply Chain* §10.6); and the three reference-event instruments of Section 9.1.

9.1 Conferred Reference Events

On the author's decision of 14 October 2026, this framework confers a reference-event designator on each of the three events its first facility class proposed. A designator commits the series to two things: a row in the corpus-wide DBA Reference Event Register, and a standalone reference-event instrument for that event. Under the determination of 9 October 2026 (*Reference Events Move to Their Own Project*), reference-event instruments are written and held by Project 11, DBA Reference Events; this framework keeps the conferral. None of the three instruments is yet written. The designators are numbered in the order the proposing class lists its events; the number records conferral, not issue. Each designator is sector-primary and single.

From *Software, Hardware and Product Supply Chain*, three events are conferred: DBA-IT-RE-1, the compromise of the SolarWinds Orion platform, 2019 to 2020; DBA-IT-RE-2, the faulty content update to the CrowdStrike Falcon sensor of 19 July 2024; and DBA-IT-RE-3, the backdoor placed in the XZ Utils compression library, 2024. Two decisions of the author of the same date bear on them. The SolarWinds compromise is conferred as this sector's event, the integrity chain through a trusted product, and Government Facilities is proposed as an impacted sector for the register, since federal agencies were its most prominent victims and that sector has no class yet. The content update of July 2024 is conferred as an accident, for the availability chain, and its instrument makes no finding of fault, as the corpus's instruments do not. The NotPetya attack of June 2017 keeps its single designator in the Transportation series, DBA-TRAN-RE-1, with Information Technology already recorded as an impacted sector, and is not conferred here. The three instruments are owed, and they are Project 11's to write. *Software, Hardware and Product Supply Chain* states the three as proposed at its v0.1 and conforms to the conferral at its next revision.

From the framework itself, in place of DBA-IT-CP-FC2 (*Connectivity and Protocols*), one event is conferred: DBA-IT-RE-4, the compromise of eight eMudhra intermediate certificate authorities, whose keys were generated in April 2025 and whose compromise was disclosed on 17 October 2026. *Connectivity and Protocols* holds the certificate authorities that anchor digital trust (Section 3.3), but it is Anticipated and has no text, and a class that is not written cannot propose. On the author's ruling of 22 October 2026, this framework therefore proposes the event

in that class's place and confers it here, and says so. It follows the course that the determination of 14 October 2026, *Energy and Nuclear Reference Events Follow the Same Method*, set for *MA International Framework*. The event realizes the certificate-authority or identity-provider compromise that this framework names among its candidate bounding events (Section 4.1). It is conferred as non-adversarial: on the record a script error at the issuer's key ceremony left every key recoverable from its public certificate, and no adversary and no use is shown. Energy, Water and Wastewater Systems, Healthcare and Public Health, and Communications are proposed to the register as impacted sectors by exposure only, since no misuse is recorded and no class text yet states the exposure. Its instrument, *The Compromise of Eight eMudhra Intermediate Certificate Authorities*, was written by Project 11 ahead of this conferral and issues on it. When *Connectivity and Protocols* issues, it adopts the event, and the instrument re-reads the event against that class at its next revision, keeping its designator, its findings and its recommendations. The conferral changes no class: *Connectivity and Protocols* remains Anticipated in the register at Section 8.2.

This framework is still a skeleton at Sections 4, 5 and 7. The three instruments read their events back through the design basis of *Software, Hardware and Product Supply Chain*, which develops it ahead of the framework, and what they return to the framework is taken up at its next conformance pass.

References

[To be completed.] Governing and inherited instruments: FD-BL and determination annexes; DBA-MA Parent Framework (IAEA L1); DBA-DC (compute substrate; foundational dependency; WM-3); DBA-COMM (transport substrate; PNT); DBA-CM (semiconductor fabrication; supply-chain concentration); DBA-DIB (non-recoverable-compromise precedent). Regulatory: CISA (SSA; secure-by-design); NIST (Cybersecurity Framework); FTC; ICANN (DNS stewardship); ISO 27001 / SOC 2. Grounding: CIKR_v16 sector map (Information Technology Sector). Series instruments: DBA-IT-SW-FC3 (*Software, Hardware and Product Supply Chain*), the series' first facility class; DBA-IT-RE-1 to DBA-IT-RE-3, the conferred reference events of Section 9.1, their instruments owed to Project 11. *The NotPetya Attack on Maersk's Terminals* (DBA-TRAN-RE-1), cited by the class for the destructive form of the integrity chain. DBA-IT-RE-4 (*The Compromise of Eight eMudhra Intermediate Certificate Authorities*), conferred at Section 9.1 by this framework in place of DBA-IT-CP-FC2 (*Connectivity and Protocols*), its instrument written by Project 11 ahead of conferral and issuing on it. *Energy and Nuclear Reference Events Follow the Same Method* (determination of 14 October 2026), the course for *MA International Framework* that the conferral of DBA-IT-RE-4 follows.

Revision History

0.1 August 2026 — T. Roxey. Initial skeleton, grounded in the CIKR_v16 sector map. Established DBA-IT as the logical member of the digital triad (DBA-DC compute + DBA-COMM transport + DBA-IT logical), with a logical-integrity consequence measured by blast radius rather than duration — a compromise of naming, routing, trust anchors, cloud control

planes, or the software supply chain that propagates without any physical failure. Adopted the function-primary decomposition (Internet Core & Trust Anchors / Cloud & Platform Services / Software, Hardware & Product Supply Chain / OpsCo cybersecurity-and-coordination) with a foundational-dependency sub-index; named the DBA-DC, DBA-COMM, and DBA-CM digital-triad boundaries. Design-basis envelope, dual-DB detail, and MA applicability sections stubbed for development.

0.2 August 2026 — T. Roxey. Designators ratified; coordination class resolved to OpsCo (IT-ISAC + CISA); IC / CP / SW confirmed; CP confirmed as owner of the DNS/PKI/identity logical plane per the COMM/IT cut (BGP/SS7 remain in Communications-Core).

0.3 October 2026 — T. Roxey. Conformed to the October 2026 Edition of the Foundational Definitions on Project 0's work order of 3 October 2026. Section 5 states the scope of Bright Line placement by the determinism carve-out of FD-LD §4.3 rather than as any AI action, and states that determinism decides scope and not placement (P9-11, wording). A compromised or unverified component is no longer placed below or above the line as a component: it does not meet the carve-out, its actions are placed on consequence, and an uncorroborated input on which placement or discharge depends takes in-the-moment Command Broker authorization with no change of placement (P9-10; FD-BL-D2 §4.3). Functional class is retired at every site under the author's determination of 30 September 2026, each site read for its sense: the decomposition tier reads function class, and the coordination layer reads coordination class (OI-15). No change to the design basis, the taxonomy or the register.

0.4 October 2026 — T. Roxey. Conformed the facility-class type of IC, CP and SW under the author's determination of 30 September 2026 (Facility-Class Types Are Physical, Coordination and Logical), on his ruling of 5 October 2026 carried by Project 0's handoff of that date. Section 3.1 called the three classes logical-function classes. The determination types CP and SW as logical classes, and on 5 October 2026 the author ruled that IC is a logical class as well, since this framework gives the physical facilities to the data-center series and keeps the service and control-plane layer here; the Facility Class Register's Physical type for DBA-IT-IC-FC1 is referred to Project 0 for correction. Section 3.1 now names the function classes as the decomposition tier and types each facility class as logical, and Section 8.2 refers to the three logical classes; each site was read for its sense. Revision-history entries are left as records. No change to the design basis, the taxonomy, the designators or the boundaries.

0.5 October 2026 — T. Roxey. Section 9.1 is added and confers DBA-IT-RE-1 to DBA-IT-RE-3 on the three reference events that DBA-IT-SW-FC3 (Software, Hardware and Product Supply Chain) proposed, on the author's decision of 14 October 2026: the SolarWinds Orion compromise (2019 to 2020), the faulty CrowdStrike content update (July 2024) and the XZ Utils backdoor (2024). On the author's decisions of the same date, SolarWinds is conferred here with Government Facilities proposed as an impacted sector, the content update is conferred as an accident with no finding of fault, and NotPetya stays with DBA-TRAN-RE-1. Each designator commits the series to a register row and a standalone instrument, none yet written; the

instruments are Project 11's. The register at Section 8.2 enters the class as issued. Section 3.6 records the class's five-parameter proposal for the blast-radius measure. Section 9 records the class's issue, lists what it notes to this framework for the next conformance pass, and records the question on what one action is for a release as referred to Project 0. References add the class, the three designators and DBA-TRAN-RE-1. No change to the taxonomy, the designators of the classes, the sub-index or the design basis. Revision-history entries are left as records.

0.6 October 2026 — T. Roxey. Section 9.1 confers DBA-IT-RE-4 on the compromise of eight eMudhra intermediate certificate authorities (keys generated April 2025, disclosed 17 October 2026). On the author's ruling of 22 October 2026, this framework proposes the event in place of DBA-IT-CP-FC2 (Connectivity and Protocols), which is Anticipated and has no text, and says so, following the course the determination of 14 October 2026 (Energy and Nuclear Reference Events Follow the Same Method) set for MA International Framework. The event is conferred as non-adversarial, with Energy, Water and Wastewater Systems, Healthcare and Public Health, and Communications proposed to the register as impacted sectors by exposure only. Its instrument was written by Project 11 ahead of conferral and issues on it. References add DBA-IT-RE-4 and the determination. No change to any class, the register at Section 8.2, the taxonomy, the designators of the classes, the sub-index or the design basis. Revision-history entries are left as records.