

cache.lists

# Class ListaAnagraficaMansione

```
java.lang.Object
  java.util.AbstractCollection<E>
    java.util.AbstractList<E>
      java.util.ArrayList<AnagraficaMansione>
        cache.lists.ListaAnagraficaMansione
```

All Implemented Interfaces:

```
java.io.Serializable, java.lang.Cloneable,
java.lang.Iterable<AnagraficaMansione>,
java.util.Collection<AnagraficaMansione>, java.util.List<AnagraficaMansione>,
java.util.RandomAccess
```

```
public class ListaAnagraficaMansione
extends java.util.ArrayList<AnagraficaMansione>
```

Cache contenente la lista delle anagrafiche delle mansioni

See Also:

Serialized Form

## Field Summary

### Fields inherited from class java.util.AbstractList

modCount

## Constructor Summary

### Constructors

#### Constructor and Description

ListaAnagraficaMansione()

## Method Summary

### All Methods

### Static Methods

### Concrete Methods

Modifier and Type	Method and Description
static <b>ListaAnagraficaMansione</b>	<b>getIstanza()</b> Restituisce le anagrafiche mansione
static void	<b>setIstanza(ListaAnagraficaMansione istanza)</b> Imposta le anagrafiche mansione

Methods inherited from class java.util.ArrayList

add, add, addAll, addAll, clear, clone, contains, ensureCapacity, forEach, get, indexOf, isEmpty, iterator, lastIndexOf, listIterator, listIterator, remove, remove, removeAll, removeIf, removeRange, replaceAll, retainAll, set, size, sort, spliterator, subList, toArray, toArray, trimToSize

Methods inherited from class java.util.AbstractList

equals, hashCode

Methods inherited from class java.util.AbstractCollection

containsAll, toString

Methods inherited from class java.lang.Object

finalize, getClass, notify, notifyAll, wait, wait, wait

Methods inherited from interface java.util.List

containsAll, equals, hashCode

Methods inherited from interface java.util.Collection

parallelStream, stream

Constructor Detail

ListaAnagraficaMansione

public ListaAnagraficaMansione()

Method Detail

## getIstanza

```
public static ListaAnagraficaMansione getIstanza()
```

Restituisce le anagrafiche mansione

### Returns:

istanza

## setIstanza

```
public static void setIstanza(ListaAnagraficaMansione istanza)
```

Imposta le anagrafiche mansione

### Parameters:

istanza -