

scverse cookiecutter template

[github.com/scverse/
cookiecutter-scverse](https://github.com/scverse/cookiecutter-scverse)



tool installs

- Install using a package manager or installer:

- `code` : code.visualstudio.com/download

- `hatch` : hatch.pypa.io/latest/install

- `git` : github.com/git-guides/install-git

- `uv` : docs.astral.sh/uv/getting-started/installation


or `pipx` : pipx.pypa.io/stable/installation

- Install using a package manager, `pipx`, or `uv`:

```
$ pipx/uv install cruft pre-commit
```

creating the project

```
$ cruft create https://github.com/scverse/cookiecutter-scverse  
project_name (project-name): myproj  
[...]  
$ code myproj
```



environment management

Hatch [tutorials/environment/basic-usage](#)

```
$ hatch run [env:]command [...args]
$ hatch test [...args]
$ hatch env remove <name> # or `hatch env prune` for all
$ hatch find hatch-test
~/.local/share/hatch/env/virtual/myproj/FsejNibV/hatch-test.py3.12
[...]
```

Tell VS Code to use this interpreter:

⌘ | ^+_+P → "Python: Select Interpreter"

VS Code

Committing code

- Use PRs, don't push to `main`
- Set up [pre-commit.ci](#), [codecov.io](#) on github.com/<you>/<yourpackage>/settings/installation