David Bruyette, DVM, DACVIM (SAIM)
14 Morgan Rd
Bell Canyon, CA 91307
Phone: 310-482-1268
Email: davebruyette@aol.com

Internal Medicine Consultation

March 11, 2026 - 11:48

Patient Name: WANG BOBA	**Owner Name:**
Species:	**Breed:**
Age:	**Sex:** M
Weight (Kg):	**Study Date:** March 11, 2026
Referring Veterinarian:	**Veterinary Hospital:**

History:

Preventative screening. No clinical symptoms.

Laboratory Studies:

See attached

Abdominal US:

Abdominal Ultrasound:

Right Kidney: The right kidney is normal in size, shape and echogenicity, demonstrating cortico-medullary differentiation. There is no evidence of pelvic dilation, hydronephrosis or mass lesion. There are no nephroliths. The right kidney measures 3.7 cm.

Left Kidney: The left kidney is normal in size, shape and echogenicity, demonstrating cortico-medullary differentiation. There is no evidence of pelvic dilation, hydronephrosis or mass lesion. There are no nephroliths. The left kidney measures 3.9 cm.

Liver: The liver is normal in size with a smooth, homogenous echo pattern throughout the parenchyma. No focal lesion or intrahepatic duct dilation is evident.

Gallbladder: Normal distended gallbladder with a uniform thin wall. Sludge is seen within the dependent portion of the gallbladder. The common bile duct appears normal.

Pancreas: Where visualized, the pancreas appears normal in size and echotexture with no evidence of pancreatic disease.

Stomach: The stomach is empty at the time of the scan. Where seen it has a normal wall layer architecture and gastric wall thickness. No obvious foreign body is seen. The pylorus and gastric outlfow tract are normal in appearance. The wall measures 0.21 cm.

Intestines: The duodenum demonstrates a normal overall wall thickness (0.23 cm) and characteristic wall layer echo pattern. The remaining small intestines are also normal with normal wall layer architecture and wall thickness. There is no evidence of foreign body, focal or diffuse disease within the small intestine.

Colon: The colonic wall layering and overall wall thickness (0.18 cm), where seen, is normal.

Spleen: Regular sized and shaped spleen with a normal homogenous parenchymal echo pattern. No evidence of splenic disease.

Urinary bladder: The urinary bladder is moderately filled at the time of the scan. The wall is not thickened. There is a moderate amount of sediment.

Right Adrenal: The right adrenal appears normal in size, shape and echotexture demonstrating a normal characteristic shape. The right adrenal measures 0.33 cm.

Left Adrenal: The left adrenal appears normal in size, shape, and echotexture demonstrating a normal characteristic shape. The left adrenal measures 0.32 cm.

Lymph nodes: There is no lymphadenopathy.

Other:

Free fluid: None

Recommendations:

The abdominal US is unremarkable.

Followup:

It is very important the final result of the test(s) recommended are sent to us when received, as well as a brief clinical summary including the condition of the patient along with any medications being given, since further recommendations will be made within 24 hours based on the results of those test(s) and the clinical summary.

Do not hesitate to call me (310-482-1268) if you have any questions about this report and thanks for allowing me to be part of your diagnostic team

David Bruyette, DVM, DACVIM (SAIM), FNAP

David Bruyette, DVM, DACVIM (SAIM)

14 Morgan Rd - Bell Canyon, CA 91307
Phone: 310-482-1268 - Email: davebruyette@aol.com

Test	Results	Unit	Lowest Value	Highest Value	Qualifier
MCV	46	fL	38	53	
MCH	15.3	pg	12.3	17.3	
MCHC	33.1	g/dL	29.1	35.7	
RDW	20.0	%	10	26	
AUTOMATED CBC					
% Reticulocytes	0.1	%			
Reticulocytes	10	K/µL		70	
Reticulocyte Hemoglobin	17.2	pg	14.4	19.3	
WBC	5.4	K/µL	3.9	19	
% Neutrophils	60.3	%			
% Lymphocytes	31.9	%			
% Monocytes	1.5	%			
% Eosinophils	6.1	%			
% Basophils	0.2	%			
Neutrophils	3.256	K/µL	2.62	15.17	
Lymphocytes	1.723	K/µL	0.65	6.86	
Monocytes	0.081	K/µL	0.042	0.467	
Eosinophils	0.329	K/µL	0.209	1.214	
Basophils	0.011	K/µL		0.1	
Platelets	319	K/µL	100	440	

Key Image #1

Supplier: Reference Laboratory
Reference: US1788-DR43092
Chemistry (2) **Outcome:**
Clinic Notes / Specifics:

Test	Results	Unit	Lowest Value	Highest Value	Qualifier
Glucose	103	mg/dL	72	175	
IDEXX SDMA	12	µg/dL		14	
SDMA and creatinine are within the reference interval: impairment of GFR is unlikely. Recommended next step: evaluate complete urinalysis.					
Creatinine	1.5	mg/dL	0.9	2.3	
BUN	18	mg/dL	16	37	
BUN: Creatinine Ratio	12.0				
Phosphorus	3.6	mg/dL	2.9	6.3	
Calcium	10.5	mg/dL	8.2	11.2	
Sodium	155	mmol/L	147	157	
Potassium	4.7	mmol/L	3.7	5.2	
Na: K Ratio	33		29	42	
Chloride	118	mmol/L	114	126	
TCO2 (Bicarbonate)	19	mmol/L	12	22	
Anion Gap	23	mmol/L	12	25	
Total Protein	8.0	g/dL	6.3	8.8	
Albumin	4.1	g/dL	2.6	3.9	
Globulin	3.9	g/dL	3	5.9	
Albumin: Globulin Ratio	1.1		0.5	1.2	
ALT	29	U/L	27	158	
AST	20	U/L	16	67	
ALP	19	U/L	12	59	
GGT	< 1	U/L		6	<
Bilirubin - Total	0.1	mg/dL		0.3	
Bilirubin - Unconjugated	0.0	mg/dL		0.2	
Bilirubin - Conjugated	< 0.1	mg/dL		0.2	<
Cholesterol	214	mg/dL	91	305	
Amylase	1,128	U/L	623	2239	
Lipase	6	U/L		45	
Creatine Kinase	102	U/L	64	440	
Hemolysis Index	N				
Index of N, 1+, 2+ exhibits no significant effect on chemistry values.					
Lipemia Index	N				
Index of N, 1+, 2+ exhibits no significant effect on chemistry values.					

Key Image #2

Monday the 2nd of March 2026

11:03AM

Diagnostic Result

Requested By: Stephanie Barrios, DVM
Supplier: Reference Laboratory
Reference: US1788-DR43092
Parasitology (9) **Outcome:**
Clinic Notes / Specifics:

Test	Results	Unit	Lowest Value	Highest Value	Qualifier
Ova & Parasites - Zinc Sulfate Centrifugation					
No ova or parasites seen					
Roundworm Antigen	Negative				
The IDEXX Fecal Dx antigen tests detect worm antigen and a positive indicates infection. Antigen-positive and egg-negative specimens can be seen during the pre-patent period, with single sex infections and due to intermittent egg shedding. Identification of eggs microscopically in antigen-negative specimens may be due to ingestion of infected feces (coprophagy) or because the amount of antigen is below the level of detection. Treatment should be considered for patients positive by either antigen or egg-detection. In cases of acute or chronic diarrhea also consider testing for viral, bacterial and protozoal infectious agents using RealPCR (canine diarrhea panel: test code 2625; feline diarrhea panel: test code 2627).					
Hookworm Antigen	Negative				
Whipworm Antigen	Negative				
Flea Tapeworm Antigen	Negative				
Cystoisospora Antigen	Negative				

Key Image #3

Diagnostic Result

Requested By: Stephanie Barrios, DVM
Supplier: Reference Laboratory
Reference: US1788-DR43092
Hematology (1) **Outcome:**
Clinic Notes / Specifics:

Test	Results	Unit	Lowest Value	Highest Value	Qualifier
RBC	10.09	M/µL	6.5	11.53	
Hematocrit	46.5	%	31	51	
Hemoglobin	15.4	g/dL	10.6	16.7	

Key Image #4