



Comment	Designator	Footprint	LibRef	Quantity	Value
Battery	BT1	BATTERY	Battery	1	
10uF	C1	TANC	ELECTRO1	1	
0.1uF	C2, C3, C6, C8, C9	0805	CAP	5	
30pF	C4, C7	0805	CAP	2	
470uF/16V	C5	TANC	EC	1	
LED	D1, D2	LED	LED	2	
LED2	D3	LED12	LED2	1	
USBASP	J1	ISP	HEADER 5X2	1	
DB9/F	JP1	DB9FL	DB9	1	
LCD1602	LCD1	LCD1602	LCD1602	1	
Speaker	LS1	SPEAKER	Speaker	1	
CON3	P1	J1FD	CON3	1	
NPN-9013	Q1	NPN9013	NPN	1	
SS8550 Y2	Q?	SOT-23(SOT-23-3)	SOT-23 SS8550 Y2	1	
470	R1, R2	0805	RES2	2	
10k	R3	0805	RES1	1	
10k	R4	PULLUP9	RES10	1	
Res1	R5, R6, R7, R8, R9, R11	0805	Res1	6	10K, 10K, 10K, 10K, 1K, 0K
Res2	R10	0805	Res2	1	. 1K
	S1	SW6X6	SW-PB	1	
SW-PB	S2, S3, S4, S5	SW6X6	SW-PB	4	
MAX232CPE(16)	U1	DIP16	MAX232ACPE(16)	1	
AT89S52	U2	DIP40	AT89S5X	1	
DS1302	U3	DIP8	DS1302	1	
DS18B20	U4	TO 92	DS18B20	1	
10k	VR1	VR3296-1	VR	1	
11.0592M	Y1	XTAL1	CRYSTAL	1	
32.768kHz	Y2	X32768	XTAL	1	