

1. Cryptography – Origin

Human being from ages had two inherent needs: (a) to communicate and share information and (b) to communicate selectively. These two needs gave rise to the art of coding the messages in such a way that only the intended people could have access to the information. Unauthorized people could not extract any information, even if the scrambled messages fell in their hand.

The art and science of concealing the messages to introduce secrecy in information security is recognized as cryptography.

The word 'cryptography' was coined by combining two Greek words, 'Krypto' meaning hidden and 'graphene' meaning writing.

History of Cryptography

The art of cryptography is considered to be born along with the art of writing. As civilizations evolved, human beings got organized in tribes, groups, and kingdoms. This led to the emergence of ideas such as power, battles, supremacy, and politics. These ideas further fueled the natural need of people to communicate secretly with selective recipient which in turn ensured the continuous evolution of cryptography as well.

The roots of cryptography are found in Roman and Egyptian civilizations.

Hieroglyph – The Oldest Cryptographic Technique


The first known evidence of cryptography can be traced to the use of 'hieroglyph'. Some 4000 years ago, the Egyptians used to communicate by messages written in hieroglyph. This code was the secret known only to the scribes who used to transmit messages on behalf of the kings. One such hieroglyph is shown below.



Later, the scholars moved on to using simple mono-alphabetic substitution ciphers during 500 to 600 BC. This involved replacing alphabets of message with other alphabets with some secret rule. This **rule** became a **key** to retrieve the message back from the garbled message.

The earlier Roman method of cryptography, popularly known as the **Caesar Shift Cipher**, relies on shifting the letters of a message by an agreed number (three was a common choice),


the recipient of this message would then shift the letters back by the same number and obtain the original message.



Steganography

Steganography is similar but adds another dimension to Cryptography. In this method, people not only want to protect the secrecy of an information by concealing it, but they also want to make sure any unauthorized person gets no evidence that the information even exists. For example, **invisible watermarking**.

In steganography, an unintended recipient or an intruder is unaware of the fact that observed data contains hidden information. In cryptography, an intruder is normally aware that data is being communicated, because they can see the coded/scrambled message.



Evolution of Cryptography

It is during and after the European Renaissance, various Italian and Papal states led the rapid proliferation of cryptographic techniques. Various analysis and attack techniques were researched in this era to break the secret codes.

- Improved coding techniques such as **Vigenere Coding** came into existence in the 15th century, which offered moving letters in the message with a number of variable places instead of moving them the same number of places.
- Only after the 19th century, cryptography evolved from the ad hoc approaches to encryption to the more sophisticated art and science of information security.
- In the early 20th century, the invention of mechanical and electromechanical machines, such as the **Enigma rotor machine**, provided more advanced and efficient means of coding the information.
- During the period of World War II, both **cryptography** and **cryptanalysis** became excessively mathematical.

With the advances taking place in this field, government organizations, military units, and some corporate houses started adopting the applications of cryptography. They used cryptography to guard their secrets from others. Now, the arrival of computers and the Internet has brought effective cryptography within the reach of common people.

2. Modern Cryptography

Modern cryptography is the cornerstone of computer and communications security. Its foundation is based on various concepts of mathematics such as number theory, computational-complexity theory, and probability theory.

Characteristics of Modern Cryptography


There are three major characteristics that separate modern cryptography from the classical approach.

Classic Cryptography	Modern Cryptography
It manipulates traditional characters, i.e., letters and digits directly.	It operates on binary bit sequences.
It is mainly based on 'security through obscurity'. The techniques employed for coding were kept secret and only the parties involved in communication knew about them.	It relies on publicly known mathematical algorithms for coding the information. Secrecy is obtained through a secret key which is used as the seed for the algorithms. The computational difficulty of algorithms, absence of secret key, etc., make it impossible for an attacker to obtain the original information even if he knows the algorithm used for coding.
It requires the entire cryptosystem for communicating confidentially.	Modern cryptography requires parties interested in secure communication to possess the secret key only.

Context of Cryptography

Cryptology, the study of cryptosystems, can be subdivided into two branches:

- Cryptography
- Cryptanalysis



What is Cryptography?

Cryptography is the art and science of making a cryptosystem that is capable of providing information security.

Cryptography deals with the actual securing of digital data. It refers to the design of mechanisms based on mathematical algorithms that provide fundamental information security services. You can think of cryptography as the establishment of a large toolkit containing different techniques in security applications.

What is Cryptanalysis?

The art and science of breaking the cipher text is known as cryptanalysis.

Cryptanalysis is the sister branch of cryptography and they both co-exist. The cryptographic process results in the cipher text for transmission or storage. It involves the study of cryptographic mechanism with the intention to break them. Cryptanalysis is also used during the design of the new cryptographic techniques to test their security strengths.

Note: Cryptography concerns with the design of cryptosystems, while cryptanalysis studies the breaking of cryptosystems.

Security Services of Cryptography

The primary objective of using cryptography is to provide the following four fundamental information security services. Let us now see the possible goals intended to be fulfilled by cryptography.

Confidentiality

Confidentiality is the fundamental security service provided by cryptography. It is a security service that keeps the information from an unauthorized person. It is sometimes referred to as **privacy** or **secrecy**.

Confidentiality can be achieved through numerous means starting from physical securing to the use of mathematical algorithms for data encryption.

Data Integrity

It is security service that deals with identifying any alteration to the data. The data may get modified by an unauthorized entity intentionally or accidentally. Integrity service confirms that whether data is intact or not since it was last created, transmitted, or stored by an authorized user.

Data integrity cannot prevent the alteration of data, but provides a means for detecting whether data has been manipulated in an unauthorized manner.

Authentication

Authentication provides the identification of the originator. It confirms to the receiver that the data received has been sent only by an identified and verified sender.

Authentication service has two variants:

- **Message authentication** identifies the originator of the message without any regard router or system that has sent the message.
- **Entity authentication** is assurance that data has been received from a specific entity, say a particular website.

Apart from the originator, authentication may also provide assurance about other parameters related to data such as the date and time of creation/transmission.

Non-repudiation

It is a security service that ensures that an entity cannot refuse the ownership of a previous commitment or an action. It is an assurance that the original creator of the data cannot deny the creation or transmission of the said data to a recipient or third party.



Non-repudiation is a property that is most desirable in situations where there are chances of a dispute over the exchange of data. For example, once an order is placed electronically, a purchaser cannot deny the purchase order, if non-repudiation service was enabled in this transaction.

Cryptography Primitives

Cryptography primitives are nothing but the tools and techniques in Cryptography that can be selectively used to provide a set of desired security services:

- Encryption
- Hash functions
- Message Authentication codes (MAC)
- Digital Signatures

The following table shows the primitives that can achieve a particular security service on their own.


Primitives Service  	Encryption	Hash Function	MAC	Digital Signature
Confidentiality	Yes	No	No	No
Integrity	No	Sometimes	Yes	Yes
Authentication	No	No	Yes	Yes
Non Reputation	No	No	Sometimes	Yes

Note: Cryptographic primitives are intricately related and they are often combined to achieve a set of desired security services from a cryptosystem.

3. Cryptosystems

A cryptosystem is an implementation of cryptographic techniques and their accompanying infrastructure to provide information security services. A cryptosystem is also referred to as a **cipher system**.

Let us discuss a simple model of a cryptosystem that provides confidentiality to the information being transmitted. This basic model is depicted in the illustration below:



The illustration shows a sender who wants to transfer some sensitive data to a receiver in such a way that any party intercepting or eavesdropping on the communication channel cannot extract the data.

The objective of this simple cryptosystem is that at the end of the process, only the sender and the receiver will know the plaintext.

Components of a Cryptosystem

The various components of a basic cryptosystem are as follows:

- **Plaintext.** It is the data to be protected during transmission.

- **Encryption Algorithm.** It is a mathematical process that produces a ciphertext for any given plaintext and encryption key. It is a cryptographic algorithm that takes plaintext and an encryption key as input and produces a ciphertext.
- **Ciphertext.** It is the scrambled version of the plaintext produced by the encryption algorithm using a specific the encryption key. The ciphertext is not guarded. It flows on public channel. It can be intercepted or compromised by anyone who has access to the communication channel.
- **Decryption Algorithm,** It is a mathematical process, that produces a unique plaintext for any given ciphertext and decryption key. It is a cryptographic algorithm that takes a ciphertext and a decryption key as input, and outputs a plaintext. The decryption algorithm essentially reverses the encryption algorithm and is thus closely related to it.
- **Encryption Key.** It is a value that is known to the sender. The sender inputs the encryption key into the encryption algorithm along with the plaintext in order to compute the ciphertext.
- **Decryption Key.** It is a value that is known to the receiver. The decryption key is related to the encryption key, but is not always identical to it. The receiver inputs the decryption key into the decryption algorithm along with the ciphertext in order to compute the plaintext.

For a given cryptosystem, a collection of all possible decryption keys is called a **key space**.

An **interceptor** (an attacker) is an unauthorized entity who attempts to determine the plaintext. He can see the ciphertext and may know the decryption algorithm. He, however, must never know the decryption key.

Types of Cryptosystems

Fundamentally, there are two types of cryptosystems based on the manner in which encryption-decryption is carried out in the system:

- Symmetric Key Encryption
- Asymmetric Key Encryption


The main difference between these cryptosystems is the relationship between the encryption and the decryption key. Logically, in any cryptosystem, both the keys are closely associated. It is practically impossible to decrypt the ciphertext with the key that is unrelated to the encryption key.

Symmetric Key Encryption

The encryption process where **same keys are used for encrypting and decrypting** the information is known as Symmetric Key Encryption.

The study of symmetric cryptosystems is referred to as **symmetric cryptography**. Symmetric cryptosystems are also sometimes referred to as **secret key cryptosystems**.

A few well-known examples of symmetric key encryption methods are: Digital Encryption Standard (DES), Triple-DES (3DES), IDEA, and BLOWFISH.



Prior to 1970, all cryptosystems employed symmetric key encryption. Even today, its relevance is very high and it is being used extensively in many cryptosystems. It is very unlikely that this encryption will fade away, as it has certain advantages over asymmetric key encryption.

The salient features of cryptosystem based on symmetric key encryption are:

- Persons using symmetric key encryption must share a common key prior to exchange of information.
- Keys are recommended to be changed regularly to prevent any attack on the system.
- A robust mechanism needs to exist to exchange the key between the communicating parties. As keys are required to be changed regularly, this mechanism becomes expensive and cumbersome.
- In a group of n people, to enable two-party communication between any two persons, the number of keys required for group is $n \times (n - 1)/2$.
- Length of Key (number of bits) in this encryption is smaller and hence, process of encryption-decryption is faster than asymmetric key encryption.
- Processing power of computer system required to run symmetric algorithm is less.

Challenge of Symmetric Key Cryptosystem

There are two restrictive challenges of employing symmetric key cryptography.


- **Key establishment** – Before any communication, both the sender and the receiver need to agree on a secret symmetric key. It requires a secure key establishment mechanism in place.

- **Trust Issue** – Since the sender and the receiver use the same symmetric key, there is an implicit requirement that the sender and the receiver 'trust' each other. For example, it may happen that the receiver has lost the key to an attacker and the sender is not informed.

These two challenges are highly restraining for modern day communication. Today, people need to exchange information with non-familiar and non-trusted parties. For example, a communication between online seller and customer. These limitations of symmetric key encryption gave rise to asymmetric key encryption schemes.

Asymmetric Key Encryption

The encryption process where **different keys are used for encrypting and decrypting the information** is known as Asymmetric Key Encryption. Though the keys are different, they are mathematically related and hence, retrieving the plaintext by decrypting ciphertext is feasible. The process is depicted in the following illustration:



Asymmetric Key Encryption was invented in the 20th century to come over the necessity of pre-shared secret key between communicating persons. The salient features of this encryption scheme are as follows:

- Every user in this system needs to have a pair of dissimilar keys, **private key** and **public key**. These keys are mathematically related – when one key is used for encryption, the other can decrypt the ciphertext back to the original plaintext.

- It requires to put the public key in public repository and the private key as a well-guarded secret. Hence, this scheme of encryption is also called **Public Key Encryption**.
- Though public and private keys of the user are related, it is computationally not feasible to find one from another. This is a strength of this scheme.
- When *Host1* needs to send data to *Host2*, he obtains the public key of *Host2* from repository, encrypts the data, and transmits.
- *Host2* uses his private key to extract the plaintext.
- Length of Keys (number of bits) in this encryption is large and hence, the process of encryption-decryption is slower than symmetric key encryption.
- Processing power of computer system required to run asymmetric algorithm is higher.

Symmetric cryptosystems are a natural concept. In contrast, public-key cryptosystems are quite difficult to comprehend.

You may think, *how can the encryption key and the decryption key are 'related', and yet it is impossible to determine the decryption key from the encryption key?* The answer lies in the mathematical concepts. It is possible to design a cryptosystem whose keys have this property. The concept of public-key cryptography is relatively new. There are fewer public-key algorithms known than symmetric algorithms.

Challenge of Public Key Cryptosystem

Public-key cryptosystems have one significant challenge: the user needs to trust that the public key that he is using in communications with a person really is the public key of that person and has not been spoofed by a malicious third party.

This is usually accomplished through a Public Key Infrastructure (PKI) consisting a trusted third party. The third party securely manages and attests to the authenticity of public keys. When the third party is requested to provide the public key for any communicating person X, they are trusted to provide the correct public key.

The third party satisfies itself about user identity by the process of attestation, notarization, or some other process - that X is the one and only, or globally unique, X. The most common method of making the verified public keys available is to embed them in a certificate which is digitally signed by the trusted third party.

Relation between Encryption Schemes

A summary of basic key properties of two types of cryptosystems is given below:

	Symmetric Cryptosystems	Public Key Cryptosystems
Relation between Keys	Same	Different, but mathematically related

Encryption Key	Symmetric	Public
Decryption Key	Symmetric	Private

Due to the advantages and disadvantage of both the systems, symmetric key and public-key cryptosystems are often used together in the practical information security systems.