Emulation Plan Template

Emulation Plan Template

[Threat Actor Name]

Also known as: [Alternative names, if any]

Executive Summary

> High-level executive summary. This section is generally completed last after the emulation plan is finalized.

Threat Actor: [Name] **Target Industries:** [Industries] **Primary Objective:** [Objective] **TTPs Covered:** [Number] techniques across [Number] tactics **Estimated Exercise Duration:** [Hours/Days]

Cyber Threat Intelligence

The Cyber Threat Intelligence section provides context about the threat actor. Technical details are in the Attack section.

Profile

Attribute	Value
Actor Name	
Also Known As	
First Observed	
Attribution	
Sophistication	Low / Medium / High / Advanced
Resource Level	Individual / Group / Nation-State

Brief narrative about the threat actor...

Targets

Target Type	Details
Industries	
Countries/Regions	
Organization Size	
Typical Victims	

Objectives

Objective	Description
Primary	E.g., ransomware, espionage, intellectual property theft
Secondary	
End Goal	

Capabilities

Capability	Description
Custom Malware	
Tools Used	
Infrastructure	
Notable Techniques	

TTP Overview

MITRE ATT&CK Mapping

#	Tactic	Technique ID	Technique Name	Procedure	CTI Reference
1	Initial Access	T1566.001	Spear Phishing Attachment		
2	Execution	T1059.001	PowerShell		
3	Persistence				
4	Privilege Escalation				
5	Defense Evasion				
6	Credential Access				
7	Discovery				
8	Lateral Movement				
9	Collection				
10	Command and Control				
11	Exfiltration				
12	Impact				

Attack Flow Diagram

```
[Initial Access] → [Execution] → [Persistence] → [Discovery] → [Lateral Movement] → [Ob
```

Describe the typical attack flow for this threat actor...

Attack Emulation

This section covers how to emulate the attack at the procedure level.

Prerequisites

Requirement	Details
Target Systems	
Target Accounts	
Cloud Accounts/Subscriptions	
Identity Provider Access	
Attack Infrastructure	
Tools Required	
Network Access	

Automated Emulation

Platform: [SCYTHE / Atomic Red Team / Caldera / Other]

Import Instructions:

```
[Commands or steps to import the emulation plan]
```

Execution:

```
[Commands to execute the emulation]
```

Manual Emulation

TTP 1: [Technique Name] (T####.###)

Tactic: [Tactic Name]

Description: [What this technique does]

Commands:

```
# Example command
[Command here]
```

Expected Artifacts:

- [Artifact 1]
- [Artifact 2]

Cleanup:

```
# Cleanup commands
[Command here]
```

TTP 2: [Technique Name] (T####.###)

Tactic: [Tactic Name]

Description: [What this technique does]

Commands:

```
# Example command
[Command here]
```

Expected Artifacts:

- [Artifact 1]
- [Artifact 2]

Cleanup:

```
# Cleanup commands
[Command here]
```

[Repeat for each TTP...]

Detection Opportunities

Expected Observables

TTP	Data Source	Observable	Detection Method
T1566.001	Email Gateway	Attachment with macro	Signature / Behavioral
T1059.001	EDR / Sysmon	Process creation	Event ID 1, 4688

Detection Rules

TTP	Rule Name	Platform	Status
T1566.001	Macro Execution	EDR	Exists / Needs Creation
T1059.001	Encoded PowerShell	SIEM	Exists / Needs Creation

Required Detection Sources

Detection Source	Required For	Priority
Windows Event Logs	Process, auth, network	High
Sysmon	Process, file, registry	High
EDR Telemetry	Endpoint behavior	High
Network Flow	C2, lateral movement	Medium
Proxy Logs	Web traffic, C2	Medium

Validation Checklist

Pre-Exercise

- ❑ Target systems provisioned and accessible
- ❑ Security tools reporting to production dashboards
- ❑ Attack infrastructure tested

- ❑ Payloads tested on non-exercise systems
- ❑ Blue Team notified of exercise window
- ❑ Exercise case created in ticketing system

During Exercise

- ❑ Each TTP execution attempted
- ❑ Artifacts generated as expected
- ❑ Blue Team detection status recorded
- ❑ Timestamps captured for metrics

Post-Exercise

- ❑ All TTPs documented with results
- ❑ Detection gaps identified
- ❑ Action items created for gaps
- ❑ Cleanup commands executed
- ❑ Systems returned to normal state

References

#	Title	URL	Accessed
1			
2			
3			

Appendix

A. IOCs for This Emulation

Type	Value	Description
IP		C2 Server
Domain		Phishing domain
Hash (SHA256)		Payload
File Name		Dropped file

B. ATT&CK Navigator Layer

Link to or embed ATT&CK Navigator JSON layer for this threat actor

```
{
  "name": "[Threat Actor] Emulation",
  "versions": {
    "attack": "18",
    "navigator": "5.1.0"
  },
  "techniques": []
}
```

Template version: PTEFv4 Last updated: [Date]