Operating Systems and Concurrency

Connecting to the Servers

COMP2007

Geert De Maere, Dan Marsden
{Geert.DeMaere, Dan.Marsden}@Nottingham.ac.uk

University Of Nottingham
United Kingdom

2024

Goals

1. SSH vs. Nottingham Cloud
2. SSH tunneling
3. Demonstration from Windows

Servers

- Nottingham Cloud (no longer available)
- SSH:
  1. Connect for your local machine to the server
  2. Send commands to execute on the server
  3. Receive results to display locally

SSH

- Use an ssh client (e.g. Putty[1], Windows Subsystem for Linux, Cygwin, command line)
- Connect to *students2024.cs.nott.ac.uk* using your university user (i.e. psXXX) and password
- Writing code:
  - Write locally and copy to the servers (SFTP, SCP, Winscp or Filezilla)
  - Write remotely (using, e.g., vim, emacs, or nano)
- Compile/run them on the school servers

[1] www.putty.org

Connection Options

- Location:
  - Inside the UoN network
  - **Outside** the UoN network
- Operating System:
  - **Windows**
  - Linux/MacOS

Inside the UoN Network



Outside the UoN Network



Servers at the school

Connecting via SSH

- SSH is a protocol that allows us to remotely login to a machine (mostly Linux servers, and command-line login)
- For OSC, you should always use: *students2024.cs.nott.ac.uk*



Figure: SSH Diagram (Adapted from zendesk.com)