

Golfnode - Spring Boot REST API

Members

Endpoint	Method	Description
/api/members	GET	<p>Get all members</p> <p>Parameters (optional)</p> <p>show-tournaments (bool), default=false</p> <p>Response codes: 200</p>
/api/member/{id}	GET	<p>Get member by ID</p> <p>Parameters (optional, any combination)</p> <p>show-tournaments (bool), default=false</p> <p>Response codes: 200, 404 (not found)</p>
/api/member-search	GET	<p>Search members</p> <p><i>All search parameters are optional, but only one search parameter (name, billing-duration, phone-number, email, membership-start-date, or tournament-start-date) can be used at a time. The show-tournaments flag can be combined with any single search parameter or used alone.</i></p> <p>Parameters (optional)</p> <p>show-tournaments (bool), default=false</p> <p>name (string), substring match, case-insensitive</p> <p>email (string), substring match, case-insensitive</p> <p>phone-number (string), substring match, case-insensitive</p> <p>billing-duration (string), substring match, case-insensitive</p> <p>membership-start-date (yyyy-mm-dd)</p> <p>tournament-start-date (yyyy-mm-dd)</p> <p>Response codes: 200, 400</p>
/api/member	POST	<p>Create member (constraint: email and phoneNumber unique)</p> <p>Allowed choices for billingDuration: <i>1mo, 3mo, 6mo, 1yr, 2yr, 5yr, life</i></p> <p>Example payload</p> <pre>{ "name": "Shane Lowry", "address": "456 Ireland Ave, Dublin, Ireland", "email": "shane.lowry@example.com", "phoneNumber": "3535551919", "startDate": "2024-06-10", "billingDuration": "6mo" }</pre> <p>Response codes: 201, 400</p>
/api/members	POST	<p>Create multiple members</p> <p>Response codes: 201, 400</p>
/api/member/{id}	PUT	<p>Update member by ID</p> <p>Response codes: 200, 400, 404</p>
/api/member/{id}	DELETE	<p>Delete member by ID</p> <p>Response codes: 204, 404, 409 (registered for tournament)</p>

Tournaments

Endpoint	Method	Description
/api/tournaments	GET	Get all tournaments Parameters (optional) show-members (bool), default=false Response codes: 200
/api/tournament/{id}	GET	Get tournament by ID Parameters (optional) show-members (bool), default=false Response codes: 200, 404 (not found)
/api/tournament-search	GET	Search tournaments Parameters (optional, any combination) show-members (bool), default=false start-date (yyyy-mm-dd) location (string), substring match, case-insensitive Response codes: 200, 400
/api/tournament	POST	Create tournament Example payload <pre>{ "startDate": "2024-07-20", "endDate": "2024-07-22", "location": "Augusta National Golf Club", "entryFee": 750.0, "cashPrize": 1500000.0}</pre> Response codes: 201, 400
/api/tournaments	POST	Create multiple tournaments Response codes: 201, 400
/api/tournament/{id}	PUT	Update tournament by ID Response codes: 200, 400, 404
/api/tournament/{id}	DELETE	Delete tournament by ID Response codes: 204, 404, 409 (has registered members)

Tournament Registrations

Endpoint	Method	Description
/api/tournament/member	POST	Create tournament registration for member Example payload <pre>{ "tournamentId": 6, "memberId": 21 }</pre> Response codes: 200, 400, 404, 409
/api/tournament/members	POST	Create multiple tournament registrations Response codes: 200, 207(multi-status), 400, 404, 409
/api/tournament/member	DELETE	Delete tournament registration for member Response codes: 204, 400, 404, 409