

# Content-Type Styling Run

2026-09-09 · branch content-type-styling-plan (main merged at 757a63a) · plan: plans/content-type-styling.md · nothing pushed

This run did four things: (1) merged `main`, which brought the folder-view migration tooling (catalog index importer, ZMI script importer for `bl_scripts`, folder layout/default-page importer, rewritten `grid_layout / contents_full`, new `alphabetical / chronological` templates); (2) re-ran those migrations on the existing DB and re-read the content reports; (3) rewrote the plan around the Plone distinction between **object views** and **folder displays**, with a folder-display roster and the prerequisite status; (4) ran the first **listing-display** style transfer — `grid_layout` across five sub-sites — plus a verification pass on `chronological`.

## 1. Migrations re-run (backend stopped, existing DB — no content importer changed since the last full run)

| Step                                          | Result                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>scripts/import_catalog_schema.sh</code> | 74 exported indexes: <b>45 created</b> , 27 already present, 2 type mismatches left unchanged ( <code>start / end</code> : Plone 4 <code>DateIndex</code> vs Plone 6 <code>DateRecurringIndex</code> ). 47 columns: 18 created. New indexes reindexed.                                                    |
| <code>scripts/import_zmi_scripts_bl.sh</code> | 59 Script (Python) objects imported into <code>portal_skins/custom_scripts</code> ; 16 have Python-2 compile errors ( <code>print x</code> ). That folder is not on the skin path.                                                                                                                        |
| <code>scripts/assign_folder_views.sh</code>   | 1263 rows · 1239 folders found, 24 missing · <b>359 default pages set</b> (folders now show their default page as on live), 272 skipped (child missing), 608 unspecified · <b>0 layouts assigned — 1203 skipped as "unavailable"</b> because <code>Folder/Collection view_methods</code> are still stock. |

`getContentStats` after the run: TOTAL 9514, every per-type count unchanged (product 50, project 192, spatial\_data 100, organization 668, person 3129, story 36, google\_doc 45; video still absent).

## 2. Errors surfaced (not fixed — all need lp.content / config decisions)

- Folder & Collection FTI `view_methods` are stock** ( `album_view full_view listing_view summary_view tabular_view event_listing fullcalendar-view` ). `assign_folder_views.py` runs with `VALIDATE_LAYOUTS=True`, so it refused every legacy layout ( `contents_full` 434, `folder_summary_view` 620, `grid_layout` 48, ... ). Needs a `GenericSetup types/Folder.xml + Collection.xml` in `lp.content` adding the legacy layouts, or `LAYOUT_MAP` entries (e.g. `folder_full_view→full_view`, `folder_listing→listing_view`, `folder_tabular_view→tabular_view`, `atct_album_view→album_view`, `folder_contents_alpha→alphabetical` ). Until then folders render `listing_view` (or their new default page).
  - `contents_full` (440 folders) renders HTTP 500:** `AttributeError: 'RequestContainer' object has no attribute 'usaid_text_sentence'`. Both the browser view and the skin template call that `bl_scripts` script, but the `bl_scripts` `Filesystem Directory View` added to `profiles/default/skins.xml` on main has **not been applied to this database** — `portal_skins` still lists only `6custom`, `lp_scripts`, `zen_person`. Re-importing `lp.content`'s `skins` step (or reinstalling the add-on) is a config change I did not make.
  - `folder_summary_view / folder_summary_alpha` (645 folders) render HTTP 500:** `AttributeError: @@kss_field_decorator_view — 6custom/folder_summary_view.pt` still references Plone-4 KSS.
  - `product_section ( /resources/lp-products )` HTTP 503:** `KeyError: 'getProjectVocabDict'`; `text_trimmer` fails with `'RequestContainer' object has no attribute 'word_count'`.
  - `story` FTI references behaviors `solr.fields` and `geolocatable` that are not installed (logged as `plone.dexterity.schema` errors during the catalog reindex).

- Import gaps visible on listing pages: 24 exported folders missing locally; 272 default-page children missing; folder `imagemex /lead` images not migrated (grid tiles have no cover images on Folders/Links); folder item positions and source modification dates not preserved (tile/chronological order differs from live).
- Still open from earlier runs: story hero image requests a wide scale that is not in `plone.allowed_sizes` (404 on every story); `organization_view.pt` uses Archetypes `getX` accessors so every contact cell is blank.

### 3. Plan changes ( `plans/content-type-styling.md` )

- Two levels of display** — new section contrasting object views (FTI `default_view /item layout` , body `portaltype=*` ) with folder displays (container layout from **its** FTI's `view_methods` , or `default_page` ; body `template=*` ; tiles of many types; scope CSS on `template-<layout>` , never `portaltype=folder` ); how each was migrated; the `default_view_fallback` and `VALIDATE_LAYOUTS` traps; and that legacy templates still render by **direct traversal** ( `/folder/<layout>` ) so listing CSS can be built and verified before the plumbing lands.
- Folder-display roster** from `migration/lp_folder_layouts.tsv` : 23 legacy layouts × 15 sub-sites, live body class (curl-verified), local direct-render status with the exact error, Plone 6 mapping.
- Prerequisite status after 2026-09-09** (the table in §1 above) and a prioritised sign-off list.
- How a listing run works** — sample from the TSV (skip rows with a `default_page` ), capture live, direct-URL local, analyse, implement in `_listings.scss` , verify; new **listing-display checklist** table.
- Roster: re-checked counts; explicit table of the **11 custom types with zero instances** (video blocked; audio, `biblio_reference`, `case_study`, `cbnrm_annotation`, `custom_link`, `megamenu_detail`, `staff_spotlight` have no importer) so their omission is deliberate.

### 4. Folder-display roster (summary)


| Layout                                                                                                                                                                             | Folders          | Live body class                           | Local<br><code>/folder/&lt;layout&gt;</code>                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------|------------------------------------------------------------------------|
| <code>folder_summary_view</code> (+ <code>_alpha</code> )                                                                                                                          | 620 + 25         | <code>template-folder_summary_view</code> | 500 — KSS                                                              |
| <code>contents_full</code>                                                                                                                                                         | 440              | <code>template-contents_full</code>       | 500 — <code>usaid_text_sentence</code> / <code>bl_scripts</code> layer |
| <code>folder_full_view</code>                                                                                                                                                      | 56               | <code>template-folder_full_view</code>    | 404 — stock, map to <code>full_view</code>                             |
| <b>grid_layout</b>                                                                                                                                                                 | 48 (9 sub-sites) | <code>template-grid_layout</code>         | <b>200 — styled this run</b>                                           |
| <code>galleryview</code>                                                                                                                                                           | 9                | <code>template-galleryview</code>         | 404 — <code>plonetruegallery</code> not installed                      |
| <b>chronological</b>                                                                                                                                                               | 3                | <code>template-chronological</code>       | <b>200 — verified, no rules needed</b>                                 |
| alphabetical (for <code>folder_contents_alpha</code> )                                                                                                                             | 3                | —                                         | 200 — no public live sample                                            |
| <code>product/project/research/resources_section</code>                                                                                                                            | 1 each           | <code>template-&lt;name&gt;</code>        | product 503; others 200                                                |
| <code>folder_listing</code> , <code>folder_tabular_view</code> , <code>atct_album_view</code> , <code>folder_leadimage_view</code> , <code>staff_directory</code> , sub-site homes | ≤4 each          |                                           | stock mappings / chrome scope                                          |

5. Style transfer — grid\_layout (Layer 1, \_shared/scss/content-types/\_listings.scss , scoped body.template-grid\_layout )


Rules from live ploneCustom.css + Plone 4 base.css , cross-checked with computed styles on grasslands, aquatics, e-d-forests, western and wildland-fire: flex card grid (3-up calc((90% - 50px)/3 - 1px) , 30px gutters, 1px #ededed border, hover shadow 0 5px 10px #ddd ), 220px cover band ( object-fit: cover ), headline 1.4rem/600 with no underline (font and brand colour from the theme), 85% grey byline, 15px body/footer padding, "READ MORE..." pill (12px/600 uppercase #1f5c90 on white, hover #f38b1a), single column ≤768px. One correction during verification: live declares justify-content: space-between then place-content: flex-start , which wins — the computed value is flex-start, so a two-tile row packs left rather than spreading.

All local captures: logged in, 1660px viewport (≈1440 content beside the toolbar), **direct URL** .../grid\_layout . Live: dev.landscapepartnership.org at 1440. Local tiles on Folders/Links have no cover images because folder imagex /lead images were not migrated (import gap, not CSS); e-d-forests tiles are Images/Documents and do show them.


grasslands-and-savannas · /training



BEFORE (local)




AFTER (local)




- layout Stacked full-width list → 3-up bordered cards with 30px gutters (before: Barceloneta block list beside the nav portlet).
- typography Tile headline 28px underlined theme h2 → 22.4px/600, no underline — same Merriweather + brand blue as live.
- footer "Read More..." 17.6px green underlined link → 12px uppercase pill in #1f5c90 with #f38b1a hover.
- delta No cover images and different tile order locally — folder imagex + positions not imported (\$2 item 6). Chrome: local shows the nav portlet and a "last modified" byline.

LIVE (dev, 1440)


## eastern-deciduous-forests · golden-winged-warbler /maps (2 tiles, different theme)



BEFORE (local)




AFTER (local) — packs left like live after the flex-start fix




LIVE (dev, 1440)

- images 220px cover band with object-fit: cover renders on real images here; headline picks up the e-d-forests green from the theme with zero grid-specific code.







## aquatics · bog-turtle /threats · and 390px





AFTER (local)



LIVE (dev, 1440)







AFTER (local, 390) — one card per row

LIVE (dev, 390)

## 6. chronological — verified, no Layer 1 rules



LIVE (dev, 1440) — stock Plone 4 dl listing



LOCAL (1660) — stock Plone 6 listing markup; unchanged by this run

- Live has no custom CSS for this layout; local `chronological.pt` emits stock Barceloneta listing markup, the accepted Plone 6 equivalent.
- `flag` Byline prints the raw ISO timestamp ( `2026-08-23T03:36:02+00:00` ) — template should localise the date; item order differs because imported items carry the import time as `modified` .

## 7. Status

- Object views: unchanged from 2026-09-03 — all roster types done where a live reference exists.
- Listing displays: `grid_layout` ☒ (aquatics, e-d-forests, western, wildland-fire, grasslands verified; se-firemap/lp-parent/wlfw/anchor have folders but no public live sample), `chronological` ☒ (lp-parent). `contents_full`, `folder_summary_view`, `product_section` blocked on §2.
- Commits are local only on `content-type-styling-plan` in both repos; the uncommitted `docker-compose.yml` `collective.lineage` pin is untouched.