

File Edit Selection View Go Run Terminal Help

mcsp.playwright

Explorer

mcsp.playwright
github
playwright-mcp
.vscode
node_modules
playwright-report
specs
test-results
tests
create-lead-and-verify-details.spec.ts
create-lead.spec.ts
example.spec.ts
seed.spec.ts
.gitignore
package-lock.json
package.json
playwright.config.ts

TS create-lead.spec.ts X

tests > TS create-lead.spec.ts > ...
1 import { test, expect } from '@playwright/test';
2
3 test.describe('Create Lead in LeafTaps CRM', () => {
4 test('Successfully create a new lead', async ({ page }) => {
5 // 1. Navigate to the LeafTaps login page
6 await page.goto('https://leafTaps.com/opentaps');
7
8 // 2. Enter username "democr2"
9 await page.getByRole('textbox', { name: 'Username' }).fill('democr2');
10
11 // 3. Enter password "crmsfa"
12 await page.getByRole('textbox', { name: 'Password' }).fill('crmsfa');
13
14 // 4. Click Login button
15 await page.getByRole('button', { name: 'Login' }).click();
16
17 // 5. Click "CRM/SFA"
18 await page.getByRole('link', { name: 'CRM/SFA' }).click();
19
20 // 6. Click Create Lead
21 await page.getByRole('link', { name: 'Create Lead' }).click();
22
23 // 7. Enter company name "TestLeaf"
24 await page.locator('#createLeadForm_companyName').fill('TestLeaf');
25
26 // 8. Enter first name "Harrish"
27 await page.locator('#createLeadForm_firstName').fill('Harrish');
28
29 // 9. Enter last name "Automation"
30 await page.locator('#createLeadForm_lastName').fill('Automation');
31
32 // 10. Enter email address "harrish@testleaf.com"
33 await page.locator('#createLeadForm_primaryEmail').fill('harrish@testleaf.com');

Problems Output Debug Console Terminal
Serving HTML report at http://localhost:8223. Press Ctrl+C to quit.
Terminate batch job (VIM)? Y
PS C:\Users\johnd\Documents\TestLeaf\Projects\mcp_playwright> npx playwright test tests/create-lead.spec.ts --project=chromium --headed
Running 1 test using 1 worker
1 passed (7.6s)
To open last HTML report run:

Chat

Create lead in OpenTaps
Feature: Create Lead in LeafTaps CRM Scenario: Successfully create a new lead...
Use the application URL and credentials provided in the feature file or configuration.
Create the generated test script at:
tests/create-lead.spec.ts
Do not create the test file in any other location.
Do not create additional .ts files.
The generated file must contain the complete executable test.
After creating the file, verify that the file exists at the specified path.
Completed 28 steps in 1m 24s
Created and verified create-lead.spec.ts . The complete login-to-lead-creation flow passed in the browser, including checks for the saved lead details.
npx playwright test tests/create-lead.spec.ts --project=chromium , how to run in headful mode
Add --headed to run it with a visible browser:
test tests/create-lead.spec.ts --project=chromium --headed
+ TS create-lead.spec.ts