`std::execution::task` Shipping Gate

Document Number:	D4007R1
Date:	2026-03-11
Audience:	LEWG

Reply-to:	Vinnie Falco vinnie.falco@gmail.com Mungo Gill mungo.gill@me.com

Table of Contents

Abstract

Revision History

- R1: March 2026 (pre-Croydon mailing)
- R0: February 2026 (pre-Croydon mailing)

1. Disclosure
2. Fixed After Ship
3. Ships Broken
4. Straw Polls
5. Proposed Wording

References

- WG21 Papers
- Other

Abstract

`std::execution::task` (P3552R3[1]) has open defects identified by national ballot comments, LWG issues, and published papers. This paper lists criteria that must be resolved to ship `task` in C++26. If all are resolved, ship. If any remain, apply the proposed wording in Section 5 to remove `task` from the working draft.

Revision History

R1: March 2026 (pre-Croydon mailing)

- Complete rewrite as a criteria paper.

R0: February 2026 (pre-Croydon mailing)

- Original analysis of structural gaps. See P4007R0[2].

---

1. Disclosure

The authors developed P4003R0[3] ("Coroutines for I/O") and P4007R0[2] ("Senders and Coroutines"). A coroutine-only design cannot express compile-time work graphs, does not support heterogeneous dispatch, and assumes a cooperative runtime. Those are real costs. The defects documented below hold regardless of whether P4003 is the right design or any design at all.

---

2. Fixed After Ship

`task`'s `promise_type` is a class template instantiated in user code. Its `operator new`, allocator selection, stop token storage, environment forwarding, and destruction ordering can change between standard revisions without binary incompatibility. These issues are fixable post-ship: Unusual Allocator Customisation[4], Flexible Allocator Position[4], Shadowing The Environment Allocator[4], Stop Source Always Created[4], Stop Token Default Constructible[4], Task Not Actually Lazily Started[4], Frame Destroyed Too Late[4], No Default Arguments[4], `unhandled_stopped` Not `noexcept`[4], Environment Design Inefficient[4], Non-Sender Awaitables Unsupported[4], Future Language Feature Could Avoid `co_yield`[4], No TLS Capture/Restore Hook[4], `return_value` / `return_void` Have No Specification[4], `co_return { args... }` Unsupported[4], `change_coroutine_scheduler` Requires Assignable Scheduler[4], Sender-Unaware Coroutines Cannot `co_await` a `task`[4], Missing Rvalue Qualification[4], Parameter Lifetime Is Surprising[5], No Protection Against Dangling References[5], `co_yield with_error` Is Clunky[5], `co_await schedule(sch)` Is an Expensive No-Op[5], Coroutine Cancellation Is Ad-Hoc[5].

`affine_on` semantics, rescheduling behavior, and algorithm customisation are specification-level concerns. Tightening requirements or adding default implementations does not change any published interface. These issues are fixable post-ship: `affine_on` Default Implementation Lacks Specification[4], `affine_on` Semantics Not Clear[4], `affine_on` Shape May Not Be Correct[4], `affine_on` Shouldn't Forward Stop Requests[4], `affine_on` Customisation For Other Senders[4], Starting a `task` Reschedules Unconditionally[4], Resuming After a `task` Reschedules Unnecessarily[4], `bulk` vs. `task_scheduler` [4], No Completion Scheduler[4], `with_awaitable_senders` Unused[4].

---

3. Ships Broken

The criteria in this section are items where shipping forecloses the fix.

Criterion	References	Fixed
Allocator Timing	P4007R0[2] S5, D3980R0[6], P3796R1[4], LWG 4356[7], US 254-385[8]	no
Allocator Propagation	P4007R0[2] S5, D3980R0[6], P3796R1[4]	no
Complicated Success	P4007R0[2] S3, P2430R0[9]	no
Exception Hygiene	P4007R0[2] S3.7	no
Error Return	P4007R0[2] S4, P3950R0[10], P3801R0[5], P1713R0[11]	no
Symmetric Transfer	P2583R3[12], US 246-373[13], LWG 4348[14], P3801R0[5], P3796R1[4]	no

- **Allocator Timing.** The user can specify either a type `Allocator` or pointer to `pmr::memory_resource` at the launch site and this allocator is injected into the environment and used to allocate the coroutine frame of the launched task; if the launch function implementation creates any trampolines, those coroutine frames are also allocated using the user's specified allocator.
- **Allocator Propagation.** The allocator used in the launch function is invisibly propagated to all child tasks.
- **Complicated Success.** I/O outcomes (`error_code` , value pair) map cleanly to the sender's three-channel design, without data loss, and without foreclosing a subset of downstream sender algorithms.

- **Exception Hygiene.** No exceptions thrown for transient errors like `ECONNRESET` or `ssl::stream_truncated`.
- **Error Return.** Users write `co_return` to propagate error codes to the caller, not `co_yield`.
- **Symmetric Transfer.** `sender-awaitable::await_suspend` returns `void`, so co_awaiting a synchronously completing sender grows the stack by one frame per completion with no upper bound.

---

4. Straw Polls

1. "The committee is comfortable shipping `std::execution::task` in C++26 with the defects listed in Section 3 unresolved."
2. "Apply the proposed wording in Section 5."

---

5. Proposed Wording

TBD

References

WG21 Papers

1. P3552R3 - "Add a Coroutine Task Type" (Dietmar Kühl, Maikel Nadolski, 2025). https://wg21.link/p3552r3
2. P4007R0 - "Senders and Coroutines" (Vinnie Falco, Mungo Gill, 2026). https://wg21.link/p4007r0
3. P4003R0 - "Coroutines for I/O" (Vinnie Falco, Steve Gerbino, Mungo Gill, 2026). https://wg21.link/p4003r0
4. P3796R1 - "Coroutine Task Issues" (Dietmar Kühl, 2025). https://wg21.link/p3796r1
5. P3801R0 - "Concerns about the design of std::execution::task" (Jonathan Müller, 2025). https://wg21.link/p3801r0
6. D3980R0 - "Task's Allocator Use" (Dietmar Kühl, 2026). https://isocpp.org/files/papers/D3980R0.html
7. LWG 4356 - "connect() should use get_allocator(get_env(rcvr))". https://cplusplus.github.io/LWG/issue4356
8. US 254-385 - C++26 NB ballot comment. https://github.com/cplusplus/nbballot/issues/960
9. P2430R0 - "Partial success scenarios with P2300" (Chris Kohlhoff, 2021). https://wg21.link/p2430r0

10. P3950R0 - ‘‘return_value & return_void Are Not Mutually Exclusive’’ (Robert Leahy, 2025). https://wg21.link/p3950r0
11. P1713R0 - ‘‘Allowing both co_return; and co_return value; in the same coroutine’’ (Lewis Baker, 2019). https://wg21.link/p1713r0
12. P2583R3 - ‘‘Symmetric Transfer and Sender Composition’’ (Mungo Gill, Vinnie Falco, 2026). https://wg21.link/p2583r3
13. US 246-373 - C++26 NB ballot comment. https://github.com/cplusplus/nbballot/issues/948
14. LWG 4348 - ‘‘task doesn’t support symmetric transfer’’. https://cplusplus.github.io/LWG/issue4348

Other

15. P2300R10 - ‘‘std::execution’’ (Michał Dominiak et al., 2024). https://wg21.link/p2300r10
16. C++ Working Draft - (Richard Smith, ed.). https://eel.is/c++draft/