

The Riemann Zeta Function: Zeros, the Critical Line, and Computational Exploration

Samuel Castillo

University of Massachusetts Amherst

Predictive Analytics
Sunday 5th April, 2026

Contents

- 1 Introduction
- 2 A Numerical Contour Plot in the Critical Strip
- 3 Conclusion

Euler's resolution of the Basel problem revealed that the zeta function already encodes remarkable arithmetic structure at special values such as

$$\zeta(2) = \frac{\pi^2}{6}.$$

Riemann's later insight extended this perspective dramatically: after analytic continuation, the non-trivial zeros of the zeta function govern the fine-scale distribution of prime numbers.

The Riemann Zeta Function

The Riemann zeta function occupies a central place in analytic number theory. For $\Re(s) > 1$, it is defined by the convergent series

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s}.$$

Euler showed that this function also admits the product expansion

$$\zeta(s) = \prod_p (1 - p^{-s})^{-1},$$

which connects analysis directly to the prime numbers.

The central thesis of this presentation is that the zeros of $\zeta(s)$ are not merely analytic curiosities. Rather, they are structural features that govern the oscillatory behavior of prime counting.

This viewpoint culminates in the Riemann Hypothesis, which asserts that every non-trivial zero lies on the critical line

$$\Re(s) = \frac{1}{2}.$$

Prime Number Distribution

This broader perspective also situates related phenomena in prime number theory. Mersenne primes, numbers of the form $2^p - 1$, are of special interest because p must be prime for $2^p - 1$ to have any chance of being prime, though this condition is not sufficient. Twin primes are pairs of primes differing by 2, such as (29, 31), and the Twin Prime Conjecture asserts that infinitely many such pairs exist.

The non-trivial zeros of the Riemann zeta function lie in the critical strip

$$0 < \Re(s) < 1.$$

Extensive numerical evidence suggests that these zeros lie on the critical line

$$\Re(s) = \frac{1}{2},$$


as asserted by the Riemann Hypothesis.

Visualization techniques provide useful geometric intuition for the analytic structure of $\zeta(s)$ in the complex plane.

Prime Number Distribution


- **Phase Plots:** Domain coloring techniques visualize the complex function $\zeta(s)$ by assigning to each point $s = \sigma + it$ a color determined by $\arg(\zeta(s))$, while the magnitude $|\zeta(s)|$ is encoded through brightness or intensity. Zeros appear as phase singularities, where the argument becomes undefined and the full spectrum of colors converges.
- **Contour Plots:** The level curves defined by $\Re(\zeta(s)) = 0$ and $\Im(\zeta(s)) = 0$ can be plotted in the complex plane. Their intersections occur precisely at points where both the real and imaginary parts vanish, and therefore correspond exactly to the zeros of $\zeta(s)$, providing a geometric method for locating them.
- **Three-Dimensional Surfaces:** Representing $|\zeta(s)|$ as a surface over the complex plane produces a landscape in which zeros appear as pronounced minima, approaching zero. Such visualizations emphasize the oscillatory structure of $\zeta(s)$ and its heightened sensitivity near the critical line $\Re(s) = \frac{1}{2}$.

Prime Number Distribution



Prime Number Distribution

3D Surface Plot of $\log(1 + |\zeta(s)|)$



Prime Number Distribution

These visual representations reinforce the interpretation of the zeros as structural features governing the behavior of $\zeta(s)$, and by extension, the distribution of prime numbers through the explicit formula.

To illustrate this geometric structure, we generated a contour plot of $\Re(\zeta(s))$ and $\Im(\zeta(s))$ in the critical strip using Python and high-precision numerical evaluation.

Prime Number Distribution

- **Computational Evidence:** Extensive numerical computations have verified that enormous numbers of non-trivial zeros lie on the critical line, providing strong evidence in support of the hypothesis.
- **Prime Counting:** The zeros of $\zeta(s)$ appear explicitly in formulas governing the distribution of primes. For example,

$$\pi(x) = \text{Li}(x) - \sum_{\rho} \text{Li}(x^{\rho}) + \text{lower-order terms},$$

where the sum runs over the non-trivial zeros ρ .

- **Error Bounds:** The Riemann Hypothesis implies optimal-order bounds on the error term in the Prime Number Theorem, namely

$$\pi(x) = \text{Li}(x) + O\left(x^{1/2} \log x\right).$$

Prime Number Distribution

A central bridge between the zeros of $\zeta(s)$ and the distribution of primes is the explicit formula

$$\psi(x) = x - \sum_{\rho} \frac{x^{\rho}}{\rho} - \log(2\pi) - \frac{1}{2} \log(1 - x^{-2}),$$

where $\psi(x)$ is the Chebyshev function and the sum runs over non-trivial zeros ρ of $\zeta(s)$.

This formula shows that the zeros contribute oscillatory corrections to the main term x . In this sense, the prime numbers are not distributed randomly: their irregularities are encoded by the zero set of the zeta function.

Related asymptotic relationships include

$$P(n \text{ prime}) \approx \frac{1}{\ln n},$$

and

$$\text{Li}(x) = \int_2^x \frac{dt}{\ln t} \sim \frac{x}{\ln x}.$$

Prime Number Distribution

- **Numerical contour analysis:** High-precision contour and grid-based methods make it possible to visualize level sets of $\Re(\zeta(s))$ and $\Im(\zeta(s))$, approximate zeros, and study local spacing behavior.
- **Automated theorem search:** Machine-assisted reasoning systems can explore large proof spaces and may eventually help identify useful intermediate lemmas, structural patterns, or conjectural pathways relevant to analytic number theory.
- **Large-scale verification:** Distributed computational methods continue to test zero locations to increasing heights, providing empirical support for the conjectural picture.

Prime Number Distribution

The contrast between classical and modern cryptography highlights why prime numbers matter outside pure mathematics.

Before modern public-key cryptography, encryption methods often relied on simple substitution schemes. A classical example is the Caesar cipher, used in ancient Rome, which shifts each letter by a fixed number of positions. A somewhat more complex variant is a keyword substitution alphabet, for example


KEYWORDABCFGHIJLMNPQSTUVXZ.

Such systems are weak because they leak structure: repeated letters, frequency patterns, and small key spaces make them vulnerable to brute force or frequency analysis.

Prime Number Distribution

System	Key Space Size	Attack Method
Caesar Cipher	25 keys	Brute force
Keyword Substitution	large theoretical space	Frequency analysis
DES (56-bit)	2^{56}	Exhaustive search
RSA-512	large composite modulus	Integer factorization
RSA-2048	very large composite modulus	Integer factorization

Prime Number Distribution



- Euler connected $\zeta(s)$ to infinite series and primes.
- Riemann connected the zeros of $\zeta(s)$ to prime distribution.
- The critical line $\Re(s) = \frac{1}{2}$ is central to the Riemann Hypothesis.