

# XXXX

Simon Dellicour<sup>1,2,\*</sup>, Philippe Lemey<sup>1</sup>, Jean Artois<sup>2</sup>, XXXX<sup>x</sup>, Marc A. Suchard<sup>4,5,6</sup>, Guy Baele<sup>1</sup>, and Marius Gilbert<sup>2</sup>

<sup>1</sup>Department of Microbiology and Immunology, Rega Institute, KU Leuven University of Leuven, Herestraat 49, 3000 Leuven, Belgium

<sup>2</sup>Spatial Epidemiology Lab (SpELL), Universit Libre de Bruxelles, CP160/12 50, av FD Roosevelt, B-1050 Brussels, Belgium.

<sup>3</sup>Department of Zoology, University of Oxford, Oxford OX1 3PS, United Kingdom

<sup>4</sup>Department of Biostatistics, UCLA Fielding School of Public Health, University of California, Los Angeles, CA, USA

<sup>5</sup>Department of Biomathematics David Geffen School of Medicine at UCLA, University of California, Los Angeles, CA, USA

<sup>6</sup>Department of Human Genetics, David Geffen School of Medicine at UCLA, University of California, Los Angeles, CA, USA

\*Corresponding author (simon.dellicour@kuleuven.be)

## XXXX

**Keywords:** XXXX.

XXXX

## RESULTS

XXXX


## DISCUSSION

XXXX


## REFERENCES

**Supplementary Information** Supplementary Figures S1-4 and Table S1 are available in the online version of the paper.


**Acknowledgments** SD is funded by the Fonds Wetenschappelijk Onderzoek (FWO, Flanders, Belgium). PL acknowledges support by the Special Research Fund, KU Leuven ('Bijzonder Onderzoeksfonds', KU Leuven, OT/14/115), and the Research Foundation – Flanders ('Fonds voor Wetenschappelijk Onderzoek – Vlaanderen', G066215N, G0D5117N and GOB9317N). PL and GB acknowledge funding from the European Community's Seventh Framework Programme (FP7/2007-2013) under Grant Agreement no. 278433-PREDEMICS. PL and MAS acknowledge funding from the European Research Council under the European Union's Horizon 2020 research and innovation programme (grant agreement no. 725422-ReservoirDOCS) and from the Wellcome Trust Collaborative Award, 206298/Z/17/Z. MAS acknowledges funding through National Science Foundation grant DMS1264153 and National Institutes of Health grant R01 LM012080. GB acknowledges support from the Interne Fondsen KU Leuven / Internal Funds KU Leuven. The computational resources and services used in this work were provided by the VSC (Flemish Supercomputer Center), funded by the Research Foundation - Flanders (FWO) and the Flemish Government - department EWI.



**Figure 1.** XXXX. XXXX



**Figure 2.** XXXX. XXXX



**Figure 3.**  
XXXX.  
XXXX.




Figure 4. XXXX. XXXX




Figure 5. XXXX, XXXX